



LONG BRIDGE PROJECT SOUTH PACKAGE

DESIGN-BUILD REQUEST FOR QUALIFICATIONS (Addendum 3)

RFQ No.: 1-001-23-0002



DATE: October 13, 2023

TABLE OF CONTENTS

1. INTRODUCTION	1
1.1. Project Information.....	1
1.2. Project Goals	7
1.3. Single Point of Contact.....	8
1.4. Rules of Contact	8
1.5. Conflict of Interest.....	9
1.6. Legal Authority.....	10
1.7. Federal Funding and Requirements.....	10
1.8. Small and Diverse Business Participation	11
1.9. Respondent Composition.....	11
1.10. Licensing Requirements.....	11
1.11. Quality Management.....	12
1.12. Safety, Job Quality, and Workforce Assurance	12
2. PROCUREMENT PROCESS.....	12
2.1. Procurement Schedule.....	12
2.2. Design-Build Process.....	13
2.3. RFQ Process	14
2.4. Respondent Responsible for All Costs	16
3. Proposal Stipend.....	16
4. SOQ SUBMISSION INSTRUCTIONS	17
4.1. SOQ Deadline and Instructions.....	17
4.2. SOQ Format	17
4.3. Additional Requirements.....	18
5. CONTENTS OF STATEMENT OF QUALIFICATIONS.....	19
5.1. Cover Letter and Form A.....	20
5.2. Legal, Financial, Safety, and Small Business Information	20
5.3. Executive Summary	23
5.4. Experience of Respondent.....	23
5.5. Key Personnel and Organization.....	24
5.6. Quality Management.....	30
5.7. Understanding of Project and Design-Build; Consideration of Project-Specific Workforce Agreement.....	30
5.8. Additional Forms	31
6. EVALUATION CRITERIA.....	31
6.1. SOQ Evaluation	31
6.2. Shortlisting.....	35
6.3. Debriefings.....	35
7. PROCUREMENT DECISION APPEALS.....	35
8. VIRGINIA FREEDOM OF INFORMATION ACT.....	35
9. RESERVED RIGHTS.....	36
10. COMPLIANCE WITH LAW IN VIRGINIA.....	37

11. ETHICS IN PUBLIC CONTRACTING37
 12. REPRESENTATIONS.....37
 13. NO ASSUMPTION OF LIABILITY.....37
 14. APPLICABLE COST PRINCIPLES; ACCOUNTING REQUIREMENTS38

Exhibits

- A: Railroad Operator Indemnification Provisions
- B: Project Information
- C: Form of Performance and Payment Bonds
- D: Forms

Form ID	Form
A	Acknowledgement of Receipt of RFQ, Addenda, and Responses to Questions
B	Respondent’s Organization Information
C	Legal and Disputes History
D	Principal Participant and Lead Designer Certification
E	Conflict of Interest Disclosure
F	Safety Questionnaire
G	Record of Small Business Performance
H	Project Experience Description
I	Key Personnel
J	Subcontractor Information
K	Affidavit of Non-Collusion
L	Lobbying Certificate
M	Respondent’s Clarification Request
N	Proprietary/Confidential Information Identification

Appendixes

- 1: Definitions
- 2: List of Representative Material Changes

1. INTRODUCTION

The Virginia Passenger Rail Authority (“VPRA”) is issuing this Request for Qualifications (“RFQ”) to obtain Statements of Qualification (“SOQs”) from firms interested in serving as the Design-Builder under a Design-Build Agreement (“DBA”) for the South Package of the Long Bridge project. The procurement process for the Project will consist of two steps: (1) a RFQ step to identify a Shortlist of qualified firms; and (2) a Request for Proposals (“RFP”) step during which the Shortlisted firms will each be invited to submit a Proposal to serve as the Design-Builder. The overall process will identify the firm with the best qualifications, approach, and price to design and construct the Project.

In the first step of this procurement process, interested firms will submit SOQs detailing the firm’s relevant project experience, Key Personnel, and summary approach to the Project and quality management. In the second step of the process, firms named to the Shortlist will be invited to submit Proposals containing a detailed approach to the Work, risk management, quality management, Small Business utilization, and lump-sum price to design and construct the Project.

SOQs must meet all requirements established by this RFQ. Requirements of this RFQ generally will use the words “shall”, “will”, or “must” (or equivalent terms) to identify a required item that must be submitted with the SOQ. Failure to meet a RFQ requirement may render a SOQ non-responsive, while the extent to which a Respondent meets or exceeds evaluation criteria will be rated by the Evaluation Team and be reflective of the Evaluation Team’s scoring (in its sole discretion) of SOQs.

Unless otherwise defined herein, capitalized terms shall have the meanings set forth in Appendix 1.

1.1. Project Information

1.1.1. Long Bridge Project Overview

The Long Bridge corridor is a vital link connecting the local, regional, and national transportation networks, and the project is critical to ensuring that the Long Bridge corridor can meet future rail needs. Current service along the corridor does not provide sufficient capacity and redundancy to meet projected future demand for railroad services in the region. The overall Long Bridge project will add capacity to a busy rail travel corridor through construction of a modern rail bridge from Washington, D.C. into Virginia.

The corridor is a 1.8-mile railroad corridor between Rosslyn interlocking in Arlington, Virginia and L’Enfant Interlocking near 10th Street SW in the District of Columbia. The primary component of the Long Bridge project is a new two-track bridge upstream of the existing Long Bridge. The existing bridge will be retained to create a four-track crossing. The Long Bridge project additionally consists of environmental mitigation measures including a new bike-pedestrian shared use path across the George Washington Memorial Parkway and the Potomac River.


The Long Bridge project will allow for the separation of passenger and freight traffic while maintaining interoperability of passenger and freight rail for all four tracks. The existing eastern pair of tracks will be used primarily for CSX Transportation, Inc. (“CSXT”) freight rail, while the western pair of tracks will be used primarily for passenger rail, including the National Railroad Passenger Corporation (“Amtrak”) and Virginia Railway Express (“VRE”).

At the southern end of the project in Virginia, a new two-track railroad bridge will be constructed over the George Washington Memorial Parkway, Mount Vernon Trail, Potomac River, and Ohio Drive SW (West) to the west of the existing Long Bridge. The project will continue through East Potomac Park, crossing over the portal to the Washington Metropolitan Area Transit Authority (“WMATA”) Yellow Line tunnel and I-395 with a new two-track bridge, while retaining the existing I-395 rail bridge. After crossing I-395, the project will continue with four-track bridges, replacing the existing two-track bridges at Ohio Drive SW (East), the Washington Channel, and Maine Avenue SW.

The four tracks will continue underneath the Maryland Avenue SW overbuild, travel along the existing corridor underneath 12th Street SW and the 12th Street Expressway and tie into the four tracks proposed at L’Enfant Interlocking under a separate project led by VRE. Construction will occur within the Potomac River and Washington Channel. The project scope will require the installation of signal/communication systems (led by CSXT), as well as potential early works packages for utility relocations, and soil improvements.

The overall Long Bridge project consists of two primary construction packages, referred to as the North Package and South Package. The Project that is the subject of this RFQ is the South Package shown in blue in the graphic below (the North Package is shown in red).

Figure 1-1: Program Map



1.1.2. South Package Project Description and Scope

The South Package includes work from the Rosslyn Interlocking in Arlington, Virginia to the northern abutment of the New Long Bridge on the north side of Ohio Drive SW (West) in East Potomac Park in Washington, D.C. As part of this package, a new two-track railroad bridge and a bicycle/pedestrian bridge will be constructed over the George Washington Memorial Parkway, Mount Vernon Trail, Potomac River, and Ohio Drive SW (West) to the west of the existing Long Bridge.

The existing CSXT owned George Washington Memorial Parkway (“GWMP”) Rail Bridge and 1904 Long Bridge, modified in 1942, over the Potomac River and Ohio Drive SW (West), known as the Long Bridge, will be retained. The Potomac River Undergrade Bridge will be constructed adjacent to the existing GWMP bridge and Long Bridge to accommodate two additional tracks as part of the overall Long Bridge Project Corridor Improvements. The proposed Potomac River Undergrade Bridge will combine all crossings into one continuous structure from the GWMP to Ohio Drive SW (West) in East Potomac Park. These improvements are intended to minimize impacts to the GWMP and the existing tracks, provide improved horizontal clearance between railroad centers, and provide a structure to meet a minimum design life of 100 years.

The Project limits include:

- (a) Northern terminus: North side of Ohio Drive SW (West) in East Potomac Park; and
- (b) Southern terminus: South end of Rosslyn Interlocking (RO) (the interlocking is not included in this package).

The South Package will consist of the following major scope items:

- (a) Early and enabling work (i.e., demolition, sitework, utility relocations, etc.);
- (b) Construction of railroad embankment fills;
- (c) New non-CSXT-owned trackwork;
- (d) CSXT Track and Signals (to be performed by CSXT);
- (e) New two track rail bridge over the GWMP and the Potomac River (From GWMP, across the Potomac and landing in East Potomac Park past Ohio Drive SW (West));
- (f) New bicycle-pedestrian bridge over the GWMP and the Potomac River (From Long Bridge Park, across GWMP, Potomac River and Landing in East Potomac Park at Ohio Drive SW (West));
- (g) Connections at Long Bridge Aquatic Center, Mount Vernon Trail, and Ohio Drive SW (West);
- (h) New Retaining Walls at GW Parkway and associated embankments;
- (i) Fender System within the Potomac River Navigational Channel;
- (j) Landscaping – Protection and Restoration;
- (k) Erosion and sediment control;
- (l) Maintenance of Traffic for Roadway and Waterway;
- (m) Roadway work;
- (n) Right-of-Way coordination;
- (o) Coordination with regulatory agencies, and property owners;
- (p) Securing of applicable permits;
- (q) Public and stakeholder outreach; and
- (r) Coordination with adjacent projects and owners.

VPRA is delivering the Project in partnership with CSXT, Amtrak, VRE, District Department of Transportation (“DDOT”), National Park Service (“NPS”), and other local agencies with jurisdiction over the Project area. VPRA and the Design-Builder will work closely with these agencies to coordinate the Work and ensure that design and construction conform to applicable specifications and requirements. DDOT, CSXT, and Amtrak will participate in the design review process and will

have approval authority over design packages that impact certain portions of the Project.¹ Other agencies may also participate and have approval authority over certain aspects of the Design.

Key project development principles include:

- (a) All mainline tracks will be designed to meet or exceed the existing speeds through the project area;
- (b) Both new and existing mainline tracks will be designed for resiliency, redundancy, interoperability, and connectivity between all passenger and freight service;
- (c) Utilization of ongoing and previously completed studies, concept development, and rail improvement designs in the corridor to the extent feasible and practicable;
- (d) Recommended bridge type for the Potomac River Undergrade Bridge Crossing to consist of the following:
 - a. Simply supported through plate girder spans ranging in length from approximately 75 feet 1.5 inches to 139 feet 3 inches; and
 - b. Two railroad tracks;
 - i. 15-foot minimum distance between the centerline of the track;
 - ii. Ballasted deck construction; and
 - iii. Cast in place piers and abutments founded on deep foundations; and
- (e) The following design items are anticipated to require design waivers:
 - i. Design maximum of 12 inches of future ballast; and
 - ii. Design meeting a minimum of Cooper E-80 loading.

Additional information about the Project is provided in Exhibit B.

1.1.3. Additional Project Information

The South Package work will require attention to the following:

- (a) Portions of the work will require permits from entities such as DDOT, District Department of Buildings (“DOB”), District Department of Energy and Environment, US Army Corps of Engineers, US Coast Guard, and Federal Aviation Administration, among others.
- (b) There are numerous utilities throughout the corridor that will need to be relocated to accommodate the bridge structures.
- (c) There are 27 spans (26 piers) for both the Potomac River Rail Bridge and Potomac River Bike-Ped Bridge, with 22 of the 26 piers in the Potomac River. There is the potential for 188 drilled shafts with a range of diameters between five and eight feet. Considering the in-water work restrictions and contract completion date, there is the potential to require

¹ As part of VPRA’s delivery of the Project, VPRA is obligated to provide certain indemnifications to CSXT and Amtrak that will be passed-through to the Design-Builder. These indemnification obligations are attached as Exhibit A and are non-negotiable.

more than four drilled shaft rigs working simultaneously, which does not include any additional drill rigs that may be required for the other bridges north of the Potomac River.

- (d) The project is located approximately 0.75 mile north of Reagan National Airport and is directly in the flight path of Runway 1/19. As such, during normal airport operations, there are restrictions on how high a crane or pile may extend in the air. Based on early coordination efforts with FAA, it is VPRA's understanding that equipment may not extend beyond 80 feet on the south side of the river during airport operational hours (5AM to 12AM). VPRA additionally anticipates restrictions on the north side of the river.
- (e) Based on early coordination with DOB, it is anticipated that there will be noise restrictions imposed on the Project of no more than 80db at the property line of the sensitive receptor and pile driving only allowed between 7AM to 7PM Monday through Saturday.
- (f) The depth of the Potomac River varies along the alignment. The width of the river is approximately 2300 feet at the Project location. The water reaches a depth of approximately 10 feet below mean low water (MLW) within 100 feet from the Virginia shore. The river depth remains 10 to 22 feet below MLW until about 1200 feet from the Virginia shore, reaching a maximum of about 26 feet below MLW in the navigational channel. Further north depths are shallower, reaching a minimum of 5.5 feet below MLW about 600 feet from the District of Columbia shore, mostly providing at least 6-10 feet below MLW from 900 to 100 feet from the District of Columbia shore.

1.1.4. Environmental Status

In 2011, DDOT received a High-Speed Intercity Passenger Rail grant from Federal Railroad Administration ("FRA") to complete a two-phase feasibility and planning study of the rehabilitation or replacement of Long Bridge. In 2016, FRA awarded DDOT a Transportation Investment Generating Economic Recovery grant for Phase III of the Long Bridge Project, which includes the NEPA process. The grant funded the development of the Environmental Impact Statement, Section 4(f) Evaluation, and Record of Decision ("ROD"), including conceptual and preliminary engineering to support the analysis of alternatives, analysis of environmental impacts, and identification of a Preferred Alternative on November 29, 2018.

In September 2019, the Draft Environmental Impact Statement ("DEIS") was finalized. The DEIS considered a No Action Alternative, Action Alternative A (the ultimate Preferred Alternative), and Action Alternative B. The Project received a Final Environmental Impact Statement ("FEIS") and ROD from the FRA on August 12, 2020 which can be found at <https://vapassengerrailauthority.org/transforming-rail-in-virginia/long-bridge/#doc-library>.

1.1.5. Role of VPRA

In the context of the Project, VPRA is responsible for:

- (a) Providing the Conceptual Design;
- (b) The appropriate environmental clearances and mitigation based on the Conceptual Design, except for those obligations specifically assigned to the Design-Builder;
- (c) Overall program administration;
- (d) Project financing;
- (e) Preparation of the RFQ and RFP, evaluation of SOQs and Proposals, determination of

the Shortlist and selection of Design-Builder;

- (f) Contract procurement and administration;
- (g) Design Independent Quality Assurance and Construction Quality Acceptance;
- (h) Geotechnical data included in the RFP, subject to the conditions specified in the Design-Build Agreement;
- (i) Land acquisition for rights-of-way, permanent easements, and temporary construction easements necessary for the Conceptual Design, except for those obligations specifically assigned to the Design-Builder;
- (j) Acceptance of work and payment for work;
- (k) Initial utility coordination efforts; and
- (l) Preliminary utility information identified in the RFP, subject to the conditions specified in the Design-Build Agreement.

At VPRA's sole discretion, it may use its consultants in fulfilling the responsibilities noted in this Section 1.1.5.

1.1.6. Design-Builder Responsibilities

The Design-Builder will be responsible for:

- (a) All work necessary to design and construct the Project;
- (b) Certain public information roles to alert the public of traffic and construction;
- (c) Coordination with Project stakeholders, other contractors, and utility owners;
- (d) Design Quality Control and Quality Assurance (by the Independent Design Quality Manager ("IDQM"));
- (e) Construction Quality Control;
- (f) Environmental mitigation efforts assigned to the Design-Builder;
- (g) Environmental permitting efforts assigned to the Design-Builder;
- (h) Obtaining governmental approvals for the Project;
- (i) Maintenance and protection of traffic;
- (j) Maintaining access to adjacent facilities;
- (k) Project safety and security;
- (l) Preliminary and final engineering;
- (m) Geotechnical investigations;
- (n) ITS design and integration;
- (o) Preparation of permitted design exceptions;
- (p) Management and remediation of hazardous materials;

- (q) Drainage and erosion control;
- (r) Construction waste disposal;
- (s) Obtaining and maintaining required clearances, licenses, and permits;
- (t) Assistance in obtaining additional ROW or temporary construction easements desired for Design-Builder's convenience;
- (u) Obtaining temporary work areas for Design-Builder's convenience;
- (v) Material acquisition, permits, and transportation;
- (w) Utility coordination and relocation, and protection of existing facilities;
- (x) Compliance with the utility agreements;
- (y) Site clearance and demolition; and
- (z) Such other responsibilities to be stated in the Contract Documents.

1.2. Project Goals

VPRA's goals for the Project are:

- (a) Substantial completion of Construction Work on or before December 2030;
- (b) Maximizing the innovation potential of contractor involvement in the design-build method;
- (c) Managing costs and completing the Project within budget;
- (d) Safe construction, including ensuring worker safety and the safety of the traveling public;
- (e) Efficient construction in a congested area and in consideration of limited space to stage on either side of the Potomac, height restrictions on construction operations, and other limitations due to the proximity to Reagan National Airport;
- (f) Compliance with environmental mitigation measures for construction over the Potomac River;
- (g) Maximizing community engagement and the use of Small Business firms;
- (h) Minimizing the impacts of construction to the public, stakeholders, CSXT, VRE, Amtrak, Authorities Having Jurisdiction ("AHJs"), and government agencies, including construction noise and disruptions;
- (i) Innovation around building plan and construction methods that are in compliance with commitments made to AHJs; and
- (j) enhancement of access to rail services in the Commonwealth by creating an efficient gateway between Washington, D.C. and the Commonwealth.

1.3. Single Point of Contact

VPRA's single point of contact ("Point of Contact") for matters relating to this procurement shall be:

John Kostyniuk, Director of Procurement
919 E. Main Street, Suite 2400
Richmond, VA 23219
(804) 339-2604
procurement@vpra.virginia.gov

All communications regarding the procurement shall be directed to the Point of Contact. Only written communications received from the Point of Contact may be relied on throughout this procurement, subject to any limitations under the DBA regarding reliance on certain materials provided. VPRA is not responsible for oral communications or other communications that occur outside the communications protocol established by this RFQ.

1.4. Rules of Contact

As of the date of issuance of this RFQ, no Respondent shall contact any employee or representative of VPRA concerning this RFQ or the Project, including members of VPRA's Board of Directors, except for the Point of Contact as specifically permitted in this RFQ. This prohibition does not apply to discussions with VPRA not related to this RFQ or the Project.

The following entities are considered "representatives" of VPRA during this procurement and may not be contacted by any means whatsoever concerning this RFQ or the Project:

- (a) WSP USA Inc.;
- (b) Vanase Hangen Brustlin, Inc.;
- (c) Kimley-Horn and Associates, Inc.;
- (d) Rummel, Klepper, and Kahl, LLP;
- (e) Modjeski & Masters, Inc.;
- (f) Michael Baker International;
- (g) Gannett Fleming, Inc.;
- (h) Mott MacDonald, Inc.;
- (i) Hardesty & Hanover, LLC; and
- (j) Jacobs Solutions, Inc.

In addition, Respondents are prohibited from contact with the following stakeholders concerning this RFQ or the Project:

- (a) CSXT;
- (b) Amtrak;
- (c) VRE;
- (d) DDOT;
- (e) NPS;
- (f) Utility owners;
- (g) Other governmental agencies with jurisdiction;
- (h) Adjacent landowners; and
- (i) Business owners in the vicinity of the Project.

Further, no Respondent, or any constituent entity or personnel thereof may communicate with another Respondent or members thereof with regards to this RFQ or the Project. However, notwithstanding the foregoing, Respondents may communicate with Subcontractors that have been identified as part of multiple Respondents (where membership on multiple Respondents is not prohibited under the terms of this RFQ), provided that Respondents establish a protocol to ensure that the prospective Subcontractor will not impermissibly share information between Respondents or otherwise allow for collusion or the appearance thereof.

These rules of contact shall apply until the earliest of the following:

- (a) amendment to the rules of contact by VPRA, or superseding of these rules in the RFP;
- (b) the execution of the DBA and the expiration of any applicable protest period or resolution of any protest then pending; or
- (c) notification by VPRA of cancellation of the procurement.

Any communication prohibited by these rules may be grounds for a firm's disqualification from further participation in the procurement. VPRA may disqualify any Person for violation of these rules in its sole discretion.

1.5. Conflict of Interest

VPRA's procurement of the Project is governed by VPRA's Organizational Conflict of Interest Policy, available at: https://vapassengerrailauthority.org/wp-content/uploads/2022/09/VPRA-Organizational-Conflict-of-Interest-Policy_Executed-FINAL_Effective-08_24_2022_V1.pdf. Prior to submission of a SOQ, a Respondent may request that VPRA determine whether a specific conflict of interest exists by following the process in VPRA's Organizational Conflict of Interest Policy.

Respondents are required to provide information concerning potential organizational conflicts of interest in their SOQs. Respondents must state how their interests, or those of their Principal Participants, Affiliates, chief executives, directors, Key Personnel, or any proposed consultant, contractor or Subcontractor may result, or could be viewed as, an organizational conflict of interest. The information shall be submitted on Form E.

VPRA will review the information submitted and make a written determination of whether the Respondent's interests create an actual or apparent organizational conflict of interest. VPRA may award the DBA to a Respondent where an organizational conflict of interest is determined to exist, provided that VPRA determines that the conflict can be avoided, neutralized, or mitigated.

If, after award of the DBA, an organizational conflict of interest is discovered, the Design-Builder must make an immediate and full written disclosure to VPRA, including a description of the action taken to avoid, neutralize or mitigate the conflict. If it is determined that the Design-Builder was aware, or should have been aware, of an organizational conflict of interest prior to award of the DBA and did not disclose the conflict to VPRA, VPRA may terminate the contract for default and/or exercise any other remedies available.

If the Proposer selected to be design-builder for the North Package (or a constituent entity of the selected design-builder) intends to pursue work on the South Package, whether individually, as part of a joint venture, as a subcontractor, or otherwise, that Proposer must evaluate any real or apparent conflict of interest that could arise as a result of the engagement, and where appropriate,

seek a conflict of interest determination from VPRA in accordance with the Organizational Conflict of Interest Policy. Any significant potential organizational conflict of interest that cannot be effectively neutralized or mitigated, will result in that Proposer (or a constituent entity) being deemed ineligible from participating in the South Package procurement.

1.5.1. Ineligible Firms

VPRA and other interested entities retained the following Persons to assist in the preparation of technical specifications, Project scope of work, or consultation in the development of the qualifications and evaluation criteria for the SOQs and Proposals:

- (a) WSP USA Inc.;
- (b) Vanasse Hangen Brustlin, Inc.;
- (c) Kimley-Horn and Associates, Inc.;
- (d) Rummel, Klepper, and Kahl, LLP;
- (e) Modjeski & Masters, Inc.;
- (f) Michael Baker International;
- (g) Gannett Fleming, Inc.;
- (h) Mott MacDonald, Inc.;
- (i) Hardesty & Hanover, LLC; and
- (j) Jacobs Solutions, Inc.

These Persons are not eligible to participate in this procurement on any Respondent team in any capacity. VPRA made this determination in accordance with its Organizational Conflict of Interest Policy. If any firm listed above desires to appeal this determination of its ineligibility, such appeal must be made accordance with the procedures set forth in Section 2.6 of the Organizational Conflict of Interest Policy.

In VPRA's discretion, exceptions may be granted on the grounds provided in the Organizational Conflict of Interest Policy. VPRA's reconsideration determination will be in writing.

1.6. Legal Authority

VPRA is conducting this procurement in accordance with the Procurement Rules adopted by VPRA pursuant to Va. Code § 33.2-299.1 and intends to execute the DBA pursuant to its powers granted under Va. Code § 33.2-292. This procurement is not subject to the Virginia Public Procurement Act (Va. Code § 2.2-4300 *et seq.*) or any of its companion acts (e.g., Chapter 43.1 of Title 2 of the Code of Virginia, "Construction Management and Design-Build Contracting").

1.7. Federal Funding and Requirements

VPRA anticipates receiving financial assistance from the U.S. Department of Transportation ("DOT") in the form of grant(s) and/or cooperative agreement(s) through a DOT Component, including the Federal Railroad Administration ("FRA"). Accordingly, this procurement and the DBA shall be subject to all requirements associated with DOT federal financial assistance provided by a DOT Component. Additional details concerning federal requirements will be specified in the RFP and DBA documents.

1.8. Small and Diverse Business Participation

It is the policy of VPRA to actively promote the inclusion of small businesses certified by the Department of Small Business and Supplier Diversity (“DSBSD”) within its procurements and whenever practicable, to achieve at least **10%** participation by such entities on each procurement that is not subject to Title 49, Code of Federal Regulations, Part 26, Participation by Disadvantaged Business Enterprises in Department of Transportation Financial Assistance Programs. This includes utilization of firms certified as small and any subcategory of small, small women-owned, small minority-owned, or small service-disabled veteran-owned businesses.

To facilitate the use of DSBSD certified Small Businesses, the RFP will require Proposers to, among other things, submit a Small Business Participation Plan (Form PD 60), which plan will be scored as part of the evaluation criteria. To qualify as a Small Business for the Work, a firm must be certified by DSBSD at the time a Proposer submits its Proposal. A directory of DSBSD-certified Small Businesses is available online at: <https://directory.sbsd.virginia.gov/#/executiveExport>.

1.9. Respondent Composition

Principal Participants, the Lead Designer, IDQM firms, and Key Personnel identified in the SOQ may not be removed, replaced, or added without written approval from VPRA. If Respondent requests to change a Principal Participant, the Lead Designer, IDQM, or Key Personnel after notification of the Shortlist, and VPRA approves the change, VPRA will re-assess and re-score the qualifications of the Respondent and determine whether the substitution affects eligibility to be named to the Shortlist. If VPRA determines that the approved, amended organization remains qualified to be named to the Shortlist, VPRA’s re-assessed SOQ score for the Respondent organization will be the score carried forward to the RFP phase. If VPRA determines that the new Respondent organization is not qualified for the Shortlist, VPRA may remove the Respondent from the Shortlist.

A written request from a Respondent to change Respondent’s organization must document the proposed change, identify good cause for the change, and demonstrate that the change will be equal to or better than the Principal Participant, Lead Designer, IDQM, or Key Personnel submitted in the SOQ. Requests to change Respondent’s organization must also be accompanied by all forms required to be submitted by the RFQ with the new organization’s information.

Additionally, VPRA may disqualify a Respondent if any of its Principal Participants or Lead Designer belongs to more than one Respondent organization, or if any Affiliate of Respondent or any of its Principal Participants or Lead Designer is a member of another Respondent organization.

1.10. Licensing Requirements

Prior to execution of the DBA, all Persons participating in this procurement and/or the DBA must obtain all licenses and permits and take all necessary steps to conduct business in the Commonwealth consistent with the laws of the Commonwealth. Respondents are advised that the Project may involve the multi-jurisdictional practice of professional services (the Commonwealth and the District of Columbia). It is incumbent upon each Respondent to investigate all applicable licensure requirements and possess such qualifications as may be required for the performance of the Work. Failure to comply with applicable law with regard to any registration or licensure requirements, whether business, individual, or professional in nature may result in VPRA declining to execute the DBA, in the sole and reasonable discretion of VPRA.

Respondents shall be required to have all required licenses at the time of execution of the DBA and will be required to submit evidence that Key Personnel and other specified individuals have all required licenses as a pre-condition to execution of the DBA.

1.11. Quality Management

Quality is a key priority for the Project. For the Design, VPRA anticipates that quality management will be performed by having the Design-Builder perform Quality Control and Quality Assurance (through the IDQM), while VPRA will perform Independent Quality Assurance (“IQA”). For the Construction Work, the Design-Builder will perform Quality Control and VPRA will perform Quality Acceptance.

1.12. Safety, Job Quality, and Workforce Assurance

Respondents shall consider the use of a South Package-specific workforce agreement if such agreement results in a safer, more efficient delivery of the South Package. Such agreement would be between the successful Design-Builder and one or more labor organizations, and would provide the following: (i) a guaranteed supply of qualified labor, (ii) a prohibition against strikes and lockouts (and similar labor disruptions), (iii) uniform procedures for resolving project-related disputes, and (iv) provisions governing worker safety. Any such agreement must conform to all applicable laws² and regulations; it may neither require nor prohibit workers to be union members or to pay union dues in order to work on the Project.

2. PROCUREMENT PROCESS

2.1. Procurement Schedule

Below is VPRA’s planned schedule for this procurement. VPRA reserves the right to amend these dates in its sole discretion.

Activity	Timeline
Request for Letters of Interest Issued	November 16, 2022
Letters of Interest Received	December 30, 2022
Release of RFQ	June 30, 2023
Industry Day	10:00 – 11:30am, July 24, 2023
First Request for Clarifications Due	July 28, 2023
Last Day to Request One-on-One Meeting	August 17, 2023
One-on-One Meeting	August 30, 2023
Second Request for Clarifications Due	September 29, 2023
SOQ Due Date	November 30, 2023
Shortlist Announced	January 2024
Release of RFP	February 2024
ATCs Due	March 2024
ATC Decisions	May 2024
Proposals Due	July 2024

² Project-specific agreements are permitted under District of Columbia law. With respect to Virginia law, among other laws, any such agreement must comply with Article 3 of Chapter 4 of Title 40.1 of the Code of Virginia (Denial or Abridgement of Right to Work) – colloquially called Virginia’s “right to work statute.”

Announcement of Preferred Proposer	August 2024
Contract Execution	October 2024
Start of Construction	April 2025
Substantial Completion of Construction	December 2030 (or earlier)

2.2. Design-Build Process

This procurement will consist of two steps: (1) a RFQ process that identifies a Shortlist of Respondents determined by VPRA to be most qualified to complete the Project; and (2) a RFP process in which the Shortlist submits Proposals identifying such information as their approach to the Project and plan to manage the Project, among other information. Additional details of each step are identified below.

2.2.1. RFQ Phase

The RFQ phase will identify a Shortlist of Respondents determined to be most qualified to complete the Project in accordance with VPRA's goals. SOQs submitted in response to this RFQ will first be reviewed for compliance with the pass/fail requirements. SOQs receiving a "pass" on all pass/fail requirements will then be reviewed based on qualitative evaluation criteria. The Shortlist of firms that will be invited to submit Proposals will be determined based on evaluation of the qualitative criteria set forth herein. This RFQ sets out what is required during the RFQ phase of the procurement (see Section 4 for SOQ submittal requirements).

2.2.2. RFP Phase

The RFP will provide further specific instructions on submission requirements, the evaluation criteria, and the objectives and requirements for evaluation. Evaluation factors for the RFP are anticipated to include, but not be limited to:

- (a) Pass/Fail;
- (b) Technical approach;
- (c) Quality management approach;
- (d) Project management approach; and
- (e) The lump-sum price to complete the Work.

Information to be submitted in the Proposals may include, but not be limited to:

- (a) Documents demonstrating ability to enter the Design-Build Agreement with VPRA;
- (b) Proposal Bond set at 5% of the Contract Price;
- (c) Technical approach, including concepts for rail and bridge construction, structures, geotechnical investigation and design, maintenance of traffic, mass grading earthwork, drainage (temporary and permanent), utility coordination and relocations, compliance with local AHJ requirements, compliance with CSXT and Amtrak standards, obtaining and compliance with required permits, techniques proposed to accelerate critical work activities, avoidance of rework, and future maintenance;

- (d) Preliminary baseline critical path schedule depicting key activities to achieve timely completion of the Project;
- (e) Approach to quality management, including the identification of key processes and individuals to ensure that Design-Builder completes a quality Project;
- (f) Project management approach, including organizational structure, coordination between design and construction, constructability review, delegation of authority, schedule and budget controls, partnering, claims avoidance and mitigation, and document control;
- (g) Specified design documents and conceptual diagrams and sketches; and
- (h) Price Proposal.

The RFP process will include the opportunity for Proposers to submit Alternative Technical Concepts (“ATCs”) that allows Proposers to submit innovative design and construction concepts to VPRA. Permitted ATCs will consist of proposed changes to the Technical Provisions that a Proposer contends will enhance the Project and/or reduce the costs or time to complete the Project. Additional details of the ATC process will be included in the RFP.

VPRA will score Proposals using a best value methodology, which accounts for a balance of technical and price factors. While price is an important factor in the RFP phase of the procurement, Proposers’ technical approach, management approach, and quality will also be significant factors in determining the success of the Project.

The relative weights of technical and price in the best value proposal score will be specified in the RFP.

2.2.3. Self-Performance

The Principal Participants (other than the Lead Designer, if the Lead Designer is a Principal Participant) are required to self-perform no less than 30% of the value of Construction Work.

2.3. RFQ Process

2.3.1. RFQ Questions

Respondents may submit questions to VPRA pertaining to the RFQ. Questions must be submitted via e-mail to the Point of Contact by the deadline in the Procurement Schedule. All questions must contain the following information, to the extent applicable, and shall be on Form M, which Respondents shall submit in Microsoft Word format:

- (a) RFQ Section Number or Form Number; and
- (b) Question.

Respondents submitting a question that contains proprietary or other confidential information may identify the question as confidential by submitting Form N with the question(s). VPRA will review questions marked confidential and if it concurs that the question contains confidential information, will not make the question or response public. If VPRA disagrees that the question contains confidential information, VPRA will notify the Respondent submitting the question and provide the option to withdraw the question, amend the question, or allow the question to remain submitted without confidentiality protection.

Except for questions containing proprietary or confidential information, VPRA will post all questions received and VPRA's responses on the VPRA Website.

2.3.2. RFQ One-on-One Meetings

VPRA will offer the opportunity to conduct One-on-One meetings with each Respondent on the date set forth in the Procurement Schedule to discuss issues and clarifications regarding the Project and the Project-related documents or communications provided by VPRA or the Respondent, including RFQ Questions submitted by the subject Respondent in accordance with Section 2.3.1.

Each One-on-One will be held at a time and location as determined by VPRA. One-on-One(s) may be conducted in-person, virtually or a hybrid of the two. One-on-One meetings are not mandatory; however, VPRA encourages interested firms to participate. Interested Respondents must request a One-on-One meeting by the deadline stated in the procurement schedule. Requests shall be made to the Point of Contact. VPRA shall notify each interested Respondent in writing of the scheduled time, place, date, and duration of the One-on-One meeting.

Respondents will choose the topics for discussion and prepare a meeting agenda, which must be submitted to the Point of Contact a minimum of five (5) business days in advance of the scheduled meeting. Meeting agendas must include the topics, schedule, appropriate RFQ Question references, and an attendee list to allow VPRA to identify the appropriate decision-makers and support personnel to participate in the One-on-One.

The One-on-One discussion is intended to enable the Respondent to ask questions concerning the procurement and to allow VPRA to provide feedback on those questions prior to the Respondent submitting their SOQ. VPRA's verbal feedback, comments, voiced concerns, and answered questions concerning the Respondent's approach to the project shall be non-binding.

The One-on-One shall be one (1) hour in length, and the Respondent can decide how to allocate the time of the One-on-One. This should be identified in the submitted agenda.

2.3.2.1. One-on-One Rules

The One-on-Ones are subject to the following rules:

- (a) The One-on-One is intended to provide Respondents with a better understanding of the Project and the Project-related documents or communications provided by VPRA.
- (b) VPRA may raise its own questions and issues for discussion at One-on-Ones.
- (c) During a One-on-One, Respondents may ask questions, and VPRA may provide responses; provided, however, that any responses provided by VPRA during such One-on-One may not be relied upon by the Respondent. Nothing stated at any One-on-One will modify this procurement unless incorporated through an Addendum.
- (d) VPRA, except as provided in this RFQ, will not discuss with any Respondent any information submitted by any other Respondent.
- (e) VPRA reserves the right to limit the subject matter of a One-on-One as it deems appropriate.

- (f) Respondents shall not seek to obtain commitments from VPRA in a One-on-One or otherwise seek to obtain an unfair competitive advantage over any other Respondent.
- (g) No aspect of any One-on-One is intended to provide any Respondent with access to information that is not similarly available to other Respondents. Material information about the Project or procurement that VPRA reveals or discusses in response to questions raised in a One-on-One may, except as provided in this RFQ, be revealed to the other Respondents by VPRA, in its sole discretion, if VPRA believes such disclosure is necessary in the interest of maintaining a fair procurement process or complying with any applicable law.
- (h) No part of the evaluation of Proposals will be based on the conduct or discussions that occur during a One-on-One.
- (i) Information shared in One-on-One meetings is not confidential. VPRA may issue an addendum to the RFQ or otherwise adjust the procurement process based on information discussed during the One-on-One meetings.

2.3.3. RFQ Addenda

VPRA may amend the RFQ from time to time in its sole discretion. Any such amendments shall be incorporated into the RFQ through an addendum that will be published on the VPRA Website. Upon submission of a SOQ, Respondents will be required to affirm receipt of all issued addenda using Form A.

2.3.4. VPRA Requests for Clarification

It is the responsibility of the Respondent to provide accurate and complete information to VPRA. If information is not complete, the Respondent will be notified and will not be allowed to participate further in the procurement of this Project until all information required is provided.

VPRA may waive technical irregularities in the form of the SOQ that do not alter the quality or quantity of the services or the management, design, and construction offered. VPRA may, at its sole discretion, request clarifications and/or supplemental information from Respondents during the SOQ evaluation and Shortlisting process.

All requests and responses shall be issued in writing by e-mail from VPRA's Point of Contact. Responses shall be limited to answering the specific information requested by VPRA.

2.4. Respondent Responsible for All Costs

Except for the stipend provided in Section 3 and subject to the terms thereof, Respondents shall be responsible for all costs associated with participation in this procurement process, including but not limited to the preparation of SOQs and Proposals, submission of questions, participation in public forums or other meetings established pursuant to the procurement process, and any other efforts or costs arising from or related to this procurement.

3. Proposal Stipend

VPRA has decided that the payment of a Stipend to Proposers that submit responsive Proposals but are not selected as the Design-Builder, under certain conditions, is a proper part of this procurement. The amount of the stipend is anticipated to be **One Million Five Hundred Thousand and no/100 (\$1,500,000.00) Dollars.**

As a condition precedent to payment of any Stipend, each Stipend-Eligible Proposer must execute the Stipend Agreement and provide any additional required information not later than as required by the RFP. Any Stipend-Eligible Proposer that fails to execute the Stipend Agreement and provide any additional required information will forfeit all rights to receive a Stipend.

No Proposer will be eligible for payment of any Stipend amount if the Proposer has filed a protest of the procurement process, award, or cancellation of the procurement. In addition, as a condition of accepting payment of any Stipend amount, the Proposer shall agree to not file any protest of the procurement process, award, or cancellation of the procurement after accepting payment of the Stipend.

In consideration for paying the Stipend and executing the Stipend Agreement, VPRA may use any ideas or information contained in the Proposal, including ATCs if submitted, in connection with the Project or in connection with a subsequent project without any obligation to pay any additional compensation to any Proposer that accepts the Stipend.

If, for any reason, VPRA suspends or cancels the procurement process for this Project prior to the Due Date for Proposals, VPRA, in its sole discretion, may elect to pay Stipends, or any part thereof, that VPRA deems, in its sole discretion, appropriate under the circumstances or to pay no Stipend at all.

4. SOQ SUBMISSION INSTRUCTIONS

4.1. SOQ Deadline and Instructions

SOQs must be submitted to VPRA on or before **November 30, 2023 at 2:00 p.m. Eastern Time**. VPRA will not accept a late SOQ for any reason. Respondents shall submit their SOQ by e-mail to proposals@vpra.virginia.gov. VPRA will respond with a confirmation of receipt. All SOQs shall be submitted in searchable (i.e., not scanned) portable document format (.pdf). The file name for the overall SOQ shall be: [Respondent Name_LB SP SOQ_Date]. The file name for the financial statements shall be: [Respondent Name_LB SP SOQ Financial Statements_Date].

VPRA's e-mail system can receive file sizes up to 150 MB. If a Respondent must submit multiple e-mails to accommodate file size limitations, the transmission e-mail shall state the number of e-mails that Respondent will send to complete the SOQ package. Additionally, each file shall state, after the information required by the paragraph above, the file number out of the total number submitted (i.e., 1 of 2, 2 of 3, etc.).

Respondents may submit financial statements and confidential or proprietary information using a password-protected file. If Respondent sends information in a password-protected file, Respondent must state as such in the transmission e-mail. Respondent shall send the password in a separate e-mail. Respondents may not password protect their entire SOQ and may only do so for financial statements or other information identified on Form N.

4.2. SOQ Format

Each Respondent shall organize its SOQ as stated in Section 5. The information that must be contained in each Tab, in addition to the page limit (if any) for each Tab or portion thereof, is

further described in Section 5. Note that the financial statements shall not be submitted in Tab 2 with the other financial information, but shall instead be submitted in a separate .pdf file.

Text shall be in English in a standard font, a minimum of 11 points, single-spaced, except that graphics, including the organizational chart, may be no smaller than 10-point font. Pages shall be 8 ½-inch x 11-inch, with lettered/numbered dividers between each Tab. Graphic presentations may be submitted on 11-inch x 17-inch pages. Respondents shall be limited to a total of 2 (two) 11-inch by 17-inch pages for the entirety of the SOQ, each of which shall count as a single page. Pages must be numbered consecutively and include the Tab number in which the page is included (i.e., 1-1, 1-2; 2-1, 2-2, etc.).

The SOQ shall contain a table of contents before Tab 1. The table of contents shall include links to each tab that allow the user to toggle to each tab by clicking the link. The .pdf containing the financial statements does not require a table of contents.

4.3. Additional Requirements

SOQs shall be signed by an authorized representative of the Respondent. If the Respondent is a Joint Venture, partnership, or other form of consortium, the SOQ must be signed by authorized representatives of each Principal Participant. Signatures shall be applied using a program that applies electronic signatures.

All information requested must be submitted. Failure to submit all information requested may result in VPRA requiring prompt submission of missing information and/or giving a lowered evaluation of the SOQ. SOQs that are substantially incomplete or lack key information may be rejected as non-responsive by VPRA at its sole discretion.

5. CONTENTS OF STATEMENT OF QUALIFICATIONS

The SOQ shall be organized as shown in the table below. The information required under each tab is described in further detail in this [Section 5](#). Within each tab, the materials submitted shall be in the order stated in this table.

Tab Number	Content	Required Submissions/ Page Limits
1	Section 5.1: Cover Letter	<ul style="list-style-type: none"> • Cover letter (2 Pages) • Form A (Acknowledgement and Receipt of RFQ, Addenda, and Responses to Questions)
2	Section 5.2: Legal, Financial, Safety, and Small Business information	<ul style="list-style-type: none"> • Form B (Respondent's Organization Information) • Organizational agreement or material terms • Form C (Legal and Disputes History) • Form D (Principal Participant and Lead Designer Certification) • Form E: (Conflict of Interest Disclosure) • Surety Letter • Material change disclosure • Form F (Safety Questionnaire) plus required documents • Form G (Record of Small Business Performance)
3	Section 5.3: Executive Summary	<ul style="list-style-type: none"> • 2 Pages
4	Section 5.4: Respondent Experience	<ul style="list-style-type: none"> • Form H (Project Experience Description) (2 pages each) • Narrative (2 pages)
5	Section 5.5: Key Personnel and Organization	<ul style="list-style-type: none"> • Form I (Key Personnel) • Key Personnel resumes (2 pages each) • Form J (Subcontractor Information) • Subcontractor description (1 page) • Organizational Chart and description (2 pages)
6	Section 5.6: Quality Management	<ul style="list-style-type: none"> • Narrative (3 pages)
7	Section 5.7: Understanding of Project and Design-Build; Consideration of Project-Specific Workforce Agreement	<ul style="list-style-type: none"> • Narrative (4 pages)
8	Additional Forms	<ul style="list-style-type: none"> • Form K (Affidavit of Non-Collusion) • Form L (Lobbying Certificate) • Form N (Proprietary / Confidential Information Designation), if needed

Tab Number	Content	Required Submissions/ Page Limits
Separate .pdf	Section 5.2: Financial	<ul style="list-style-type: none"> • Financial statements

5.1. Cover Letter and Form A

Respondent shall provide a cover letter stating its desire to be considered for the Project and stating the official names and roles of all Principal Participants, the Lead Designer (if not a Principal Participant), and IDQM firm(s). Respondents shall be comprised only of teams or organizations that are capable of designing and constructing the Project in its entirety. Individual firms or potential Subcontractors that are not capable of performing the entirety of the Work shall not be eligible to submit a SOQ.

In the cover letter, the Respondent shall identify a single point of contact for the Respondent (the “Designated Contact”) and the e-mail address, physical address, and telephone number where questions may be directed. The letter shall be signed by authorized representatives of the Respondent’s organization. If the Respondent is a Joint Venture, partnership, or other consortium, the letter shall be signed by authorized representatives of each member.

In addition, Respondent shall submit Form A.

5.2. Legal, Financial, Safety, and Small Business Information

5.2.1. Legal Information

5.2.1.1. Legal Structure

Submit the following information:

- (a) Using Form B, identify Respondent’s legal name, legal structure, and relevant state(s) of organization. Provide the legal structure and state of organization for each Principal Participant, the Lead Designer (if not a Principal Participant), and IDQM firm(s), and the % of equity interest of each Principal Participant.
- (b) If Respondent is a Joint Venture, partnership, or other consortium, provide a copy of the agreement between the constituent entities. If such agreement has not yet been executed, provide a copy of the anticipated key terms of the agreement. The agreement or the key terms must include, at a minimum, the percentages of ownership of each constituent entity, roles of the various entities, a stated commitment to execute an agreement prior to submission of a Proposal, and the provisions concerning joint and several liability stated in part (c) below.
- (c) If the Respondent is a Joint Venture, partnership, or other consortium, each constituent entity of the Respondent must agree to be jointly and severally liable for the Respondent’s obligations with respect to the Project.

5.2.1.2. Legal/Disputes History

Submit the following information:

- (a) Submit Form C for the Respondent, Principal Participants, Lead Designer, and IDQM as applicable, in accordance with the instructions on the form.

- (b) Provide Form D for each Principal Participant and the Lead Designer (if not a Principal Participant).
- (c) Using Form E, provide the conflict of interest disclosure discussed in Section 1.5. If there is no conflict of interest, affirmatively state as such on Form E.

5.2.2. Financial Information

Submit the following information:

(a) Financial Statements

Financial statements for the Principal Participant(s) (and the Guarantor if applicable under Section 5.2.2(d)) for the three most recently completed fiscal years. Financial Statements must include:

- (i) Opinion Letter (Auditor's Report);
- (ii) Balance Sheet;
- (iii) Income Statement;
- (iv) Statement of Changes in Cash Flow; and
- (v) Footnotes.

In addition, financial statements must meet the following requirements:

GAAP or IFRS Compliant

Financial statements must be prepared in accordance with U.S. Generally Accepted Accounting Principles ("U.S. GAAP") or International Financial Reporting Standards ("IFRS"). If financial statements are prepared in accordance with principles other than U.S. GAAP or IFRS, a letter must be provided from a certified public accountant identifying and discussing the areas of the financial statements that would be affected by a conversion to U.S. GAAP or IFRS. A restatement of the financial information in accordance with U.S. GAAP or IFRS is not required.

U.S. Dollars

Financial statements shall be provided in U.S. dollars, if available. If financial statements are not available in U.S. dollars, the Respondent must include summaries of the income statements, statements of cash flow, and balance sheets for the applicable time periods converted to U.S. dollars, within one month of the SOQ due date, by a certified public accountant.

Audited

Financial statements must be audited by an independent party qualified to render audit opinions (e.g., a certified public accountant). If audited financials are not available for an entity, the Respondent shall include unaudited financial statements for such entity, certified as true, correct, and accurate by the chief executive officer, chief financial officer, or treasurer (or by such equivalent position or role) of the entity.

English

Financial statement information must be prepared in English. If audited financial statements are prepared in a language other than English, translations of all financial statement information must be provided with the original financial statement information.

SEC Filings

If the Respondent or any other entity for whom financial information is submitted in the SOQ files reports with the Securities and Exchange Commission, then such financial statements shall be provided by including the entity's most recent Form 10-K. For all subsequent quarters, provide a copy of any report filed on Form 10-Q or Form 8-K that has been filed since the latest filed 10-K.

(b) Bonding Capacity and Eligibility

Provide a letter from a surety or insurance company stating that the Respondent is capable of obtaining Performance and Payment Bonds in the amount of \$700,000,000, each in the forms attached hereto as Exhibit C and that the surety or insurance company will issue the required bonds in such amount for this Project. The surety or insurance company submitting such letter must be rated AA-/Aa3 by two nationally recognized rating agencies or at least A-VII by A.M. Best and Company, be listed on Treasury Department Circular 570, and be on the list of companies approved by the Commonwealth. The letter should recognize the Respondent's backlog and work-in-progress in relation to its bonding capacity. Letters indicating "unlimited" bonding/security capability are not acceptable.

(c) Material Changes in Financial Condition

Respondent shall provide information regarding any material changes in financial condition for each Principal Participant, and, if applicable, each Guarantor for the past three fiscal years and anticipated for the next fiscal year. For the avoidance of doubt, if any of the foregoing entities is a Joint Venture, partnership, or other consortium, Respondent shall provide this information for all members. If no material change has occurred and none is pending, each of these entities shall provide a letter from their respective chief executive officer, chief financial officer, or treasurer (or equivalent position or role) so certifying.

In instances where a material change has occurred, or is anticipated, the affected entity shall provide a statement describing each material change in detail, the likelihood that the factors underlying the change will continue during the period of performance of the Project, and the projected full extent of the changes likely to be experienced in the periods ahead. Estimates of the impact on revenues, expenses, and the change in equity shall be provided separately for each material change certified by the chief executive officer, chief financial officer, or treasurer (or equivalent position or role). References to the notes in the financial statements are not sufficient to address the requirement to discuss the impact of material changes.

Where a material change will have a negative financial impact, the affected entity shall additionally provide a discussion of measures that it will undertake to insulate the Project from such negative material changes, and those currently in progress or reasonably anticipated in the future. If the financial statements indicate that expenses and losses exceed income in each of the three completed fiscal years (even if there has not been a material change), the affected entity shall

provide a discussion of measures that will be undertaken to make the entity profitable in the future and an estimate of when the entity will be profitable.

Set forth at Appendix 2 is a representative list of events intended to provide examples of a material change in financial condition. This list is intended to be indicative only and is not exhaustive.

At the sole discretion of VPRA, any failure to disclose a prior or pending material change may result in disqualification from further participation in the selection process.

(d) Guarantor

VPRA may in its discretion specify that an acceptable Guarantor is required as a condition of shortlisting and award of the DBA. If VPRA requires a Guarantor, VPRA will require Respondent to provide the Guarantor's financial statements for the preceding three (3) years by a time specified in VPRA's notice to a Respondent that a Guarantor is required.

If a Guarantor is required, Respondent must comply with all other requirements in the RFQ for the submission of financial information. VPRA reserves the right to review a proposed Guarantor's financial capacity and reject the proposed Guarantor if there is a material risk that it would be unable to fulfill its obligations.

5.2.3. Safety Record

Submit Form F, Safety Questionnaire, for each Principal Participant, in addition to the documentation specified in Form F. If the Lead Designer is a Principal Participant, the Lead Designer is not required to submit Form F.

5.2.4. Small Business Participation Record

Submit Form G, Record of Small Business Performance, for each Principal Participant reflecting the record of small business participation in their contracts for the past three (3) years. If the Lead Designer is a Principal Participant, the Lead Designer is not required to submit Form G.

5.3. Executive Summary

Respondent shall submit an executive summary that provides an overview of the information presented in the SOQ. The purpose of the executive summary is to familiarize reviewers with the content of the SOQ in plain language and to provide an introduction to the SOQ.

5.4. Experience of Respondent

Respondent shall identify projects performed by the Principal Participants, the Lead Designer (if not a Principal Participant), and IDQM firms demonstrating that they have the experience, knowledge, and capability to execute the Project successfully. Respondents should identify other projects with a similar scope of work, risks, constraints and third-party considerations. Respondents should also demonstrate their experience on similar projects using the design-build delivery method. Respondents shall provide the following information to demonstrate its experience:

- (a) Using Form H, Project Experience Description, provide at least two (2) projects, but no more than three (3) projects, for each (i) Principal Participant and (ii) the Lead Designer (if not a Principal Participant). Additionally, for each IDQM firm identified, provide two (2) representative projects. All project descriptions should highlight experience in the last ten

(10) years relevant to the Project, with a focus on projects that have similar scopes of work, similar risks, and demonstrate experience comparable to that needed for the Project. Additionally, the projects submitted must comply with the following:

- (i) for the projects submitted for the Principal Participants, the projects must have reached final acceptance as defined by the requirements of the submitted projects, except that for each Principal Participant, Respondent may identify no more than one (1) project that has not reached final acceptance provided that at least 50% of the value of the construction work has been completed, and
 - (ii) for the projects submitted for the Lead Designer and IDQM, design on the project must be complete such that all final design plans have been submitted and accepted by owner and all design packages have been released for construction. A project may be considered complete even if the Lead Designer continues to perform ancillary design services, such as responding to requests for information, preparing notices of design change, and similar services.
- (b) Provide a narrative explaining how Respondent's project experience identified in Section 5.4(a) qualifies it to perform the work on the Project, with an emphasis on how Respondent's experience equips it to collaborate with VPRA. Explain how Respondent's project experience will help it address the Project's risks and challenges and to complete the Project on time or early. Discuss whether the members of Respondent's organization have previously worked together and how this experience will benefit the Project.

5.5. Key Personnel and Organization

5.5.1. Key Personnel

Respondent shall identify Key Personnel with the qualifications and experience to create a collaborative environment that maximizes use of the design-build delivery method. Respondent shall submit Form I containing the identity of individuals proposed to fill the Key Personnel positions identified in the table below. Additionally, Respondent shall submit a resume for each Key Personnel. Each resume shall highlight the following information:

- (a) Proposed role on Project and experience in area of responsibility;
- (b) History of employment;
- (c) Experience on projects with a scope similar as the Project;
- (d) Work on the Projects identified in response to Section 5.4;
- (e) Years of experience; and
- (f) Education and registrations.

Respondents may not substitute identified Key Personnel without VPRA's written consent. If a Respondent requests substitution of a Key Personnel position at any time prior to execution of the DBA, Respondent shall submit a request in writing. Such request must identify a substitute. VPRA may re-assess the qualifications of the Respondent and determine whether the substitution affects eligibility to be named to the Shortlist and submit a Proposal. Substitutions of Key Personnel after execution of the DBA will be subject to the terms therein, and in certain circumstances may be subject to the assessment of liquidated damages.

Key Personnel	Requirements and Preferred Qualifications	Time Commitment
Project Manager	<p>The Project Manager will manage the overall Project for the Design-Builder. This person will be the main point of communication for the Design-Builder and VPRA's primary point of contact. The Project Manager will be responsible to ensure adequate personnel and other resources are made available for the Project, will handle contractual matters, and will be responsible for quality and timeliness of the team performance.</p> <p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • 20 years managing similar projects • Design-Build experience 	100%
Design Manager	<p>The Design Manager is responsible for coordinating all aspects of the Design, including coordinating between the design disciplines. The Design Manager will be responsible for ensuring that the overall Project Design is completed in accordance with the Contract Documents.</p> <p>The Design Manager must be an employee of the Lead Designer and must be a registered Professional Engineer in the Commonwealth and Washington, D.C.</p> <p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • 20 years managing or performing design for similar projects • Design-Build experience 	100% until final IFC by VPRA of last set of plans; thereafter as needed to resolve design matters
Construction Manager	<p>The Construction Manager is responsible for coordinating and overseeing all aspects of Construction Work.</p> <p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • 20 years managing construction of similar projects • CMAA Certification • Design-Build experience 	100%
Quality Manager	<p>The Quality Manager will be in charge of the Design-Builder's quality program. The Quality Manager will oversee that the Project is built in conformance with the approved Quality Plan and the Contract Documents. The Quality Manager will be the primary liaison with VPRA's Quality Acceptance</p>	100%

	<p>program. The Quality Manager must work for the Design-Builder under the direct supervision of an executive officer above the level of and under a line of authority independent of the Project Manager. The individual must have the ability to stop design or construction at any time and in the individual's sole discretion.</p> <p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • 20 years of quality management experience for similar projects • Licensed Professional Engineer • Design-Build experience 	
<p>Independent Design Quality Manager Director</p>	<p>The Independent Design Quality Manager Director ("IDQMD") shall be an employee of one of the IDQM firm(s) identified as part of Respondent's organization. The IDQMD shall perform reviews of Design-Builder's Design for conformance to the Contract Documents, environmental commitments, permit conditions, and conformance with the Design Quality Plan. The IDQMD shall review each design submittal prior to submission to VPRA for conformance to the Technical Provisions. The IDQMD shall oversee and supervise the reconciliation and resolution of comments between the IDQM and Design-Builder. After review of the Design and resolution of comments, the IDQMD shall cause the IFC plans to be signed and stamped by a qualified member of the IDQM before submission to VPRA. The stamp shall attest that, under the supervision of the IDQMD, the IFC plans have been reviewed and inspected, conform to the Contract Documents and the Design Quality Plan, and represent good industry practice.</p> <p>The IDQMD must be a registered Professional Engineer in the Commonwealth and Washington, D.C.</p> <p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • Twenty (20) years of experience in the analysis and design of rail infrastructure and bridge structures. 	<p>100% until final IFC by VPRA of last set of plans; thereafter as needed to resolve design matters</p>

	<p>Emphasize experience with rail design, bridges, retaining structures, drainage structures, and projects of similar size and type of work.</p> <ul style="list-style-type: none"> • Design-Build experience 	
Structures Design Manager	<p>The Structures Design Manager (“SDM”) will be in charge of all structural design work on the Project and ensuring that the structural design is prepared in conformance with the Contract Documents. THE SDM will be responsible for design of all structures on the Project.</p> <p>The SDM must be a registered Professional Engineer in the Commonwealth and Washington, D.C.</p> <p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • 20 years of demonstrated experience in bridge engineering, design and analysis, including projects of similar size, type of work, and complexity as the Project. • Design-Build experience 	100% until final IFC by VPRA of last set of plans; thereafter as needed to resolve design matters
Geotechnical Design Manager	<p>The Geotechnical Design Manager (“GDM”) will be in charge of all geotechnical design work on the Project and ensuring that the geotechnical design is prepared in conformance with the Contract Documents. The GDM will be responsible for geotechnical design of the retaining walls, foundations, cut and fill slopes, embankment materials and construction, geotechnical instrumentation, and pavement subgrade and structure.</p> <p>The GDM must be a registered Professional Engineer in the Commonwealth and Washington, D.C.</p> <p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • 20 years of experience including planning and overseeing subsurface exploration programs for bridge structures and roadways, including projects of similar size, type of work, and complexity as this Project. • Design-Build experience 	100% until final IFC by VPRA of last set of plans; thereafter as needed to resolve design matters

<p>Environmental Compliance Manager</p>	<p>The Environmental Compliance Manager is responsible for ensuring that all Work complies with all environmental laws and environmental requirements specific to the Project. The Environmental Compliance Manager may review designs to ensure compliance with environmental requirements, and will oversee construction operations to ensure compliance with environmental requirements.</p> <p>Preferred Qualification:</p> <ul style="list-style-type: none"> • 10 years of overseeing environmental compliance for similar projects 	<p>100%</p>
<p>Third-Party Coordinator</p>	<p>The Third-Party Coordinator is responsible for engaging with third-parties and stakeholders as needed to manage construction and other Project operations. This Person will meet with third-parties to understand and manage concerns, establish schedules, and serve as point person for the Design-Builder. Additionally, this Person will communicate progress with third-parties and manage the resolution of conflicts.</p> <p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • 10 years of experience with third-party coordination for similar projects • Alternative delivery experience or delivery methods with early contractor involvement, including, for example, progressive design-build, CM/GC, and design-build 	<p>100%</p>
<p>Public Information Coordinator</p>	<p>The Public Information Coordinator is responsible for coordinating and managing information provided to stakeholders and the public. The Public Information Coordinator will engage with the public, obtain feedback, and provide such information to the Design-Builder and VPRA. Further, the Public Information Coordinator will work with VPRA to ensure that information about the Project is consistent and accurate. Additionally, the Public Information Coordinator will act as the Design-Builder's liaison to the public and with stakeholders.</p>	<p>25%</p>

	<p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • 10 years of experience with public information management for similar projects • Alternative delivery experience or delivery methods with early contractor involvement, including, for example, progressive design-build, CM/GC, and design-build 	
Safety Manager	<p>The Safety Manager shall oversee and be responsible for safety on the Project site. The Safety Manager shall be responsible for preparation of Design-Builder’s Safety Management Plan and may assist with constructability review to verify that construction can be performed safely. Additionally, the Safety Manager shall ensure that all Work is performed safely and in compliance with the Contract Documents and Design-Builder’s Safety Management Plan. The Safety Manager must be on site during all major construction operations.</p> <p>Preferred Qualifications:</p> <ul style="list-style-type: none"> • 15 years of managing safety for similar types of construction work, with an emphasis on rail construction and construction in a dense, urban environment 	100%
Additional Value Personnel* (see note below)		

*Additional Value Personnel: Respondent may name up to two (2) other individuals that the Respondent considers as key to the success of the Project. Their resumes shall describe their anticipated role, relevant experience, registration(s), education, and other elements of qualification applicable to this Project, as well as how much time they will dedicate to the Project.

5.5.2. Independent Design Quality Manager

Respondents shall identify the IDQM firm(s) in their SOQ. The IDQM firm(s) shall be retained by the Design-Builder but have no contractual relationship with the Lead Designer or be a Subcontractor at any tier under the Lead Designer.

The IDQM will provide independent design reviews and certification that the submitted designs comply with the Contract Documents, the Design-Builder’s Quality Plan, and represent good industry practice. The IDQM’s review shall be in addition to the Design-Builder’s internal Quality Control and assurance procedures and shall not replace the Design-Builder’s Quality Control responsibilities. The IDQM firm signing and certifying compliance of designs with the Contract Documents must hold the same professional licensure and applicable certifications as those

required for the Lead Designer. Prior to submission of a design package to VPRA, Design-Builder shall obtain signed certification from the IDQM. Respondents may identify multiple firms to serve in the IDQM role if Respondent believes that specialized expertise in different technical disciplines will benefit the Project.

5.5.3. Organization

Provide the following information about Respondent's organization:

- (a) Using Form J, except for the Lead Designer and IDQM, identify Subcontractors the Respondent plans to use for the Work.
- (b) Submit a summary describing the Subcontractors identified in Form J.
- (c) Provide an organizational chart identifying Key Personnel and participating firms responsible for major functions to be performed in designing, constructing, and providing quality management services for the Respondent's organization. All Key Personnel, Principal Participants, the Lead Designer (if not a Principal Participant), IDQM firms, and known Subcontractors must be identified on the chart. Provide a brief description of the significant functional relationships among these firms.

5.6. Quality Management

Respondent shall demonstrate its approach to ensure that the design and construction work is prepared and performed with a focus on quality. Respondent shall provide a narrative of its approach to quality management and how Respondent intends to interact with VPRA's Design IQA and Construction Quality Acceptance programs. Respondent shall address Quality Control for both design and construction and specify the key processes it will employ in its Quality Plan, including the role to be played by the IDQM firm(s) for design Quality Assurance. Respondent shall discuss such issues as the use of independent checks, stop work authority, resolution of nonconformance reports, and other critical quality issues. Respondent shall identify past successes with its approach to quality management, as well as key lessons learned from its experience.

Note that the RFP will require Proposers to submit an in-depth discussion of quality management and a draft Quality Plan.

5.7. Understanding of Project and Design-Build; Consideration of Project-Specific Workforce Agreement

5.7.1. Respondent shall demonstrate its preliminary understanding of the Project, key risks and challenges, and how it will use the design-build delivery method to improve the Project and mitigate risk. Respondent shall describe the following:

- (a) Respondent's understanding of the Project, VPRA's goals, and Respondent's preliminary approach to completing the Project on time and within budget;
- (b) Respondent's approach to using the design-build delivery method to introduce design and construction innovation, expedite project completion, and mitigate risk;
- (c) Respondent's approach to ATCs;
- (d) Respondent's approach to coordinating with and receiving Design approval from VPRA's partners, including CSXT and Amtrak;

- (e) How Respondent's identified experience demonstrates its ability to use the design-build method to benefit the Project;
- (f) Preliminary major risks and challenges associated with the Project and how the Respondent would plan to mitigate those risks and overcome those challenges, including how Respondent would use the design-build method to mitigate risk;
- (g) Respondent's understanding of the Project's significant technical challenges, approach to their resolution, and how Respondent's experience demonstrates its capability to achieve such resolution; and
- (h) Respondent's approach to maintenance of marine and land traffic and to utility coordination for the Project, and how Respondent's experience with these critical issues will contribute to their successful implementation.

5.7.2. Respondent shall demonstrate that it has meaningfully considered the use of a Project-specific workforce agreement containing the following: (i) a guaranteed supply of qualified labor, (ii) a prohibition against strikes and lockouts (and similar labor disruptions), (iii) uniform procedures for resolving Project-related disputes, and (iv) provisions governing worker safety. In the interest of clarity, at this RFQ stage, Respondent need only document the plenary efforts it has made to evaluate the potential viability of a Project-specific workforce agreement (i.e., there is no requirement that a Respondent commit to a Project-specific workforce agreement).

5.8. Additional Forms

Respondent shall provide the following:

- (a) Affidavit of Non-Collusion (Form K);
- (b) Lobbying Certificate (Form L); and
- (c) Form N: Proprietary/Confidential Information Designation (if applicable).

6. EVALUATION CRITERIA

This Section 6 describes the evaluation criteria for the RFQ phase of the procurement.

6.1. SOQ Evaluation

SOQs will be evaluated in two steps:

- (a) Pass/Fail Review; and
- (b) Qualitative Review.

VPRA will first conduct a Pass/Fail review of all SOQs received. SOQs that receive a "Pass" for all categories of the Pass/Fail criteria will proceed to the qualitative review and be scored. SOQs that receive a "Fail" in any category of the Pass/Fail criteria will be removed from further consideration. VPRA will notify Respondents whose SOQ receive a "Fail."

6.1.1. Pass/Fail Review

The Pass/Fail review consists of the following:

- (a) **Responsiveness:** The SOQ complies with the following:

- (i) the SOQ conforms to the RFQ instructions regarding organization and format and Respondent has submitted all required information;
- (ii) the Respondent’s qualifications and other information provided are responsive to the requirements set forth in the RFQ; and
- (iii) the SOQ does not contain any material misrepresentations.

In performing the responsiveness review, the Evaluation Team reserves the right to waive minor informalities, irregularities, and apparent clerical mistakes that are unrelated to the substantive content of the SOQ. In accordance with Section 2.3.4, the Evaluation Team may also require Respondents to clarify responses within their SOQ and/or address any informational deficiencies within their SOQ. A failure to provide the clarification and/or information requested by the Evaluation Team may result in a SOQ being deemed non-responsive and designated as a “Fail.”

- (b) **Legal:** The SOQ complies with and meets or exceeds the minimum requirements listed in Section 5.2.1 and there are no identified issues presenting a material risk that the Respondent is unable to complete the Work.
- (c) **Financial Capacity:** The SOQ complies with and meets or exceeds the minimum requirements listed in Section 5.2.2 and there are no identified issues presenting a material risk that the Respondent is unable to complete the Work.
- (d) **Safety:** Respondent possesses a comprehensive safety program, performs regular safety training for employees, and, through its responses on Form F, demonstrates a commitment to a safety culture within the organization as evidenced by its processes, procedures, and outcomes. In addition, there are no identified issues presenting a material risk that the Respondent would not be able to perform the Work safely and with due regard for the health and safety of its employees, VPRA, and the general public.
- (e) **Small Business Participation:** The Respondent demonstrates a history of successful compliance with small business requirements and does not present a material risk of non-compliance with the Small Business requirements for the Project.

6.1.2. Qualitative Review

SOQs will be evaluated and scored as follows:

Category	Total Points Possible
Experience of Respondent	35
Key Personnel and Organization	35
Quality Management	15
Understanding of Project and Design-Build	15
Total	100

Respondents are advised that a Respondent’s “Experience of Respondent” and “Key Personnel and Organization” qualifications scores will be carried forward to the RFP step and considered as part of the Proposal scoring of shortlisted Proposers. Respondent organizations that receive written approval from VPRA to change compositions will have their qualifications re-evaluated as stated in Section 1.9.

VPRA will conduct the SOQ evaluations based on the following criteria:

Category	Evaluation Criteria
Experience of Respondent	The extent to which the Respondent’s organization shows that it has successfully performed similar prior work, including on design-build projects, that demonstrates its qualifications and ability to design and build the Project, including but not limited to the information provided in Tabs 2, 3, 4, and 5. This includes the Respondent’s prior successes at developing innovative design and construction concepts, using ATCs to improve outcomes, on-time completion of complex projects, delivering quality design and construction work, meeting owner project goals, minimizing disruption to adjacent communities and projects, and coordinating with utility owners and other third-parties.
Key Personnel and Organization	The extent to which Respondent’s Key Personnel and organization have the background and experience to be successful at delivering a quality Project that meets VPRA’s goals, as demonstrated by the prior successes of the Key Personnel and Respondent’s organization.
Quality Management	The extent to which Respondent demonstrates a thorough commitment to quality, evidenced by the presence of a robust quality control process that incorporates production staff, contains procedures to identify and correct nonconforming work, vests quality staff with sufficient authority to stop work, uses the IDQM to make the design review process as efficient as possible, and will interact with VPRA’s design IQA and construction Quality Acceptance program in a manner that facilitates cooperation and improves the overall quality of the Work.
Understanding of Project and Design-Build; Consideration of Project-Specific Workforce Agreement	The extent to which Respondent demonstrates an approach that: maximizes the value of the design-build delivery method, understands key risks and mitigation strategies, addresses technical challenges, proposes a logical and innovative methodology for the Project’s delivery, understands VPRA’s Project goals, and exhibits that its prior work provides the experience for a successful Project outcome. The extent to which Respondent has meaningfully considered the use of a Project-specific agreement containing the following: (i) a guaranteed

	supply of qualified labor, (ii) a prohibition against strikes and lockouts (and similar labor disruptions), (iii) uniform procedures for resolving Project-related disputes, and (iv) provisions governing worker safety.
--	---

6.1.3. Evaluation Methodology

The Evaluation Team will evaluate each of the four categories in Section 6.1.2 using the following adjectival ratings: Exceptional, Good, Acceptable, Weak, and Unacceptable. The Evaluation Team may differentiate within each adjectival rating by adding a plus (+) or minus (-) to the rating, except that (Exceptional +) and (Weak -) shall not be available ratings. To rank the SOQs, the Evaluation Team will reach a consensus adjectival rating for each of the four categories. The consensus adjectival ratings will be converted to the numerical scale identified in Section 6.1.2 to assign a score to each SOQ. In developing a consensus score, the Evaluation Team is at liberty to consider all information contained within a Respondent’s SOQ. Where deemed relevant to any of the evaluation criteria, information that is considered as part of the Pass/Fail review under Section 6.1.1, may, in the sole discretion of the Evaluation Team, be carried forward and considered when assigning a consensus score as part of the qualitative review under Section 6.1.2.

The adjectival ratings will be assigned on the following basis:

Adjectival Rating	Rating Description
Exceptional	The SOQ offers universally better than acceptable quality and the greatest likelihood of successful results for the Work. There are essentially no weaknesses or deficiencies requiring correction.
Good	The SOQ offers generally better than acceptable quality and a high likelihood of successful results for the Work. Deficiencies and/or weaknesses in the SOQ are minor and correctable.
Acceptable	The SOQ offers an acceptable level of quality and a reasonable likelihood of successful results for the Work. Deficiencies and/or weaknesses in the SOQ are generally correctable with minor to some significant changes.
Weak	The SOQ minimally complies with stated criteria and offers a low likelihood of successful results for the Work. The SOQ includes deficiencies and/or weaknesses that are not correctable without significant changes.
Unacceptable	The SOQ does not meet the stated criteria and has significant weaknesses, deficiencies, and/or unacceptable quality. Essential information is not provided or is conflicting and/or unproductive. Deficiencies and weaknesses are so major and/or extensive that a major revision to the SOQ would be necessary to meet the objectives of the Project.

A Respondent that receives a consensus adjectival rating of “Unacceptable” in any of the categories identified in Section 6.1.2 may, in VPRA’s sole discretion, be eliminated from further consideration.

6.2. Shortlisting

Respondents shall be ranked from highest to lowest in order of their SOQ scores. VPRA intends to name no more than three (3) Respondents to the Shortlist in order to ensure adequate competition. Upon shortlisting by the Evaluation Team, only those Respondents named to the Shortlist shall remain eligible for participation in the RFP step. Neither the overall scoring nor the ranking of the Respondents on the Shortlist will be disclosed to Respondents until the procurement process is complete and a DBA is executed.

6.3. Debriefings

All Respondents submitting SOQs will be notified in writing of the Shortlist. Respondents not named to the Shortlist may request a debriefing. If requested, debriefings shall be provided at the earliest feasible time after announcement of the Shortlist, subject to applicable law. The debriefing shall be conducted by VPRA’s Point of Contact or designee, who may be accompanied by other VPRA officials familiar with the rationale for the selection decision.

Debriefings shall:

- (a) be limited to discussion of the unsuccessful Respondent’s SOQ and will not include specific discussion of a competing SOQ;
- (b) be factual and consistent with the evaluation of the unsuccessful Respondent’s SOQ; and
- (c) provide information on areas in which the unsuccessful Respondent’s SOQ had weaknesses or deficiencies.

Debriefing will not include discussion or dissemination of the identities, thoughts, or notes of individual members of the Evaluation Team, but may include a summary of the rationale for the selection decision.

7. PROCUREMENT DECISION APPEALS

Any Respondent who desires to file a procurement decision appeal (other than matters involving organizational conflicts of interest) must do so in accordance with sections 7.3, 7.4, and 7.5 of the Procurement Rules. Procurement decision appeals will be administered in accordance with the Procurement Rules.

8. VIRGINIA FREEDOM OF INFORMATION ACT

All SOQs submitted to VPRA become the property of VPRA and are subject to the disclosure requirements of the Virginia Freedom of Information Act (VFOIA) (Va. Code § 2.2-3700 *et seq.*). Respondents are advised to familiarize themselves with the provisions of VFOIA to ensure that documents identified as confidential will not be subject to disclosure under VFOIA. In no event shall the Commonwealth or VPRA be liable to a Respondent for the disclosure of all or a portion of a SOQ submitted pursuant to this request.

If a Respondent has special concerns about information that it desires to make available to VPRA (including information submitted in a SOQ), but that it believes constitutes a

trade secret, proprietary information, or other confidential information exempted from disclosure, such Respondent should specifically and conspicuously designate that information as such in its SOQ and state in writing why protection of that information is needed in accordance with Form N (Proprietary/Confidential Information Identification), and submit Form N in Tab 8 of the SOQ.

Blanket designations that do not identify the specific information are not acceptable and may be cause for VPRA to treat the entire SOQ as public information. Nothing contained in this provision shall modify or amend requirements and obligations imposed on VPRA by applicable law, and the applicable law(s) shall control in the event of a conflict between the procedures described above and any applicable law(s).

In the event VPRA receives a request for public disclosure of all or any portion of a SOQ identified as confidential, VPRA will attempt to notify the Respondent of the request, providing an opportunity for such Respondent to assert, in writing, claimed exemptions under the VFOIA or other Commonwealth law. VPRA will come to its own determination whether the requested materials are exempt from disclosure.

9. RESERVED RIGHTS

In connection with this procurement, VPRA reserves to itself all rights (which rights shall be exercised by VPRA in its sole discretion) available to it under applicable law, including without limitation, the following, with or without cause and with or without notice:

- (a) The right to cancel, withdraw, postpone, or extend this RFQ in whole or in part at any time prior to the execution by VPRA of the DBA, without incurring any obligations or liabilities;
- (b) The right to issue a new RFQ or RFP;
- (c) The right to reject any and all submittals, responses, and SOQs received at any time;
- (d) The right to modify all dates set or projected in this RFQ;
- (e) The right to suspend and terminate the procurement process for the Project, at any time;
- (f) The right to waive or permit corrections to data submitted with any response to this RFQ until such time as VPRA declares in writing that a particular stage or phase of its review of the responses to this RFQ has been completed and closed;
- (g) The right to issue addenda, supplements, and modifications to this RFQ;
- (h) The right to permit submittal of addenda and supplements to data previously provided with any response to this RFQ until such time as VPRA declares in writing that a particular stage or phase of its review of the responses to this RFQ has been completed and closed;
- (i) The right to hold meetings and conduct discussions and correspondence with one or more of the Respondents responding to this RFQ to seek an improved understanding of the responses to this RFQ;
- (j) The right to seek or obtain data from any source that has the potential to improve the understanding and evaluation of the responses to the RFQ, including the right to seek clarifications from Respondents;

- (k) The right to permit Respondents to add or delete firms and/or Key Personnel until such time as VPRA declares in writing that a particular stage or phase of its review has been completed and closed;
- (l) The right to add or delete Respondent responsibilities from the information contained in this RFQ;
- (m) The right to waive deficiencies, informalities, and irregularities in a SOQ, accept and review a non-conforming SOQ or seek clarifications or supplements to a SOQ;
- (n) The right to disqualify any Respondent that changes its submittal without VPRA approval;
- (o) The right to change the method of award at any time prior to submission of the Proposals; and
- (p) The right to respond to all, some, or none of the inquiries, questions and/or request for clarifications received relative to the RFQ.

10. COMPLIANCE WITH LAW IN VIRGINIA

Failure to comply with the law with regard to those legal requirements in Virginia (whether federal or state) regarding the Respondent's ability to lawfully offer and perform any services proposed or related to the Project may be cause for rejection of a Respondent's SOQ, in the sole and reasonable discretion of VPRA, and in that event a Respondent's SOQ submittal may be returned without any consideration for selection of contract award.

11. ETHICS IN PUBLIC CONTRACTING

By submitting their SOQs and Proposals, Respondents certify that their submissions are made without collusion or fraud and that they have not offered or received any kickbacks or inducements from any other Respondent, supplier, manufacturer or subcontractor in connection with their submissions, and that they have not conferred on any public employee having official responsibility for this procurement transaction any payment, loan, subscription, advance, deposit of money, services or anything of more than nominal value, present or promised, unless consideration of substantially equal or greater value was exchanged.

12. REPRESENTATIONS

Respondent hereby represents and warrants that (1) as of the date hereof, and on and as of the date of the provision of goods or services contemplated herein, the Respondent (or where applicable, its Principal Participants) is duly organized, validly existing and in good standing under the laws of its jurisdiction of organization; and (2) the Respondent has the full right, power and authority and has taken all necessary action under the laws of its jurisdiction of organization to authorize it to execute and deliver the DBA, to consummate the transactions contemplated hereby and in the DBA and to perform its obligations thereunder. Respondent hereby agrees to furnish to VPRA any and all certificates of governmental authorities and/or officers or directors of Respondent (or where applicable, its Principal Participants) that VPRA may reasonably require in order to confirm the due authorization and execution of the SOQ, Proposal, and the DBA and Respondent's right, title, and authority to perform its obligations thereunder.

13. NO ASSUMPTION OF LIABILITY

VPRA assumes no obligations, responsibilities, and liabilities, fiscal or otherwise, to reimburse all or part of the costs incurred or alleged to have been incurred by parties

considering a response to and/or responding to this RFQ. All of such costs shall be borne solely by each Respondent and its team members. In no event shall VPRA be bound by, or liable for, any obligations with respect to the RFQ until such time (if at all) a contract, in form and substance satisfactory to VPRA, has been executed and authorized by VPRA and, then, only to the extent set forth therein.

14. APPLICABLE COST PRINCIPLES; ACCOUNTING REQUIREMENTS

The DBA will be performed and audited in accordance with 2 C.F.R. Part 200, Uniform Administrative Requirements, Cost Principles and Audit Requirements for Federal Awards, which provisions were adopted by DOT at 2 C.F.R. Part 1201 and are incorporated herein by reference. To be eligible for reimbursement, Respondent's costs must comply with cost principles set forth in 2 C.F.R. Part 200. All Respondents submitting SOQs and Proposals must have internal control systems in place that meet federal requirements for accounting. These systems must comply with requirements of 2 C.F.R. Part 200 and be sufficient to exclude unallowable cost items from Project invoicing to VPRA.

Where applicable, certain costs and reimbursement under the DBA must also comply with 48 C.F.R. Part 31 ("FAR Part 31"). All Respondents submitting SOQs and Proposals must have internal control systems in place that meet federal requirements for accounting. These systems must comply with requirements of FAR Part 31 and be sufficient to exclude unallowable cost items from Project invoicing to VPRA.

EXHIBIT A: Railroad Operator Indemnification

I. INDEMNIFICATION DUTIES

- A. CSXT. Design-Builder shall indemnify, defend, and hold harmless CSXT Indemnitees to the same extent to which VPRA is entitled to indemnity and defense under Section [●] of the Design-Build Agreement.
- B. Amtrak. [Subject to applicable law, including Va. Code § 11-4.1], Design-Builder shall indemnify and defend Amtrak for all losses or claims arising from the acts or omissions of Design-Builder in performing the Design-Build Agreement, whether or not Design-Builder is negligent and irrespective of any negligence or fault of Amtrak, *provided that*, Design-Builder's indemnity and duty to defend shall not extend to Amtrak-Assumed Individuals and/or Amtrak-Assumed Property.

II. DEFINITIONS

"Affiliate" means, when used to indicate a relationship with a specified Person, Person that: (a) directly or indirectly, through one or more intermediaries has a 10% or more voting or economic interest in such specified Person or (b) controls, is controlled by or is under common control with such specified Person, and a Person is deemed to be controlled by another Person, if controlled in any manner whatsoever that results in control in fact by that other Person (or that other Person and any Person or Persons with whom that other Person is acting jointly or in concert), whether directly or indirectly and whether through share ownership, a trust, a contract, or otherwise.

"Amtrak-Assumed Individuals" means:

- (i) an employee of Amtrak;
- (ii) any person who is on an Amtrak train other than a Commonwealth-Introduced Individual;
- (iii) any person other than a Commonwealth-Introduced Individual at or adjacent to a passenger station located on the rail lines used for Amtrak service who is at such passenger station for the purpose of boarding or detraining from an Amtrak train, meeting an Amtrak train, purchasing a ticket for an Amtrak train, making a reservation for an Amtrak train, or obtaining information about Amtrak service or conducting business with Amtrak (including a vendor from whom Amtrak receives compensation);
- (iv) any person at or adjacent to a passenger station who is providing local transportation to or accompanying a person described in (iii) above; and
- (v) any person injured or killed by the collision of a vehicle or person with an Amtrak train on or adjacent to the rail lines on which Amtrak operates, including the collision of a derailed Amtrak train or any part thereof beyond the Commonwealth's railroad right-of-way.

"Amtrak-Assumed Property" means:

- (i) the property of any Amtrak-Assumed Individual;

- (ii) any locomotive, passenger car, or any other property or equipment owned by, leased to, used by or otherwise in control, custody, or possession of Amtrak (except that Amtrak's dispatching of trains, which trains are not otherwise in control, custody, or possession of Amtrak, by itself shall not be deemed to place such trains into Amtrak's control, custody, or possession); and
- (iii) property of parties other than Amtrak and VPRA, to which damage is caused by fuel oil which is demonstrated to have spilled from an Amtrak engine and for fuel oil which is demonstrated to have spilled by Amtrak's employees, agents, or contractors (but excluding CSXT) while fueling an Amtrak train.

“Commonwealth-Introduced Individual” means any employee, invitee, or agent of the Commonwealth or the Commonwealth's contractor in the course of his employment or agency, except when such employee, invitee, or agent is a fare-paying passenger of Amtrak.

“CSXT Indemnitees” means CSXT, any Affiliate of CSXT, and any of the officers, directors, shareholders, employees, agents, successors, or assigns of such entities.

III. INCLUSION IN SUBCONTRACTS

Design-Builder agrees to have the foregoing terms flow down to each subconsultant agreement and lower tier subcontract issued under the Design-Build Agreement, modified only to identify the subconsultant or subcontractor that will be subject to the provisions.

EXHIBIT B: Project Information



Basis of Design Report

Draft – February 2023

DRAFT



Table of Contents

TABLE OF CONTENTS	1
1 INTRODUCTION.....	1
1.1 Engineering Limits.....	2
1.2 Project Approach	5
1.3 Planning Considerations.....	6
1.3.1 Operational Capacity	6
1.3.2 Permitting Overview	6
1.4 Utilization of Standards.....	7
2 RAILROAD	8
2.1 Safety.....	8
2.2 References.....	8
2.3 Design Life.....	9
2.4 Design Speeds.....	9
2.5 Horizontal Geometry.....	10
2.5.1 Track Centers.....	10
2.5.2 Tangent Alignment	11
2.5.3 Horizontal Curve Alignment	11
2.6 Vertical Geometry	14
2.6.1 Grades.....	14
2.6.2 Vertical Curvature	14
2.7 Clearances	15
2.7.1 Bridges	16
2.8 Roadbed Section.....	17
2.8.1 Ballast Depth.....	17
2.8.2 Subballast Depth	17
2.8.3 Shoulder Width.....	17
2.8.4 TRACK Drainage	17
2.9 Special Trackwork.....	18
2.9.1 Speeds Through Turnouts and Crossovers	18
2.9.2 Turnouts and Crossovers.....	18
2.10 Track Gauge.....	19
2.11 Rail.....	19
2.12 Rail Anchoring.....	19

2.13	Tie Plates	19
2.14	Ties	19
2.14.1	Concrete Ties	19
2.14.2	Timber Ties	20
2.15	Communications and Signals	20
3	RAILROAD BRIDGES AND RETAINING WALL STRUCTURES	21
3.1	Overview	21
3.1.1	Ownership	21
3.1.2	References.....	21
3.2	Special Requirements	22
3.2.1	Span Configuration	22
3.2.2	Design Speed.....	22
3.2.3	Design Life	22
3.2.4	Distribution of Axle Loads	22
3.2.5	Bridge Deck	23
3.2.6	Bearings and Bearing Replacement Considerations	23
3.2.7	Track Geometrics and Clearances	24
3.2.8	Bridge Drainage	25
3.2.9	Utilities.....	25
3.2.10	Navigation lighting.....	26
3.2.11	Communications and Signals	26
3.3	Loads	26
3.3.1	Dead Loads	26
3.3.2	Live Load	27
3.3.3	Impact Loads & Rocking Effect	27
3.3.4	Vessel Impact.....	28
3.3.5	Effect of Scour	28
3.3.6	Buoyancy	28
3.4	Design Method	29
3.4.1	Steel Design.....	29
3.4.2	Substructure Design	29
3.4.3	Retaining Wall and Crashwall Design	29
3.5	Fatigue	29
3.6	Seismic Design	30
3.6.1	Structure Importance Classification	30

3.6.2	Performance Criteria	30
3.6.3	Site Coefficient.....	30
3.6.4	Analysis Procedure.....	30
3.6.5	Detailing Provisions	31
3.6.6	Damping Adjustment Factor	31
3.6.7	Load Combinations	31
3.7	Materials and Equipment.....	31
3.7.1	General.....	31
3.7.2	Concrete	31
3.7.3	Structural Steel	31
3.7.4	Reinforcing Steel.....	32
3.7.5	Fasteners	32
3.7.6	Welding Electrodes.....	33
3.7.7	Anchor Rods and Bolts	33
3.8	Retaining Walls.....	33
3.8.1	General.....	33
3.8.2	Loads.....	33
3.8.3	Embankments	34
3.9	Foundation Design.....	34
3.9.1	General.....	34
3.9.2	References.....	34
3.9.3	Design LIFE	34
3.9.4	Approach Slabs	35
3.9.5	Driven Pile Foundations.....	35
3.9.6	Drilled Shafts	36
3.9.7	Micropiles	36
4	PEDESTRIAN/BICYCLE FACILITIES.....	37
4.1	Overview	37
4.2	Trail Design.....	37
4.2.1	References.....	37
4.2.2	Design Speed.....	38
4.2.3	Trail Width	38
4.2.4	Minimum Horizontal Curve Radius	39
4.2.5	Cross-Slope	39
4.2.6	Stopping Sight Distance	40

4.2.7	Intersection Sight Distance	40
4.2.8	Trail Grade	40
4.2.9	Vertical Curve	40
4.2.10	Vertical Clearances	41
4.2.11	Bridge Horizontal Clearance from Railroad	41
4.2.12	Railings and Screens	42
4.2.13	Adjacent Roadway Offsets and Barriers	42
4.2.14	Emergency Vehicle Access and Accommodations	42
4.2.15	Drainage	42
4.2.16	Special Considerations	43
4.3	Other Pedestrian Facilities Design	43
4.3.1	References	43
4.3.2	Design width	43
4.3.3	Sidewalk/Ramp Grade	44
4.3.4	Vertical Clearances	44
4.3.5	Drainage	44
4.4	Structural Design of Pedestrian-Bicycle Bridges	45
4.4.1	References	45
4.4.2	Design method	45
4.4.3	Special Design Considerations	45
4.4.4	Design Life	45
4.4.5	Dead Load	46
4.4.6	Live Loads	46
4.4.7	Wind Loads	46
4.4.8	Railing Loads	46
4.4.9	Thermal Loads	47
4.4.10	Stream Pressure and Buoyancy Loads	47
4.4.11	Seismic Loads	47
4.4.12	Vehicular Collision Load	47
4.4.13	Vessel Collision Load	47
4.4.14	Deflections and Vibrations	47
4.4.15	Construction Loads	47
4.4.16	Materials	47
4.4.17	Foundations	48
4.4.18	Retaining Walls	48

5	ROADWAY	49
5.1	Project Background	49
5.2	Safety	49
5.3	Design Criteria	49
5.3.1	Roadway Standards	49
5.3.2	Design Content	50
5.4	Maintenance of Traffic	50
5.4.1	Allowable Work Hours	51
5.4.2	Temporary Condition Design Criteria	51
5.4.3	Pedestrian and Bicycle Access	52
6	BRIDGE HYDRAULICS	53
6.1	References and Resources	53
6.1.1	Regulatory Approval	53
6.1.2	Design Guidelines	53
6.1.3	ENVIRONMENTAL IMPACT STATEMENT	53
6.2	Data Collection	53
6.2.1	Survey and As-builts	53
6.2.2	Effective Fema study	54
6.3	Level of Analysis/Method of Analysis	54
6.4	Hydrology	54
6.4.1	Previous Hydrologic Studies	54
6.4.2	Tidal Hydrology	54
6.5	Hydraulic Design Criteria	55
6.5.1	Vertical Clearances And Navigation	55
6.6	Hydraulic Analysis	55
6.6.1	Duplicate Effective Analysis	55
6.6.2	Existing Conditions Analysis	55
6.6.3	Proposed Analysis	56
6.7	Coastal Analysis	56
6.7.1	Previous Coastal Studies	56
6.7.2	Coastal Analysis Update	56
6.7.3	Impact of Storm Surge	56
6.7.4	Impact of Sea level Rise	57
6.7.5	Compound Flooding	57
6.8	Scour Analysis and Countermeasures	57

6.8.1	Design Criteria	57
6.8.2	Methodology.....	57
6.9	Hydrodynamic and Wave Loading	57
6.9.1	Design Criteria	57
7	DRAINAGE AND STORMWATER MANAGEMENT	58
7.1	References.....	58
7.2	Design Criteria.....	58
7.2.1	Closed Drainage Systems.....	58
7.2.2	Open Channel Flow	59
7.2.3	CULVERT Design	59
7.3	Stormwater Management	59
7.3.1	References.....	60
7.3.2	BMP Design Criteria	60
7.4	Erosion and Sediment Control	61
7.4.1	References.....	61
8	UTILITIES	62
8.1	References.....	63
8.2	Impacts and Relocation Approach.....	63
9	LANDSCAPE DESIGN	64
9.1	References.....	64
9.2	Vegetation Protection Plan	66
9.2.1	Approach	66
9.2.2	Tree Surveying Criteria.....	66
9.2.3	Tree Protection Criteria	66
9.2.4	NAMA Headquarters	66
9.2.5	Construction Area Screening	66
9.3	Vegetation Restoration Plan	66
9.3.1	Approach	66
9.3.2	Restoration Planting Palette	66
9.3.3	Mitigation Ratio	67
9.4	Proposed Landscape Plan	67
9.4.1	Approach	67
9.4.2	Invasive Species Management.....	67
9.4.3	Vegetative Screening	67
10	APPROVALS AND DESIGN EXCEPTIONS	68

10.1 Design Exceptions	68
10.2 Design Waivers	69
11 ADDITIONAL CONSIDERATIONS	70

Appendices

Appendix A – Definitions

Appendix B – Permit Tracker

Appendix C – EIS BOD

Appendix D – FEIS Navigation Study

Appendix E – Section 106 Programmatic Agreement

Appendix F – DRPT-NPS Mitigation Agreement

Appendix G – Project Commitments (Record of Decision) & Tracker

DRAFT

1 Introduction

The Long Bridge Project (The Project) consists of improvements to the Long Bridge and related railroad infrastructure located between the Rosslyn (RO) Interlocking near Long Bridge Park in Arlington, Virginia and the L'Enfant (LE) Interlocking near 10th Street SW in Washington, DC (see Figure 1-1). The existing Long Bridge is currently owned and operated by CSX Transportation (CSXT), a Class I freight railroad, which also operates the Long Bridge Corridor (Corridor). In addition to CSXT freight, the Corridor is utilized by Amtrak and the Virginia Railway Express (VRE). The Virginia Passenger Rail Authority (VPRRA) has agreed to purchase infrastructure and approximately half of the right-of-way in the Corridor from CSXT and currently has a permanent easement on the property until the title transfers.

As part of the project, the evaluation of improvements along the 1.8-mile Corridor to increase the current two-track capacity to four-tracks was completed at the conclusion of the National Environmental Policy Act (NEPA) process. The land and infrastructure transaction between VPRRA and CSXT along with the build out of the four-track corridor will allow for the separation of passenger and freight traffic while maintaining interoperability for all four tracks. The proposed improvements along the Corridor include, but are not limited to, the following:

- Adding two new tracks adjacent to the existing two-track alignment;
- Adding a new two-track bridge upstream of the existing Long Bridge for a four-track crossing;
- Retaining the existing two-track Long Bridge over the Potomac River;
- Corridor-wide upgrades to track, signal, and interlockings;
- New and replacement bridges along the Corridor to achieve four-track capacity;
- New retaining walls along the Corridor to minimize impacts and facilitate phasing;
- New crashwalls and modifications to reinforce bridge piers and other structures;
- New Pedestrian Bridge crossing Maine Avenue SW; and
- New Bicycle-Pedestrian (Bike-Ped) Bridge crossing of the Potomac River and George Washington Memorial Parkway (GWMP) upstream of the new two-track rail bridge.

This Basis of Design (BOD) Report was prepared to document supporting technical criteria utilized in the development of the Project's Engineering plans, considering the various stakeholders within the Project limits. Those stakeholders included CSXT, Amtrak, VRE, and VPRRA.

The BOD is applicable only to areas where new construction or major reconfiguration is anticipated to occur. Areas that do not require track structure replacement, including areas where existing tracks are maintained, are exempt from the design criteria as well as the approvals and design exception process in *Chapter 10* of this document. It is anticipated that portions of the existing track may need to be modified or upgraded for improved rail geometrics as well as to be included in modifications to the signal system.

During the previous Project phase, the Environmental Impact Statement (EIS) phase, the BOD was closely coordinated and developed with input from the major project stakeholders, including the District Department of Transportation (DDOT); Federal Railroad Administration (FRA); VPRRA; CSXT; Amtrak; and VRE. The Project Sponsor for preliminary and final design, construction, future infrastructure, and corridor ownership is VPRRA. Maintenance responsibilities are described in *Exhibit M – Joint Operating and Maintenance Agreement of the Virginia*

Department of Rail and Public Transportation (DRPT) CSXT Comprehensive Rail Agreement. Further discussions between CSXT and VPRA will determine maintenance responsibilities for shared structures. CSXT and VPRA have agreed that all rail improvements will be conceptually designed consistent with CSXT design standards; FRA standards; and as described in the American Railway Engineering and Maintenance-of-Way Association (AREMA) Manual for Railway Engineering.

This BOD has expanded upon the EIS BOD. It is considered a living document that will be updated throughout the Preliminary Engineering phase based upon additional input and decisions made in project development. The primary goal of this version of the BOD is to provide sufficient technical criteria to complete Preliminary Engineering (PE) design of the Preferred Alternative. Preliminary Engineering (PE) typically includes 30 percent design and engineering. Engineering disciplines that will progress further than 30 percent design in this PE phase are described in the respective discipline sections.

1.1 Engineering Limits

The Engineering Limits extend approximately 1.8 miles within the RF&P Subdivision (previously the Richmond, Fredericksburg and Potomac Railroad) of the CSXT Central Zone (see [Error! Reference source not found.](#)). The Engineering Limits extend approximately from L'Enfant (LE) Interlocking near milepost (MP) CPF 111.5 in the District of Columbia (District) to beyond the Rosslyn (RO) Interlocking at MP CPF 109.76 in Arlington, Virginia. The Engineering Limits northern terminus adjoins the proposed station capacity improvements to the VRE L'Enfant Station; and the Engineering Limits southern terminus in Arlington adjoins the northern limits of VPRA's Alexandria Fourth Track project.

The Study Area is surrounded by diverse land uses between the District and Arlington County, Virginia, including local and national parks, residential mixed use, and commercial development. These land uses constrain the operational considerations. In general, the Project intent is to create a four-track corridor by increasing the number of tracks as recommended by the capacity modeling over the Potomac River and into the District. Operational speeds will be maintained within the narrow railroad Corridor. The Engineering Limits include multiple transportation structures. Capacity increases will impact the configuration of three existing undergrade bridges and one existing overgrade viaduct within the Corridor:

- CSXT bridge over Ohio Drive SW (East) (DDOT Br # 512);
- CSXT bridge over Washington Channel (DDOT Br #513);
- CSXT bridge over Maine Avenue SW (DDOT Br # 514); and
- Republic Properties Maryland Avenue SW viaduct over CSXT (Unknown).

The following existing undergrade bridges will not require reconfiguration and are anticipated to remain in place:

- CSXT bridge over GWMP (Unknown);
- CSXT Long Bridge over Potomac River, Mount Vernon Trail, and Ohio Drive SW (West) (DDOT Br #510); and
- CSXT bridge over Interstate 395 (I-395) (DDOT Br # 1135).



FIGURE 1-1. LONG BRIDGE PROJECT LIMITS.

Additional work includes the following new structures or alterations to existing:

- A new undergrade bridge over GWMP, the Potomac River, and Ohio Drive SW (West) (MP 110.24);
- A new undergrade bridge over the Washington Metropolitan Area Transit Authority (WMATA) Yellow Line Tunnel and I-395 (MP 110.91);
- A new undergrade bridge over Ohio Drive SW (East) (MP 111.14);
- A new undergrade bridge over Washington Channel (MP 111.21);
- A rehabilitated undergrade bridge over Maine Avenue SW (MP 111.29);
- A new bike-ped bridge over GWMP and the Potomac River;
- A new pedestrian bridge over Maine Avenue SW that connects the Salamander Hotel and the SW Riverfront;
- New signal bridges will be incorporated along the Corridor;
- New crashwalls and modifications to reinforce bridge piers and other structures; and
- New retaining walls will be constructed throughout the Corridor to limit property impacts.

DRAFT




FIGURE 1-2. BRIDGE LOCATIONS.

1.2 Project Approach

The BOD Report documents the design standards applied to the preliminary engineering design. Additional criteria, definitions, and specifications are expected to be added during the development of the preliminary design and final design. These modifications shall be approved through a technical process based on sound engineering judgment, practice, and economics. A general review process is described in *Chapter 10, Approvals and Design Exceptions*.

Key Project development principles reflected in the BOD include the following:

- All mainline tracks will be designed to meet or exceed the existing speeds through the project area.
- Preliminary design is not to preclude future electrification along the passenger tracks. Future catenary structures can be installed by widening the substructure units of the bridge or on the embankments on the approaches.
- Both new and existing mainline tracks will be designed for resiliency, redundancy, interoperability, and connectivity between all passenger and freight service.
- Utilization of ongoing and previously completed studies, concept development, and rail improvement designs in the Corridor to the extent feasible and practicable.

1.3 Planning Considerations

1.3.1 OPERATIONAL CAPACITY

The Project objective is to provide additional long-term railroad capacity and to improve the reliability of railroad service through the Long Bridge Corridor. Capacity increases are needed to meet projected demand for passenger and freight rail services of stakeholders; improve operational flexibility and resiliency; and provide redundancy for this critical link in the local, regional, and national railroad network. To increase capacity, the two-track Corridor is to be updated to four-tracks through the project area. Capacity improvements were focused on obtaining one or more of the following objectives:

- Improved travel time;
- Increase and/or improve reliability and resiliency;
- Provide flexibility to recover during periods of higher demand and service delays, including track maintenance (resiliency);
- Increase in frequency of service;
- Increase in length of train/consistency; and
- Additional infrastructure to support improvements listed above.

1.3.2 PERMITTING OVERVIEW

The Long Bridge Project traverses through various historic areas, the viewshed of the Monumental Core of the District, private and federal properties, and environmentally sensitive areas. The evaluation of these features under NEPA is complete and included the following considerations:

- Stakeholder, cooperating agencies, participating agencies, and public input on the various alternatives;
- Focus on minimizing impacts to adjacent private and federal properties;
- Focus on minimizing environmental impacts;
- Influences on visual viewshed, noise mitigation, and aesthetic improvements;
- Improvements to railroad operational benefits and safety;
- Constructability of the proposed improvements; and
- Compatibility of proposed improvements with regional planning efforts.

Additionally, construction related permits, geotechnical permits, and other permits are required to construct the project and will be pursued during the Preliminary Design phase through

construction. *Appendix B* includes a list of all identified Permits and current status as of the date of this document.

1.4 Utilization of Standards

The design will include the use of applicable agency standard drawings, materials, and specifications for applicable improvements within the Authority Having Jurisdiction (AHJ). The utilization of standard practices and materials promotes understanding of the intended improvements with the benefit of expediting the design and construction. All new construction must conform to current and applicable AHJ standards or criteria, as detailed within specific design sections within this document. In the situation of multiple relevant standards, the more restrictive criteria will have precedence, unless otherwise specified and/or agreed upon.

Design Criteria and utilization of Standards may vary in accordance with the agency who will own and maintain the structure. Ownership and maintenance responsibilities for joint structures will be determined during the design phase of the project.

This basis of design will use Customary U.S. Units such as feet/inches, pounds/kips, degrees Fahrenheit (°F), etc. Horizontal datum references North American Datum of 1983/2011 (NAD83(2011)) and vertical datum references North American Vertical Datum of 1988 (NAVD88).

2 Railroad

Railroad geometric design is to be developed to provide safe, economical, and efficient freight and passenger service along the rail Corridor. The geometric design configurations must be developed to mutually maintain the operation and rolling stock stability for both freight and passenger operations.

The design criteria within the Basis of Design (BOD) reflects a combination of accepted and recommended engineering practices utilized by CSX Transportation (CSXT), Amtrak and Virginia Railway Express (VRE), as well as those contained in the American Railway Engineering and Maintenance-of-Way Association (AREMA) Manual for Railway Engineering (MRE).

2.1 Safety

Safety of freight and passenger operations, freight and passenger employees, and the public above, under, and adjacent to the railroad Corridor represents the critical priority of the design. Railroad safety promotion and regulation is governed by the Federal Railroad Administration's (FRA) Office of Railroad Safety, which includes FRA Track Safety Standards – 49 CFR Part 213. As the operator of the railroad Corridor, CSXT reserves the right to review and approve proposed railroad improvements.

The Project will maintain the existing posted speeds for freight and passenger trains along the existing railroad Corridor. If speeds are proposed to be increased by the Project due to improved geometry, FRA regulations require preparation of a system safety plan.

2.2 References

The design parameters for the Environmental Impact Statement (EIS) phase originated with the engineering and operating standards of CSXT. The following additional agency criteria were reviewed for more restrictive criteria or general compliance:

- AREMA Manual for Railway Engineering, 2022 Edition
- Amtrak Standards
- Applicable FRA safety requirements
- Federal laws
- District of Columbia general laws
- Commonwealth of Virginia general laws

For preliminary and final design documents, the latest edition of the code, regulation, standard, and specification applicable to the Project in effect on the day of engineering Notice-to-Proceed (NTP) is applicable to the Project design. Revisions to code, regulation, standard and specification made during engineering design are to be presented to the District Department of Transportation (DDOT), CSXT, or the Authority Having Jurisdiction (AHJ) and approved prior to incorporating revisions.

This BOD is based on industry standards, governmental regulations, AREMA recommended practices, and railroad standards. The following publications and documents are current references for Preliminary Engineering:

- CSXT Engineering and Operating Standards (in effect as of September 15, 2016)
- CSXT Design and Construction Standard Specifications – Pipeline Occupancies (Rev. June 5, 2018)
- CSXT Design and Construction Standard Specifications Vol. 1 (March 1, 2021)
- CSXT Design & Construction Standard Specifications – Wireline Occupancies
- AREMA Manual for Railway Engineering, 2021 Edition
- FRA Track and Rail and Infrastructure Integrity Compliance Manual (in effect as of January 2017)
- FRA Railroad Corridor Transportation Plans Guidelines (July 2005)
- District of Columbia Municipal Regulations (DCMR), Chapter 24-31. OCCUPATIONAL SAFETY: RAILROAD CLEARANCES, Title 24. PUBLIC SPACE AND SAFETY.
- U.S. Code of Federal Regulations (CFR)
- Absolute maximum/minimum values for any track design element will comply with 49 CFR 213 for the applicable class of track. (On CSXT-owned and maintained track, CSXT will not allow any proposed track design element that does not comply with FRA class of track standards.)
- Strategic Rail Corridor Network (STRACNET) and Defense Connector Lines (December 1998) - <http://www.tea.army.mil/DODProg/RND/default.htm>

2.3 Design Life

The design life for the new railroad related features and facilities are:

- Embankment: 100 years minimum
- Ballast and subballast: 35 years minimum
- Track structure (rail, ties, and fasteners): 35 years minimum

It is anticipated that facilities will require regular maintenance and some degree of component repairs and replacement over the course of the design life. Additional decisions made on the preferred materials, fabrication, and installation of infrastructure will be made during the Final Design stage based upon AHJ requirements.

Temporary facilities used to accommodate construction of permanent systems are to be designed for a period up to five years. Examples include temporary tracks and facilities during construction.

2.4 Design Speeds

The Corridor design speed is intended to maintain and improve the existing freight and passenger speeds reflective of constraints due to the existing topographic and environmental features. New alignments will meet or exceed FRA Class 3 track design speeds. See *Section 2.9* for additional design speed information at track turnouts and crossovers along the Corridor.

Horizontal curves are to be designed to the highest speeds possible for mixed traffic based on the design criteria, train performance models, and local conditions. Design speeds are to be established by optimizing the horizontal curve (reducing the degree of curvature).

2.5 Horizontal Geometry

Mainline horizontal track alignments are to be stationed along the centerlines of the existing CSXT alignment. Engineering stationing (ES) increases from south to north. Station equations are to be used to correlate Project ES with CSXT Valuation Maps stationing, CSXT mileposts, and any identifiable bridges and relevant topographic or structural features referenced on the Valuation Maps.

Track horizontal curvature and superelevation will be designed to maximize speed for mixed traffic considering both CSXT and AREMA standards.

All mainline tracks within proximity of the existing Right-of-Way (ROW) are to be designed in accordance with the existing AHJ railroad speeds. Engineering alternatives include meeting or matching the existing speeds throughout the Corridor, with Track 3 and 4 to be designed for a minimum speed of 40 mph for passenger operations and a minimum speed of 25 mph for freight operations on Tracks 1 and 2. Existing sidings are to be assigned stations matching the mainline stations and station equations referencing the Valuation Maps.

2.5.1 TRACK CENTERS

Track centers (distance between the centerlines of two adjacent tracks) for mainline, lead tracks, tangent tracks, and tracks parallel to mainline tracks that are not being relocated or modified will remain at existing track centerline widths. Unless agreed upon within the Comprehensive Rail Agreement, on tracks to be owned and maintained by CSXT, mainline track centers will meet or exceed CSXT's standard track centers of 15 feet. Track centers less than 15 feet will require design exception justification and formal approval by CSXT. The justification must include explanation of extenuating circumstance, limits of the standard deviation (exception), implications of not complying with the CSXT standard, and recommended infrastructure or installations to mitigate the impacts associated with the proposed exception. Exhibit E-4 of the Comprehensive Rail Agreement between CSXT and Virginia Department of Rail and Public Transportation (DRPT) specifies agreed upon Confirmed Track Separation Distances Less Than 15 feet. For the Long Bridge Project, due to the overbuild of Maryland Avenue, reduced track centers of 14 feet between mileposts 111.2 to 111.7 have been approved and will not require design exception justification and additional formal approvals. Corridor safety must be maintained in all circumstances, and in no case will track centers be reduced below their existing minimums in the same block of track.

District of Columbia Codes and Regulations specifies minimum track centers for use in the District, although the CSXT minimums are more restrictive. Track centers will be based on **Table 2-1** below and in accordance with Virginia Passenger Rail Authority (VPRA) approval or per established agreements (e.g., Exhibit E-4 of the DRPT/CSXT Comprehensive Rail Agreement). Deviations from these values will be in accordance with *Chapter 10*.

TABLE 2-1. MINIMUM TRACK CENTERS.

Track Type	CSXT Minimum	DCMR Minimum
Main	15 ft	14 ft
Other Tracks	14 ft	14 ft
Other Track Adjacent to Main Tracks	20 ft ¹	15 ft

Note: 1 – Track centers will follow the DPRT/CSXT Comprehensive Rail Agreement and locations not specifically identified will follow the standards in this table.

The Long Bridge Project utilized the following typical sections for conceptual evaluation. Refer to CSXT Standard Drawing 2600 series for additional track configuration details.




FIGURE 2-1. FOUR TRACK TYPICAL SECTION.

2.5.2 TANGENT ALIGNMENT

In compliance with AREMA, the AHJ's operating preference and passenger railway design best practices, the track geometry must maintain a minimum tangent length between designed track features. For mainline passenger tracks, the desired minimum tangent length (L) between curves can be determined by the following formula:

$$L = 3V$$

Where: L = minimum tangent length, feet
V = passenger design speed through the curve, miles per hour

The tangent length formula is based on the rail car traveling at least two seconds on tangent track between two curves. The preferred and absolute minimum tangent track lengths are reflected in **Table 2-2** for predominate track circumstances. These minimums will be met unless a design exception is formally approved by the AHJ in accordance with *Chapter 10*.

TABLE 2-2. MINIMUM TANGENT LENGTH - MAIN TRACK.

Tangent Location on Mainline Tracks	Minimum Tangent Length (Feet)	
	Preferred	Absolute MINIMUM
Between Curves	3V	200
Between Point of Switches (PS) of Turnouts (TOs)	200	100
Between PS and Curve	200	100
Between PS and Bridge	500	100
Between PS and Last Long Tie of TO	200	100

2.5.3 HORIZONTAL CURVE ALIGNMENT

Superelevation

Superelevation (sometimes referred to as cant internationally), is defined as the algebraic height difference in profile elevations between the low rail (curve interior rail) and high rail (curve exterior rail) for a specific track. The height difference is used to counteract, or partially counteract, the lateral forces on a train through a horizontal curve. Additional benefits include distribution of load on the rails, improved ride quality for passenger comfort, and reduced asset wear on the rail and wheel. All mainline curves will be superelevated at a minimum of one half inch. See *CSXT Standard Drawings 2510 and 2511* for further superelevation requirements. For passenger operations, AREMA recommended practices will apply.

Circular Curves

Circular curves will be defined by the chord definition of curvature. Track curvature will be compliant with the host railroad. Any existing curves will be improved to the extent possible within the constraints of the Corridor. Horizontal curvature will be adjusted between parallel tracks to accommodate additional horizontal clearance where possible.

Generally, turnouts will be placed outside of a horizontal curve in accordance with minimum tangent lengths. Single radius horizontal curves with transition spiral curves are preferred. The utilization of compound circular curves and circular curves joined by a transitional spiral will be minimized within the Project limits and if needed, the most restrictive (longest) will be used. Existing curves of these nature will be evaluated for the application of a single circular curve with transitional spiral curves.

Spiral Transition Curves

A clothoid spiral transition curve will be used on mainline tracks to connect tangents to circular curves. Curves associated with a turnout that connect the tangent from frog to a parallel track, or siding, are excluded from transitional spirals. Spirals will be designed to meet or exceed the existing spiral criteria, spirals that do not meet CSXT's requirements will require a design exception and formal approval from the AHJ. Spiral lengths will also be verified by AREMA standards to accommodate increased unbalance from passenger trains.

The graphical configuration and components are reflected in **Figure 2-2** and **Table 2-3**.




FIGURE 2-2. CIRCULAR CURVE WITH SPIRAL TRANSITION.

Table 2-3. Degree of Curvature.

D_c	Degree of Curvature
I	Total Intersection Angle
Θ_s	Spiral Angle = $(L_s D_c) / 200$
Δ	Central Angle of Circular Curve = $I - 2 \Theta_s$
R	Radius of Circular Curve
T_c	Tangent Length of Circular Curve = $R \tan (\Delta / 2)$
L_c	Length of Circular Curve = $(\Delta / 180) R$
L_s	Length of Spiral
TS	Tangent to Spiral
SC	Spiral to Curve
CS	Curve to Spiral
ST	Spiral to Tangent

All mainline track will be configured with a length of spiral preferred by passenger services for passenger comfort. The length of spiral will be based on the desirable length of spiral stated in *AREMA MRE Chapter 5, Section 3.1* formula, as the longest distance as determined from the following formulas:

1. $L_s = 1.63E_u V$; or $L_s = 1.22E_a V$
2. $L_s = 1.2E_a V$

Where: E_u = unbalanced superelevation
 E_a = actual superelevation applied to the curve, inches
 V = passenger train design speed, mph

All spirals used on the project will require approval by the AHJ in accordance with *Chapter 10*. The desirable lengths of spiral will be reflected in 31-foot intervals.

For passenger train operations, the active total length of spiral in feet will be defined by the following formula:

$$L_s = 1.46 Vt$$

Where: V = design speed, mph
 t = time required to tilt, seconds

L_s is rounded to the nearest 100 feet (but not less than 100 feet). The criteria determining t is established on a case by case basis dependent on physical constraints along the corridor.

Acknowledging the Project Corridor has a variety of constraints, including the availability of property, historic districts, monumental districts, environmental features, commercial development, and existing retaining walls, the absolute minimum length of spiral will be based on CSXT *Plan 2511* and VRE and Amtrak Recommendations for passenger comfort.

2.6 Vertical Geometry

Vertical geometry will be based on the top of the low rail. Track profile will reflect the existing rail elevation where possible.

Individual track profiles will be developed during continued phases of the Project. Turnouts and switches are to be placed outside the limits of the vertical curve in accordance with minimum tangent lengths displayed in **Table 2-2**.

2.6.1 GRADES

Track grades reflected with the vertical geometry will represent the effective grade of the track. All track grades will be evaluated in accordance with AREMA compensated gradients. The compensation factor will be 0.04 percent per horizontal degree of curvature. The maximum grade allowed without compensated grade is 1.5 percent. Compensated gradients are not to exceed 1.50 percent for new construction without formal approval and an accepted design exception from CSXT. Any deviation will be subject to review and acceptance of the operating railroad with the design exception process detailed in *Chapter 10*.

For mainline track, the desired length of constant track grade between vertical curves will be the greater of either 100 feet or the result of the following formula:

$$L = 3V$$

Where: L = minimum tangent length, feet
 V = freight design speed in the area, mph

2.6.2 VERTICAL CURVATURE

All changes in track grades will be connected with a parabolic curve in accordance with AREMA MRE, *Chapter 5, Section 3.6*. Mainline tracks will utilize the following equation for both crest and sag curves.

$$L = \frac{2.15(DV^2)}{A}$$

Where: L = length of vertical curve, feet (rounded up to the next 10 feet, minimum length of 100 feet)

D = Absolute value of the algebraic difference in rates of grades
(expressed as a decimal)
V = Speed of freight train, mph
A = vertical acceleration, ft/sec/sec (ft/sec²)

The recommended vertical accelerations (A) for passenger and freight trains for both crest and sag curve are as follows (**Table 2-4**):

Table 2-4. Recommended Vertical Acceleration.

Train Type	Acceleration
Passenger Train	0.60
Freight Train	0.10

The longest vertical curve length resulting from the vertical accelerations will be applied to the track profile. Vertical lengths will be rounded to the next 10 feet with a minimum length of 100 feet. Special track work must be in accordance with minimum tangent lengths displayed in **Table 2-2**.

2.7 Clearances

Railroad clearances refer to the recommended minimum separation between tracks in both a horizontal and vertical component. Horizontal clearances are references from the track centers to obstructions on either side of the track. Vertical clearances are referenced from the top of rail to the vertical obstruction. In track conditions with superelevation, the vertical clearance is referenced from the high rail. Since the Project does not include station work, clearance requirements associated with pedestrian access are not included.

Railroad clearance standards are defined by *CSXT Standard Plans 2604 and 2605 (s)* and *DCMR, Title 24. Public Space and Safety, Chapter 24-31. Occupational Safety: Railroad Clearances*. These clearances are applicable to all new construction or design, including temporary construction or design. Clearances will also be verified per passenger requirements based on Amtrak and VRE standards for the corridor.

The lateral or horizontal clearance (distance between the track centerline and closest horizontal obstruction) will meet or be greater than CSXT's standard clearance of nine feet unless noted otherwise and/or agreed to within the DRPT/CSXT Comprehensive Rail Agreement and will include considerations for curvature and superelevation. For obstructions that are buildings normally occupied by people or that support a bridge, the lateral track distance will be 25 feet unless protected by a crash wall. Horizontal clearances must be shown from the centerline of track to the nearest obstruction if within 25 feet of the centerline of any track. Additional clearance for curvature and superelevation will be taken into account when determining the horizontal clearance. New tracks with horizontal clearance less than 9 feet to any obstruction including curvature and superelevation (other than buildings or bridge supports where it is 25 feet) will require design exceptions and formal approval by CSXT. The justification must include explanation of the extenuating circumstance, limits of the standard deviation (exception), implications of not complying with the CSXT standard, and recommended infrastructure or installations to mitigate the impacts associated with the proposed exception. Exceptions include reduced clearances between mileposts 111.2 to 111.7 due to the overbuild of Maryland Avenue in accordance with Exhibit E-4 of the DRPT/CSXT Comprehensive Rail Agreement. This

agreement allows a minimum clearance of 7.5 feet from the existing horizontal obstruction and will not require design exception justification and additional formal approvals from CSXT.

DCMR, Title 24. Public Space and Safety, Chapter 24-31. Occupational Safety: Railroad Clearances specifies minimum clearances for use in the District although the CSXT minimums are more restrictive. Lateral clearances will be based on **Table 2-5** below in accordance with VPRA approval and as detailed in the DRPT/CSXT Comprehensive Rail Agreement. Deviations from these values will be in accordance with *Chapter 10* of this BOD.

Table 2-5. Minimum Clearances.

Clearance Type	CSXT Minimum ¹	DCMR Minimum
Lateral Clearance, General	9'-0"	8'-0"
Lateral Clearance, Piers and Abutments, Without Crash Wall	25'-0"	N/A
Signals and Poles	8'-6" minimum	10'-6" DESIRED
Overhead	23'-0"	22'-0"

NOTE: 1 - INCLUDING CURVATURE AND SUPERELEVATION

Vertical roadway clearances are determined using the limited topographical information and track structure design assumptions, as well as design criteria per relevant CSXT references listed in *Section 2.2*. Any deviation from the standards will be subject to review and approval of a formal design exception. The track structure height is determined using the structure depths combined with the following criteria:

TABLE 2-6. TRACK ITEM DEPTHS.

Track Item	Height (ft)
Waterproofing and deck protection	0.10 ¹
Ballast	1.00 ²
Conc. Tie + rail seat pad	0.76
Rail (136 RE)	0.61

Notes: 1 - Waterproofing thickness is 80 mils and deck protection thickness is 0.25 inches, therefore the total thickness of waterproofing and deck protection is 0.10 feet.
2 - All structures will be designed for 24 inches of total ballast, 12 inches of initial ballast and 12 inches of future ballast.

For new structures, vertical clearance from a horizontal plane at the top of the high rail to the nearest overhead obstruction will be at least 23 feet.

2.7.1 BRIDGES

For bridge specific design criteria beyond clearances cited, refer to *Chapter 3, Railroad Bridges and Retaining Wall Structures* of this document. Actual structure depth shall be used to determine vertical clearance.

2.8 Roadbed Section

Track roadbed criteria will be compliant with *CSXT Plan 2601*. The following general criteria is applicable to the track's roadbed section. Any discrepancy between criteria and standards will be approved by DDOT, CSXT, and other federal and local agencies having jurisdictions and compliance to the NEPA documents.

2.8.1 BALLAST DEPTH

The ballast depth will extend not less than 12 inches below the low rail to the track subballast. Ballast depths are to increase proportionally for the full length of the tie in relationship to the track superelevation. All ballast materials are to be compliant with CSXT specifications and originate from a CSXT approved quarry.

2.8.2 SUBBALLAST DEPTH

Subballast depth will be a minimum of 6 inches below the ballast on mainline tracks and sidings. Subballast is to conform with CSXT specifications and is not required on ballast deck bridges.

2.8.3 SHOULDER WIDTH

Ballast shoulder width will extend beyond the end of the tie in accordance with *CSXT Plan 2602*.

2.8.4 TRACK DRAINAGE

All track construction must have drainage and stormwater management facilities designed in accordance with *CSXT Plan 2601 - Roadbed Sections*.

Track requires a decentralized approach to stormwater management because the track is a linear feature with nearly negligible width, as compared to its length, and no centralized location where stormwater BMPs can be constructed. The existing track infrastructure in cut sections generally includes ditches along one or both sides of the track for drainage. These ditches will be reconstructed to conform to the proposed typical track section in order to maintain proper drainage.

Under both existing and proposed conditions, stormwater will be conveyed via overland flow or through a drainage system consisting of underdrains installed in the rail ballast or drainage ditches alongside the tracks. Ditches and underdrains will be required to direct stormwater to safe discharge locations and to keep the ballast dry and stable.

All track construction will meet the specific drainage criteria below:

- Existing drainage patterns will be maintained wherever possible.
- To the maximum extent possible, drainage of the roadbed will be handled by a gravity system.
- Do not drain areas from beyond the track bed through the track structure. Typically, a ditch or subdrain will lie between the track and the adjacent ground area to intercept fines from an adjacent slope which would foul the ballast.
- Track drainage system, including underdrains (subdrains), will be designed to accommodate peak flows produced by a 100-year design storm without the ponding of water against the roadbed.

- Pipes and culverts shall conform to AREMA Recommendations and ASTM Specifications.
- Perforated pipe underdrains will be used in locations where the track corridor is constrained or where the adjacent grading does not allow open channel flow.
- The minimum pipe size for underdrains parallel to the tracks is 12 inch HDPE.
- Underdrains will be bedded in a trench filled with ¾-inch crushed stone wrapped in a geotextile filter fabric. Cleanouts will be spaced no more than 300 feet apart.
- The track underdrain invert will maintain a minimum depth of 4'-0" from the top of rail and its centerline will be at least 6'-6" from the track centerline.
- Underdrains under railroad tracks will be designed for Cooper E-80 loading and will have a minimum cover of 2 feet from bottom of tie to the top of pipe. Segments of underdrain crossing below track will be solid wall pipe, no perforations.

See *Chapter 7, Drainage & Stormwater Management* for additional requirements.

2.9 Special Trackwork

Special trackwork refers to trackwork units that are used for tracks to converge, diverge, or cross each other through turnouts, and crossovers. All special trackwork will be designed according to CSXT standard drawings or to pre-approved standard CSXT supplier drawings.

2.9.1 SPEEDS THROUGH TURNOUTS AND CROSSOVERS

Passenger and freight speeds for turnouts and crossovers are governed by CSXT operating rules including CSXT signal aspects and current CSXT engineering standards. **Table 2-7** shows the speeds for the turnouts and crossovers that are expected as part of the Long Bridge Project. However, a speed less than those shown may be warranted based on the nearby track geometry and final railroad signal design and will be reevaluated by VPRA and CSXT during the final design phase.

TABLE 2-7. TURNOUT DIVERGING SPEEDS.

Turnout Data	Switch Length & Type	Passenger (MPH)	Freight (MPH)
# 15	26'-0" Curved	30	30
# 20	39'-0" Curved	45	45

2.9.2 TURNOUTS AND CROSSOVERS

All turnouts and crossovers will meet the criteria below:

- All turnouts, including those within a crossover, are intended to be constructed of new 136-RE Continuous Welded Rail (CWR) and concrete ties. Turnouts incorporated into existing timber track or industrial sidings are to be constructed of new 136-RE CWR and timber ties. Turnout components, including switch points, stock rails, closure rails, guard rails, and frog wing rails are to be fabricated from new, high strength HH rail.
- A minimum of 30 feet will be provided from PS to Insulated Joint.
- Crossovers are to be located on parallel tracks only.
- Standard crossovers are preferred to be on 15-foot track centers.

The application of non-standard turnouts and crossovers, such as equilateral turnouts, require approval in accordance with *Chapter 10*. The following situations may warrant non-standard turnouts and crossovers:

- Crossovers in non-parallel tracks; and
- Crossovers with track centers less than 15 feet.

2.10 Track Gauge

The standard track gauge is 4 feet-8.5 inches. Track gauge is measured between the gauge inside of the heads of rails at 5/8 inch below the top of rails.

2.11 Rail

The rail section to be used will be new 136RE Continuous Welded Rail (CWR). Premium rail may be required according with CSXT engineering standards depending on final track geometry alignments, including curvature and expected traffic.

2.12 Rail Anchoring

Rail anchors are to be applied on conventional ballasted track construction utilizing concrete ties, tie plates, and tie clips.

2.13 Tie Plates

Tie plates and fasteners will be double shoulder tie plates with tie clips.

2.14 Ties

2.14.1 CONCRETE TIES

All new mainline track, turnouts, and crossovers construction is intended to utilize concrete ties. In areas where track is existing and to remain, timber ties may be utilized for proposed connections. The following criteria is applicable:

- Concrete tie spacing is 20 inches, center of tie to center of tie, except as noted in CSXT Plans for special trackwork.
- Concrete ties are to be compliant with the type and material specification of CSXT.
- Concrete ties will transition to timber north of the RO Interlocking.
- Typical concrete tie dimensions to be 9 feet long, 10 inches high, and 13 inches wide
- Concrete tie rail seat shall be a flat smooth surface +/- 1/32 inch
- Concrete tie rail seat shall provide a cant of 1 in 40 +/- 5 toward center line of tie unless otherwise specified

2.14.2 TIMBER TIES

The application of timber ties is at the discretion of VPRA and CSXT. Timber ties are to meet the following criteria:

TABLE 2-8. TIMBER TIE DIMENSIONS.

Parameter	Dimension
Length	8.5 feet
Height	7 inches
Width	9 inches

The maximum center of tie to center of tie spacing is 20 inches; the minimum is 18 inches.

2.15 Communications and Signals

The project delivery Contract will coordinate directly with CSXT to develop conceptual and preliminary communications and signals (C&S) designs and agreements. This separate design contract will run concurrently and share a similar timeline with the Long Bridge Project consultant team contract and work efforts. The consultant team will incorporate the C&S design information into the Long Bridge Project as appropriate and will coordinate directly with CSXT and DDOT throughout the Project.

3 Railroad Bridges and Retaining Wall Structures

3.1 Overview

The Long Bridge Project contains a variety of structural elements including undergrade bridges, pedestrian/bicycle bridges, and retaining walls. This chapter provides design criteria for rail related structures, including bridges and retaining walls. *Chapter 4* provides design criteria for pedestrian/bicycle facilities.

American Railway Engineering and Maintenance-of-Way Association (AREMA) Design Criteria will be utilized for structures supporting railroad live loading unless otherwise referenced within this document.

3.1.1 OWNERSHIP

Ownership for bridges is as follows:

- | | |
|--|------|
| • Potomac River Undergrade Bridge | VPRA |
| • WMATA/I-395 Undergrade Bridge | VRPA |
| • Ohio Drive SW Undergrade Bridge | VPRA |
| • Washington Channel Undergrade Bridge | VPRA |
| • Maine Avenue SW Undergrade Bridge | VPRA |

3.1.2 REFERENCES

- AREMA Manual for Railway Engineering (MRE), 2022 Edition
- CSX Transportation (CSXT) Design and Construction Standard Specification Vol. 1, March 1, 2021
- CSXT MWI 2800 Series
- CSX Public Projects Information Manual
- District Department of Transportation (DDOT) Design and Engineering Manual (DEM), January 2019
- DDOT Standard Specifications for Highways and Structures, October 2020
- Virginia Department of Transportation (VDOT) Modifications to the American Association of State Highway and Transportation Officials (AASHTO) Load and Resistance Factor Design (LRFD) Bridge Design Specifications, 8th Edition, 2017
- Note: this reference is only applicable to the Potomac River Undergrade Bridge
- VDOT Manual of the Structure and Bridge Division, Part 2, Design Aids and Typical Details, 2021
- Note: this reference is only applicable to the Potomac River Undergrade Bridge
- AASHTO LRFD Bridge Design Specifications, 9th Edition, 2020
- AASHTO Standard Specifications for Highway Bridges, 17th Edition, 2002
- AASHTO Vessel Collision Design, 2009

- Washington Metropolitan Area Transit Authority (WMATA) Adjacent Construction Project Manual, September 2015
- AASHTO/AWS Bridge Welding Code D1.5, 8th Edition
- AASHTO Guide Specifications for Seismic Isolation Design, 4th Edition
- Virginia Railway Express (VRE) Standards
- Amtrak Standards
- AISC Steel Construction Manual – 13th Edition
- USCG, Bridge Lighting and Other Signals

3.2 Special Requirements

3.2.1 SPAN CONFIGURATION

All spans will be simple spans. Continuous spans are prohibited (CSXT X-A). Piers will generally align with existing substructures and shall maintain existing navigational clearances.

Skewed spans shall be avoided where practical. Where skewed spans are necessary, the skew shall be minimized to the extent practicable. Skewed spans shall be designed such that the dead load counteracts computed live load uplift by a factor of 1.5.

Through plate girders (TPGs) are only permitted for up to two track bridges, except through plate girders will be allowed at Ohio Drive SW and Maine Avenue SW. Intermediate girders are not permitted for double track bridges. Stringers, if required, will frame into floorbeams. All stringers will have top and bottom flanges clipped at an angle not greater than 45 degrees to permit field removal and installation. Intermediate floorbeams will frame into the girder web using double angle connection angles and high strength bolts. (CSXT X-D)

Through plate girder web depths are to be consistent for all spans of the Potomac River Undergrade Bridge. Web depths shall also be consistent for all spans of the WMATA/I-395 Undergrade Bridge.

Concrete superstructures are not permitted over roadways.

3.2.2 DESIGN SPEED

The design maximum allowable speed (MAS) is 60 mph for the purpose of bridge design. Actual speeds may vary. See *Chapter 2, Railroad* for additional speed information.

3.2.3 DESIGN LIFE

Design Service Life.....100 years

3.2.4 DISTRIBUTION OF AXLE LOADS

For the design of ballast deck beams and girders spaced symmetrically about the centerline of tangent track, the axle loads will be distributed equally to all beams or girders whose centroids are within a lateral width equal to the length of tie plus twice the minimum distance from bottom of tie to top of beams or girders. Distribution of loads to transverse floorbeams will be in accordance with AREMA 15 – 1.3.4.2.3. Distribution for loads for other conditions will be determined by a recognized method of structural analysis.

3.2.5 BRIDGE DECK

The rail bridges will use ballasted deck construction.

All bridges will be designed with non-composite interaction between the superstructure and deck. (CSXT V-C)

Concrete deck shall not be used on through girder spans due to unintended composite behavior causing deck cracking.

Steel deck shall be a minimum of one inch thick.

Shear studs are not permitted. (CSXT IX-F1)

Waterproofing membrane shall be spray applied and shall be PPG, Eliminator, or approved equal. The waterproofing membrane shall be a minimum of 80 mils with a minimum 0.25 inch thick integrated ballast mat. If a thicker waterproofing membrane is used, the integrated ballast mat may be optional at the approval of CSXT. Concrete underlayment may be required to slope the ballast mat and waterproofing toward the provided drainage structures.

One foot (1'-0") minimum ballast depth below the tie (measured from top of deck waterproofing to bottom of tie, at the centerline of the low rail) plus an additional one foot (1'-0") for future track reprofiling will be used for calculating dead load on the structure to accommodate future track raises. (CSXT V-D, CSXT IV-B).

Rail and ties will meet criteria specified in *Chapter 2, Railroad*.

Walkways

Three-foot walkways shall be provided along the project corridor as described below:

- One walkway on bridges carrying two tracks;
 - The walkway is preferred on the upstream (track left) side of the Potomac River Undergrade Bridge and the WMATA/I-395 Undergrade Bridge;
 - The walkway may be located on the inside of the girder (on the ballast section) in lieu of an external "catwalk" walkway for the Potomac River Undergrade Bridge and the WMATA/I-395 Undergrade Bridge;
- Two walkways, one on each side of the bridge, on bridges carrying four tracks;
 - The proposed walkways on the Ohio Drive SW and Maine Avenue SW Undergrade bridges may have isolated points with less than 3 feet of width;
- Walkways shall be provided adjacent to retaining walls.

3.2.6 BEARINGS AND BEARING REPLACEMENT CONSIDERATIONS

Bearing stiffeners shall be CJP welded or finish to bear with fillet welds for both top and bottom flanges.

Intermediate stiffeners shall be on both sides of the web (in pairs). They shall be extended to the bottom flange with a tight fit or light driving fit with no weld on the tension flange, except any intermediate stiffeners within a distance of D from the centerline of bearing, which must be fastened to tension flange per AREMA 15-1.7.8e, or any intermediate stiffeners at knee brace locations which shall also be fastened to both flanges.

Anticipated bearing types are described in respective TS&L Reports. Shock pads shall be provided at each bearing. Shock pads shall be ½" thick, 31 ply preformed elastomeric bearing pads conforming to Federal Specifications MIL-C-882C. The shock pads shall be placed between the masonry plate and concrete substructure.

Provisions shall be made for bearing replacements.

Jacking locations shall be provided at each end floorbeam or end diaphragm. Jacking loads for the bearing replacement condition shall accommodate full dead load including future ballast and need not include live load on the bridge. (CSXT X-B, X-D).

3.2.7 TRACK GEOMETRICS AND CLEARANCES

Use MWI 2604 for clearance envelopes.

Navigational clearance over the Potomac River: Any new structures located over the Potomac River are subject to meeting the navigational requirements for the area set by the United States Coast Guard. The minimum vertical clearance has been set at 20 feet above the current mean high water (MHW) elevation of 1.54 per the United States Coast Guard (USCG) Preliminary Navigation Clearance Determination (PNCD) dated March 5th, 2020.

Minimum vertical clearance for undergrade bridges to be replaced will be as follows:

• Potomac River Undergrade Bridge over GWMP Span	14'-6"
• Potomac River Undergrade Bridge Navigational Channel Span	20'-0"
• Potomac River Undergrade Bridge over Ohio Drive SW (West) Span	14'-6"
• WMATA/I-395 Undergrade Bridge over I-395 Span	16'-6"
• Ohio Drive SW Undergrade Bridge	12'-6"
• Washington Channel Undergrade Bridge	TBD
• Maine Avenue SW Undergrade Bridge	14'-6"

All construction activities will comply with FAA and MWAA requirements.

Refer to *Section 2.7* of this document for information regarding clearance between track centers.

Crashbeams

Crashbeams will be integrated with steel fascia beam TPGs for Ohio Drive SW (East) and Maine Avenue SW Undergrade Bridges. A superficial fascia beam and barrier system will be provided at these locations to protect main load carrying elements from vehicular impact and meet aesthetics requirements. This beam will be designed to mimic the look of a typical steel TPG which will include a small overlapping gap between the bottom and top section. The bottom section acts as a sacrificial crash beam while the top section carries a walkway with a steel parapet connected to the main load carrying girders. Design will follow MWI 1911 Design and Construction Standard Specifications - Section 070330.

3.2.8 BRIDGE DRAINAGE

- For bridge spans over land, bridge drainage shall be carried off structure through an on-structure drainage system to outfalls at the bridge ends or connection into the track drainage system. For spans of the Potomac River Undergrade Bridge and Washington Channel Undergrade Bridge over water, bridge drainage may be conveyed via on-structure drainage systems to downspouts at pier locations which outfall directly into the water below.
- Free-fall systems that outlet bridge drainage directly onto land or roadways shall not be permitted.
- There are additional retaining wall drainage outlets throughout the corridor which outlet into either drainage structures or surface ditches.

See Chapter 7, *Drainage & Stormwater Management* for additional requirements.

3.2.9 UTILITIES

Below is a comprehensive list of impacted utility owners on a per structure basis for coordination:

- Potomac River Undergrade Bridge
 - CSXT
 - DC Water
 - Dominion Power
 - National Park Service (NPS)
 - Potomac Electric Power Company (PEPCO)
 - Verizon
 - WMATA
- WMATA/I-395 Undergrade Bridge
 - AT&T
 - CSXT
 - DC Water
 - DDOT
 - NPS
 - Verizon
 - WMATA
- Ohio Drive SW Undergrade Bridge
 - CSXT
 - NPS
 - PEPCO
 - Verizon
 - Washington Gas
- Washington Channel Undergrade Bridge

- AT&T
 - CSXT
 - DDOT
 - Verizon
- Maine Avenue SW Undergrade Bridge
 - AT&T
 - Capital Transit Company
 - CSXT
 - DC Water
 - DDOT
 - General Services Administration (GSA)
 - PEPCO
 - Verizon

See *Chapter 8, Utilities* for additional requirements.

3.2.10 NAVIGATION LIGHTING

Navigation lighting shall be provided for the Potomac River Undergrade Bridge and Potomac River Bike-Ped Bridge, as they are bridges that cross waterways, which support nighttime navigation. Navigation lights are required for display and shall be in accordance with Part 118 Bridge Lighting and Other Signals of Title 33 Navigation and Navigable Waterways, CFR.

Approval of navigation lights and other required signals shall be obtained, prior to construction, from the Coast Guard District Commander (Bridge Office) with jurisdiction over the bridge project area.

3.2.11 COMMUNICATIONS AND SIGNALS

Refer to *Section 2.15* and coordinate with CSXT on communication and signal designs and their respective foundations, and how it will relate with proposed foundations along the project corridor.

3.3 Loads

3.3.1 DEAD LOADS

TABLE 3-1. STRUCTURAL COMPONENTS.

Steel	490 pcf
Normal Weight Reinforced Concrete	150 pcf
Ballast	120 pcf, 12 inch minimum depth beneath tie plus additional future 12 inch depth
Timber	60 pcf

See *AREMA 15.1.3.2* for additional items not listed.

A 10 percent increase will be considered as an allowance for the dead load of splice and fill plates, stiffeners, nuts and bolts, welds, and other miscellaneous components during analysis for

all structural steel components. Designer shall verify reinforced concrete unit weight for densely reinforced concrete elements and adjust accordingly.

TABLE 3-2. NON-STRUCTURAL ELEMENTS.

Track rails, inside guard rails and their fastenings (AREMA Chapter 15 Section 1.3.2.b)	200 plf/track
Concrete ties	800 lbs each
Utilities	To be based on specific utilities on each individual bridge
Drainage	To be based on the specific system on each bridge

3.3.2 LIVE LOAD

Superstructure elements will be designed for Cooper E-80 Loading or the Alternate Live Load with full diesel impact, whichever produces the greatest stress, per *AREMA Chapter 15 Section 1.3.3*. Proposed substructure elements will be designed for Cooper E-90 loading at the following locations:

- Ohio Drive SW Undergrade Bridge
- Washington Channel Undergrade Bridge
- Maine Avenue SW Undergrade Bridge

All other undergrade bridge substructure elements and temporary structural elements will be designed for Cooper E-80 loading.

Any structure carrying the Tracks 3 & 4 access road from Ohio Drive SW (West) will be designed for a singular AASHTO HS-20 vehicle.

3.3.3 IMPACT LOADS & ROCKING EFFECT

Full diesel impact loads based on 60 mph will be calculated as per *AREMA Chapter 15 Section 1.3.5*. Impact forces will be considered for strength design and will also contribute to the fatigue stress range with the appropriate fatigue impact factor applied.

Impact forces due to rocking effects will be considered for strength design and will also contribute to the fatigue stress range.

The distribution of rocking loads to members supporting the track will be based on the configuration and spacing of members supporting the track. For live load acting on multiple tracks, force couples will be applied in the manner that will produce the worst-case response.

CENTRIFUGAL FORCE

Centrifugal force based on a 60 mph operating speed will be calculated as per *AREMA Chapter 15 Section 1.3.6*. The sharpest degree of curvature on the span will be used when the span carries multiple tracks. Centrifugal force will be considered for strength design and determining the fatigue stress range.

3.3.4 VESSEL IMPACT

For the purposes of computing vessel impact risk analysis, the Potomac River Undergrade Bridge will be considered “Critical.” Design of the pier protection (fender system) adjacent to piers adjacent to the Potomac River Navigation Channel shall be in accordance with AREMA 8-23.

Design of the piers away from the Potomac River Navigation Channel shall be in compliance with AASHTO 2020 Design Specifications 9th Edition and AASHTO Vessel Collision Design 2009.

The vessel data required for bridge design includes type of vessels and size distributions, travel frequencies, typical vessel speeds, and loading conditions. To determine the vessel size distribution at the bridge site, information on both present and projected future vessel traffic is needed. Waterway information including alignment, channel width, currents, depths, and river stages are also needed. *Appendix D* includes current vessel use through the study area.

The vessel impact analysis will be performed based on the findings of the navigational study and scour evaluation study. The combination of vessel impact and scour shall be evaluated for two cases potentially during storm and high-water conditions:

- Minimum impact loads associated with a drifting empty barge breaking loose from its moorings and hitting the bridge. The design barge will be a 300 ton unloaded hopper barge as defined by AREMA or a AASHTO 200 ton barge.
 - The water surface elevation for the design flood shall be used to perform the drifting barge impact risk assessment.
 - The drifting barge impact speed shall be set equal to the estimated design flood event current values at each individual pier location.
 - The drifting barge impact load will be combined with 50 percent of the predicted long-term scour plus 50 percent of the predicted short-term scour.
- Maximum impact loads associated with the design vessel class while transiting the navigation channel under typical waterway conditions.

3.3.5 EFFECT OF SCOUR

The rail bridge substructures in or adjacent to waterways will be designed to safely support the structure subjected to the design scour. Substructures subjected to scour will be designed in accordance with AREMA *Chapter 8* and may include pile foundations, foundations on rock, foundations located below the maximum estimated scour depth, or any other means and provide adequate scour protection. Scour depths shall be checked for the design flood, overtopping flood, and any other events that could produce worse scour following AREMA *Chapter 8 Section 5.6.3*. The worst-case scour shall be designed for. Where it is possible scour cones overlap, the total scour shall be considered. Refer to *Chapter 6* for additional scour considerations.

3.3.6 BUOYANCY

Buoyancy will be considered as it affects the design of either the substructures and foundations.

3.4 Design Method

3.4.1 STEEL DESIGN

Steel superstructures will be designed per AREMA criteria using the Allowable Stress Design Method.

Fracture Critical Members, as defined by AREMA 15 – 1.14.2, shall comply with requirements provided in AREMA 15-1.14. Serviceability criteria such as fatigue and deflection shall comply with AREMA Chapter 15.

3.4.2 SUBSTRUCTURE DESIGN

Concrete substructures, H-piles, and micropiles will be designed per AREMA criteria using the Load Factor Design Method.

All substructure stability design will follow the Allowable Stress Design Method.

Pipe piles and drilled shafts will follow the Allowable Stress Design Method for load calculations and Load Factor Design Method for reinforcing.

Substructure Design will include provisions set forth by *CSXT Criteria for Undergrade Railroad Bridges (CSXT XI)*.

Substructure shall be designed for Vehicular Impact per AASHTO 3.6.5 (CT – 600K) and/or AASHTO 2.3.2.2.1 (Redirect or Absorb) with the following load combinations:

- D+E+CT @150 Allowable – Service Load Design
- 1.0D+1.0E+1.0CT – Load Factor Design

3.4.3 RETAINING WALL AND CRASHWALL DESIGN

Retaining walls shall be designed per AREMA criteria using Allowable Stress Method and the stability requirements outlined in AREMA 8-5.4.

Crashwalls shall be detailed per AREMA 8-2.1.5, *CSXT Overhead Bridge Criteria* and *DDOT DEM 16.7*.

3.5 Fatigue

The lowest acceptable fatigue detail category shall be stress category C (10 ksi).

Number of constant stress cycles, N, will be greater than 2,000,000.

The stress range (algebraic difference between maximum and minimum stress in a member subjected to cyclic loading that results in net tension) will be less than the allowable fatigue stress range defined in AREMA Table 15-1-9 for a number of cycles greater than 2,000,000.

For members receiving load from more than one track, the impact load will be applied on the number of tracks designated in AREMA Table 15-1-5.

3.6 Seismic Design

3.6.1 STRUCTURE IMPORTANCE CLASSIFICATION

Immediate Safety: 4.0

Occupancy Factor: 4 (More than 10 Passenger Trains per Day)

Hazardous Material Factor: 4 (minimum value permitted)

Community Life Factor: 4 (maximum value permitted)

Immediate Value: 4.0

Railroad Utilization Factor: 4 (Over 50 million gross tons annual traffic)

Detour Availability Factor: 1.00 (No Detour Available)

Replacement Value: 4.0

Span Length Factor: 3 (Span length between 125 ft and 250 ft)

Bridge Length Factor: 2.0 (over 1,000 ft)

Bridge Height Factor: 0.75 (Less than 20 ft)

Bridge Height Factor: 1.00 (Between 25 and 40 ft)

3.6.2 PERFORMANCE CRITERIA

The performance criteria for each of the limit states listed below are described in AREMA *Chapter 9, Sections 1.3.2 and 1.3.3* and utilizing the USGS Interactive Hazard Tool for B/C Soil classification.

TABLE 3-3. PERFORMANCE CRITERIA.

Limit State	Return Period (Years)	Peak Ground Acceleration (% Gravity)
Serviceability	100	$A_{100} = 0.7$
Ultimate	475	$A_{475} = 2.4$
Survivability	2,475	$A_{2475} = 6.9$

3.6.3 SITE COEFFICIENT

Site Class: Soil Profile as determined by boring exploration and geotechnical analysis and recommendations in accordance with AREMA MRE.

3.6.4 ANALYSIS PROCEDURE

Multi-Modal Analysis Procedure, without soil structure interaction.

Load combinations using the Alternate Method, 100% + 30% procedure.

3.6.5 DETAILING PROVISIONS

Detailing Provisions as per AREMA 9-1.4.7 will be used where applicable, with the exception that Continuous Welded Rail (CWR) will not be relied upon for redundant load path for seismic forces.

3.6.6 DAMPING ADJUSTMENT FACTOR

The damping adjustment factor will be computed with the values that are given in AREMA Chapter 9, Table 9-C-1:

- Concrete: D = 1.00
- Structural Steel: D = 1.18

3.6.7 LOAD COMBINATIONS

Only one track will be loaded with full live load in any seismic load combination, regardless of the number of tracks actually supported by the structure being designed.

3.7 Materials and Equipment

3.7.1 GENERAL

All materials will be in accordance with CSXT Design and Construction Standard Specifications, Division 7 – Structures.

3.7.2 CONCRETE

All concrete materials and properties shall be in accordance with CSXT Design and Construction Standard Specifications, Division 7 – Structures.):

3.7.3 STRUCTURAL STEEL

All steel members to be detailed and fabricated to place the rolled direction of the member in the direction of primary stress.

Structural steel will conform to requirements of ASTM A709, Grade 50W (AASHTO M270) unless otherwise noted. Grade HPS 70W requires approval per CSXT 0701252.1B. (AREMA 15.1.2.1)

Steel for miscellaneous secondary elements will conform to the requirements of ASTM A709, Grade 36 (AASHTO M270).

All structural steel will meet Charpy impact test requirements for Zone 2.

Flange-to-web welds shall be complete joint penetration (CJP) per CSXT Public Projects Manual, derivation from this requires CSXT approval.

Plate girder flanges shall not exceed 4 inch thickness.

Weathering steel will be used for all undergrade bridges. Weathering steel shall be unpainted, except as noted otherwise in the plans.

3.7.4 REINFORCING STEEL

All reinforcing steel shall be deformed bars conforming to the requirements of ASTM A615, Grade 60 (AASHTO M31, Grade 60), and shall be hot-dip galvanized conforming to the requirements of ASTM A767, unless otherwise specified. Reinforcing steel shall be fabricated prior to galvanizing.

All reinforcing splices of deformed bars will be achieved by lap splices or galvanized full-mechanical splices, in accordance with AREMA.

#4 reinforcing bars shall be the minimum bar size used in main load carrying members. Reinforcing shall be spaced to meet the requirements of VDOT (Potomac River Undergrade Bridge only), DDOT, AREMA, or CSXT, whichever is more stringent.

Minimum clear cover to reinforcing steel will be as noted below:

Top of deck slab	2 1/2 in
Bottom of deck slab	1 1/2 in
Pier caps (main steel and secondary steel)	3 in
CIP piers and precast pier segments	
External surface	3 in
Internal surface	2 in
Pier footings	3 in
All other principal reinforcement	2 1/2 in
All other stirrups and ties	2 in

Minimum cover for reinforcing steel in concrete pier surfaces exposed to seawater or spray at or below elevation +10 shall be 4 inches.

3.7.5 FASTENERS

All bolts will be 7/8-inch minimum diameter high-strength bolts (unless otherwise specified) conforming to ASTM F3125, Grade A325 (AASHTO M164) Type 3 (slip critical connection Class B) and shall be hot-dip galvanized.

Contact surfaces of bolt parts will meet Class B requirements for Slip Critical Joints in accordance with AREMA specifications.

All bolted connections will use a minimum of three (3) bolts as per AREMA (15.1.5.9.c)

All steel nuts shall conform to ASTM A563 (AASHTO M291), hardened washers shall conform to ASTM F436 (AASHTO M293) and be hot-dip galvanized in accordance with AASHTO A153 (AASHTO M232) unless otherwise specified, and bolts shall be coated after installation. (AREMA 15.1.2.1)

3.7.6 WELDING ELECTRODES

All welding electrodes will conform to the requirements of AASHTO/AWS D1.5. All welding electrodes will have a minimum tensile strength of 70 ksi unless otherwise noted. (DDOT, VDOT, AREMA)

All welds will be subject to non-destructive testing.

Welding of Fracture Critical Members (FCMs) shall be in accordance with Section 12 of AWS D1.5, except as modified in AREMA Chapter 15 Section 1.14 and DDOT Amendments.

3.7.7 ANCHOR RODS AND BOLTS

Anchorage of the superstructure will consist of anchor rods, couplers and anchor bolts as specified by rocking effects. All anchor rods will be swaged and in accordance with ASTM F1554 (AASHTO M314), Grade 55. The anchor rods will be grouted into circumferentially corrugated galvanized steel or plastic sleeves cast in the concrete. Anchor couplers will be capable of developing 150 percent of the minimum yield strength of the anchor bolts or rods. Heavy hex nuts will conform to ASTM A563 (AASHTO M291). Hardened washers will conform to ASTM F436 (AASHTO M293), plate washers will conform to ASTM A709 (AASHTO M270) Grade 36. Anchor rods, bolts, couplers, nuts, and washers will be hot-dip galvanized in accordance with ASTM A153 (AASHTO M232).

3.8 Retaining Walls

3.8.1 GENERAL

Retaining wall systems under consideration include reinforced concrete cantilever walls, soldier pile and lagging walls, and proprietary gravity type retaining walls (T-Walls or comparable prefabricated modular walls). Mechanically stabilized earth retaining systems and sheet pile walls are not permitted for permanent structures (CSXT XI-B2). Sheet pile walls may be used in temporary construction, such as for support of excavation, or for specifically approved permanent applications.

Walls with an exposed height greater than 30 inches will be installed with a fence, handrail, or barrier to prevent workers from falling. Height of fences, handrails, or barrier will meet the minimum requirements of AREMA 15-8.5. The wall height shall include additional height for future ballast depth.

Adjacent tracks with more than one foot of elevation difference shall be separated by a wall.

Wall drainage will be provided in accordance with geotechnical and manufacturer's recommendations.

3.8.2 LOADS

Cooper E-90 loads (without impact) will be utilized for live load track surcharge. Live load track surcharge will be applied through fill using a 1H:2V distribution starting from the base of the tie.

Earth pressures from external loads from adjacent structures will be computed using pressure distributions from AREMA 8-5.3.

Horizontal earth pressure will be calculated from boring data and the geotechnical analysis and recommendations.

Horizontal and vertical earth pressures will include an additional 1 foot of ballast. (CSXT V-D)

Passive resistance from fill in front of wall will be neglected for design.

3.8.3 EMBANKMENTS

Earth embankments shall have a maximum slope of 2:5 horizontal to 1 vertical (2H:1V) or flatter.

3.9 Foundation Design

3.9.1 GENERAL

Foundations are anticipated to be supported on drilled shafts, steel pipe piles, steel H-piles, micropiles, or as determined by the results of the Supplemental Geotechnical Investigation. Foundations will be designed from boring data and geotechnical analysis and recommendations. Precast concrete driven piles are prohibited. Piers within waterways will be shaped to minimize turbulent flow. The impact of the new foundations on the existing foundations shall be investigated and minimizing such impact shall be considered in foundation selection.

3.9.2 REFERENCES

In addition to those mentioned in *Section 3.1.2*, the following references below apply:

- Unified Facilities Criteria (UFC) Soil Mechanics, UFC 3-220-10N, 2005
 - AASHTO Guide Specifications for Seismic Isolation Design, 3rd Edition
 - Federal Highway Administration (FHWA) Drilled Shafts: Construction Procedures and Design Methods, FHWA-NHI-18-024, September 2018
 - FHWA Design and Construction of Driven Pile Foundations Reference Manual, Volume I and II, FHWA-NHI-16-009, July 2016
 - FHWA Geotechnical Engineering Circular No. 4, Ground Anchors and Anchored Systems, FHWA-IF-99-015, 1999
 - FHWA Ground Improvement Methods, Volume I and II, FHWA-SA-98-086, 1998
 - FHWA Geotechnical Engineering Circular No. 3, Design Guidance: Geotechnical Earthquake Engineering for Highways, Volume I and II, FHWA-SA-97-076 and 077, 1997
 - UFC Geotechnical Engineering Procedures for Foundation Design of Buildings and Structures, UFC 3-220-01N, 2005
 - FHWA Micropile Design and Construction Reference Manual, FHWA-NHI-05-039, December 2005
 - AASHTO Standard Specifications for Highway Bridges, 17th Edition, 2002
- Note: this reference is for geotechnical design parameters

3.9.3 DESIGN LIFE

Foundations shall be designed for a 100-year service life.

3.9.4 APPROACH SLABS

Approach Slabs are required to support E-80 Loading and will be included as dead load on the foundation. Minimum length of approach slab will be 25 feet along the track alignment.

3.9.5 DRIVEN PILE FOUNDATIONS

Steel piles (pipe, H-piles, taper tube) or treated timber piles will be considered and assessed based on cost, constructability, and adequacy. Timber piles will not be considered in locations where any portion of the pile is within the water table or otherwise exposed to water. Timber piles are prohibited for structures supporting freight traffic.

Design considerations will be given to foundation alternatives including the use of steel piles within District Waters to account for the potential of Microbiologically Influenced Corrosion (MIC). Design consideration to mitigate potential MIC will consist of the following:

- Use of sacrificial steel; and
- Protection systems, such as cathodic protection applied to the steel casing for any left-in-place steel casing with reinforced concrete core.
 - Epoxy coating is permitted for retaining wall foundations, but is prohibited for bridge foundations.
 - Coal tar is prohibited.

The use of battered piles will be considered for structures with lateral loads up to a maximum batter of 3:12 (horizontal:vertical).

Factor of safety shall be 2.25 with dynamic load testing performed.

Within the zone of scour, lateral support will be ignored in determining allowable axial pile capacity in compression. Additional lateral loads due to flow will be applied within the zone of scour.

Negative side friction due to settlement of upper compressive soils will be considered in determining allowable axial pile capacity in compression. Liquefaction induced settlements will only be considered for seismic analysis.

Concrete Filled Pipe Piles

Steel pipe piles may be filled with concrete. Concrete filled pipe piles shall include proper detailing to ensure composite action. If details cannot be included, pipe piles shall be designed as non-composite.

Concrete filled pipe piles within the zone of scour to five feet below the design scour elevation shall be designed to support all applied loads without the steel pipe. In this zone, the pipe pile is considered a form with no structural carrying capacity.

3.9.6 DRILLED SHAFTS

Design of drilled shaft foundations will conform to *AREMA 8-24*.

Within the zone of scour, lateral soil support will be ignored in determining allowable axial pile capacity in compression.

Factor of safety shall be 2.5 for axial capacity.

Negative side friction due to settlement of upper compressive soils will be considered in determining allowable axial pile capacity in compression. Liquefaction induced settlements will only be considered for seismic analysis.

3.9.7 MICROPILES

Requirements related to micropile foundations will conform to *AREMA 8-4.4.6* and *FHWA-NHI-05-039*.

Micropiles are not recommended for any foundations susceptible to scour.

Negative side friction due to settlement of upper compressive soils and liquefaction induced settlements will be considered in determining allowable axial pile capacity in compression.

Factor of safety for axial capacity shall be 2.0 with load testing performed.

4 Pedestrian/Bicycle Facilities

4.1 Overview

The Pedestrian and Bicycle Facilities include at-grade and on-structure facilities in both Virginia and Washington, DC. Primarily, these facilities include two pedestrian-bicycle bridges and the ramps/sidewalks/trails connecting these structures to existing facilities. The following are descriptions of the three main parts of this basis of design section:

Trail Design (Part 4.2): Includes Mount Vernon Trail (MVT, both temporary and permanent trails), as well as geometrics of the pedestrian-bicycle bridge over the Potomac River ("River Bridge"), and its ramps. Trail Design includes all project's shared-use pathways, which are designed to accommodate both bicyclists and pedestrians.

Other Pedestrian Facility Design (Part 4.3): Includes the geometrics of the new pedestrian bridge over Maine Avenue SW ("Maine Avenue Bridge") and the sidewalks along Ohio Drive SW (West) and Maine Avenue SW.

Structural Design of Pedestrian/Bicycle Bridges (Part 4.4): Includes the structural design of the "River Bridge" which spans George Washington Memorial Parkway (GWMP)/MVT/Potomac River/Ohio Drive SW (West) and the "Maine Avenue Bridge" spanning Maine Avenue/Maiden Lane, as well as the ramp, stair, and wall structures connecting to the bridges.

The criteria included herein are project-specific criteria and standard criteria highlights and modifications. Additional criteria and design methods are included within the specified references and structural calculations for individual components.

4.2 Trail Design

4.2.1 REFERENCES

Design specifications used in the Trail Design include the following:

- Americans with Disabilities Act Standards for Accessible Design (ADA)
- District Department of Transportation (DDOT) Design and Engineering Manual (DEM), January 2019
- DDOT Bicycle Facility Design Guide, 2020 (DDOT Bike Guide)
- American Association of State Highway and Transportation Officials (AASHTO) Guide for the Development of Bicycle Facilities, 2012 (AASHTO Bike Guide)
- Advanced Notice of Proposed Rulemaking on Accessibility Guidelines for Shared Use Paths (ANPRM)
- Navigation Study, 2019 (Nav Study)
- Hazard Analysis, 2019
- National Park Service (NPS) Active Transportation Guidebook

Additional documentation is anticipated and may be referenced in subsequent drafts.

4.2.2 DESIGN SPEED

Design speed varies by facility and project area. Design speed is based on the *AASHTO Bike Guide, Section 5.2.4*. Considerations for design speed include the horizontal and vertical geometry of the trail, expected user volume and type, and the overall context of the trail corridor and its surrounding areas.

The following design speeds are used for each project area:

TABLE 4-1. DESIGN SPEED.

Project Area	Design Speed	Notes
MVT	18 mph	Standard shared-use path design speed
MVT (temporary)	12 mph	A reduced design speed will be used for the temporary trail based on its alignment and expected proximity to active work zones
River Bridge	18 mph	Standard shared-use path design speed
River Bridge Ramps	12 mph	A reduced speed will be used due to the horizontal alignment and intersections at either ends of the ramps

4.2.3 TRAIL WIDTH

The trail width varies by facility and project area. Citing available guidance and standards, the at-grade trail width for the project is set at a minimum 12 feet of paved width, with 2-foot shoulders on both sides of the trail. The trail width is based on the *AASHTO Bike Guide, Section 5.2.1*. Considerations for width include the existing and expected user volumes, site conditions, and the overall context and functionality of the project area.

A recovery area is defined as a graded shoulder area with a maximum cross-slope of 16.67 percent (1V:6H) that is recoverable in all weather conditions. A recovery area of 5 feet is generally preferred for trails (this preferred recovery area is inclusive of the 2-foot shoulder). At a minimum, a 2-foot shoulder/recovery area will be maintained from the trail's paved edge to any lateral obstructions. Refer to the *AASHTO Bike Guide, Section 5.2.1*, for more detail.

The following tables include the design widths for each project area:

TABLE 4-2. TRAIL WIDTH - AT-GRADE TRAILS.

Project Area	Pavement	Shoulders	Recovery Area	Notes
MVT	12'-0"	2'-0"	2'-0" min. 5'-0" pref.	Known high user volume shared-use path and available width along project corridor
MVT (temporary)	10'-0"	2'-0"	2'-0" min.	Reduced width proposed given site constraints and desire to slow users along work zones

For the future Anacostia Riverwalk Trail width, see *Section 4.3*. This facility is considered a sidewalk with potential for future development during this phase of design.

The River Bridge represents a standalone structure as it is not a continuation of a trail or sidewalk/sidepath, but rather a connection between a trail and a sidewalk. As such, the required bridge width needs to meet DEM minimum width requirements. *Section 20.9 of the DEM* requires the minimum width between railings to be 12 feet. Based on known and anticipated trail volumes, and site conditions, the rail-to-rail width of the River Bridge will be 14 feet.

TABLE 4-3. TRAIL WIDTH – STRUCTURES.

Project Area	Total Between Railings	Notes
River Bridge	16'-0"	Satisfying recommended minimum widths for two-way shared-use paths
River Bridge Ramps	16'-0"	Match bridge width

4.2.4 MINIMUM HORIZONTAL CURVE RADIUS

The minimum horizontal curve radii of the proposed trails vary based on the design speed (see **Table 4-1**) and site conditions. In general, a minimum horizontal radius of 27 feet is required for the 12-mph design speed, and a minimum horizontal radius of 60 feet is required for a design speed of 18 mph. *Section 5.2.5 of the AASHTO Bike Guide* shall be referenced for all other details pertaining to horizontal alignment requirements.

4.2.5 CROSS-SLOPE

Shared-use paths must be accessible to all individuals, including those with disabilities. As such, these facilities need to follow ADA Standards and not exceed a cross-slope of 2 percent.

4.2.6 STOPPING SIGHT DISTANCE

Stopping sight distance along a trail is determined by the following factors: travel speed, coefficient of friction, and trail grade. Stopping sight distance will adhere to requirements in the *AASHTO Bike Guide*, Section 5.2.8. The following formula is used to determine stopping sight distance along a trail (Table 5-4 of the *AASHTO Bike Guide*):

U.S. Customary		
$S = \frac{V^2}{30(f \pm G)} + 3.67V$		
where:		
S	=	stopping sight distance (ft)
V	=	velocity (mph)
f	=	coefficient of friction (use 0.16 for a typical bike)
G	=	grade (ft/ft) (rise/run)

FIGURE 4-1. STOPPING SIGHT DISTANCE.

Source: *AASHTO Bike Guide*, Table 5-4. Minimum Stopping Sight Distance

4.2.7 INTERSECTION SIGHT DISTANCE

The trail along the project corridor will only intersect with other trails and/or pedestrian walkways. As such, guidance provided in Figure 5-16 within Section 5.3.2 of the *AASHTO Bike Guide* will be followed.

4.2.8 TRAIL GRADE

Trail longitudinal profile grades will adhere to ADA standards, as trails (also known as shared-use paths) must be accessible to all users. The maximum grade of the trails within the project will not exceed 5 percent. If site conditions constrain compliance with the 5 percent maximum grade, refer to the U.S. Access Board website for current information regarding accessibility provisions.

4.2.9 VERTICAL CURVE

A minimum vertical curve length of 6 feet is required to accommodate the average length of a bicycle. Additional detail for vertical curve design can be found in Section 5.2.8 of the *AASHTO Bike Guide*, including the use of Table 5-5 which establishes the following equation to calculate necessary vertical curve length based on stopping sight distance:

U.S. Customary		
$S < L$	$L = 2S - \frac{200(\sqrt{h_1} + \sqrt{h_2})^2}{A}$	
$S < L$	$L = 2S - \frac{AS^2}{100(\sqrt{2h_1} + \sqrt{2h_2})^2}$	
where:		
L	=	minimum length of vertical curve (ft)
A	=	algebraic grade difference (percent)
S	=	stopping sight distance (ft)
h_1	=	eye height (4.5 ft for a typical bicyclist)
h_2	=	object height (0 ft)

FIGURE 4-2. CREST VERTICAL CURVE LENGTH.

Source: AASHTO Bike Guide, Table 5-5. Length of Crest Vertical Curve to Provide Sight Distance

4.2.10 VERTICAL CLEARANCES

The vertical clearances above the trails to overhead obstructions will be 10 feet minimum per the AASHTO Bike Guide, Section 5.2.10. It is assumed that equestrian accommodations are not required on any trails. Furthermore, it is assumed no special overhead clearances are required for maintenance equipment.

The vertical underclearances of the River Bridge will be as follows:

TABLE 4-4. RIVER BRIDGE UNDERCLEARANCE.

Facility Below	Min. Vert. Clearance	Notes
GWMP	17'-6"	1'-0" greater than adjacent bridges. (Note this is less than the standard 17'-6" in DEM 13.3.1.*)
MVT	10'-0"	Overhead clearance for trail users
Potomac River	1'-0" over design storm	Freeboard requirement per DEM 28.4.1, refer to Bridge Hydraulics Section for additional information.
Potomac River (Nav. Channel)	20'-0" over mean high water	Per Nav Study Table 1-2

For underclearance of the Maine Avenue Bridge, see Section 4.3.

4.2.11 BRIDGE HORIZONTAL CLEARANCE FROM RAILROAD

Chapter 22 of the Draft Environmental Impact Statement (DEIS) states that 25 feet of separation between the River bridge and the railroad bridge structures is required for construction and maintenance over the river. Figure 22-4 of the DEIS (also Figure 2-4 of the Section 106

Programmatic Agreement, Final Environmental Impact Statement (FEIS) Appendix B) shows the River Bridge 25 feet from the railroad bridge, measured from the inside face of the River Bridge railing to the outside face of the railroad bridge's railing.

4.2.12 RAILINGS AND SCREENS

Railings will be used in all locations where there is a 45-degree (1V:1H) or steeper drop-off of greater than 1 foot in height within a horizontal distance of five feet from the edge of trail. Additionally, railings will be used based on trail side slopes per *AASHTO Bike Guide 5.2.1*.

The railings will have a minimum height of 3.5 feet per *DEM 20.3*.

Railing openings will not exceed 6 inches per *AASHTO Bike Guide 5.2.10* and will include a smooth rub rail at 3.5 feet above ground and shall not impede stormwater runoff, per *DEM Chapter 36*.

For railing design forces see *Section 4.3*. Railings on pedestrian/bicycle facilities are not designed for vehicular collision forces.

Screens will be used on the River Bridge over the Potomac River in accordance with the recommendations of the Hazard Analysis and DDOT Standard Drawings. Chain-link fence will not be used per *DEM 20.8*.

4.2.13 ADJACENT ROADWAY OFFSETS AND BARRIERS

The temporary MVT will be separated from the GWMP by a vehicular barrier. Additionally, the temporary MVT will be offset from the vehicular barrier by the greater of the following:

- The design deflection of the barrier
- 2 feet

4.2.14 EMERGENCY VEHICLE ACCESS AND ACCOMMODATIONS

Emergency vehicle access will be provided to the River Bridge per the Hazard Analysis. Access will be provided from both sides of the river, with a clear path accommodating an ambulance with a 42-foot turning radius. Physical barriers will be located to prevent motorized vehicles from entering the River Bridge and ramps, but the barriers will be removeable to allow access by emergency vehicles. The removable barriers will be designed in accordance with the *AASHTO Bike Guide*.

4.2.15 DRAINAGE

The relocated permanent MVT and the temporary MVT drainage design are to use a minimum cross-slope of **1 percent** per the *AASHTO Bike Guide (Section_5.2.11)*. Special considerations may be necessary where the temporary MVT crosses under the existing railroad bridge and runs between the GWMP and the bridge abutment.

The River Bridge deck drainage over the Potomac River is designed for sheet flow across the deck and off the bridge. A cross-slope and free-draining curb system will be used in coordination with the truss manufacturer.

For the bridge spans over GWMP, the MVT, and Ohio Drive, as well as the bridge ramps, drainage is designed as a closed drainage system with flow across the deck to a curb and down grade to a scupper and downspout. The curb, scupper, downspout components must be coordinated with the truss manufacturer (for truss spans) or deck design (for deck-slab spans).

Refer to *Chapter 7, Drainage and Stormwater Management* for additional information.

4.2.16 SPECIAL CONSIDERATIONS

The River Bridge structure is subject to aesthetic review and approval by various agencies, including but not limited to the Commission of Fine Arts (CFA), National Capital Planning Commission (NCPC), NPS, and the District of Columbia State Historic Preservation Office (DC SHPO). The structures will be designed to meet the approved aesthetics and will comply with the EIS and Section 106.

Advisory, wayfinding, and interpretive signage accommodations will be included in final design.

Deck lighting and navigation lighting will be provided on the River Bridge and are anticipated to be owned and maintained by DDOT.

Navigation lighting, signage, and markings will meet USCG regulations.

Lightning arrestors and grounding plan shall be included in final design.

4.3 Other Pedestrian Facilities Design

4.3.1 REFERENCES

Design specifications used for Other Pedestrian Facilities Design include the following:

- Americans with Disabilities Act Standards for Accessible Design (ADA)
- DDOT Design and Engineering Manual (DEM), January 2019
- AASHTO Guide for the Planning, Design, and Operation of Pedestrian Facilities, 2021 (AASHTO Ped Guide)
- 2010 ADA Standards for Accessible Design (ADAAG)

4.3.2 DESIGN WIDTH

Pedestrian facility design width will vary based on the facility type and location within the project area. Generally, proposed facilities shall tie into existing facilities at a width equal to or greater than the existing facility.

The following table represents pedestrian-specific site locations, and the subsequent minimum and preferred widths for each project area:

TABLE 4-5. DESIGN WIDTH.

Project Area	Design Width	Notes
Maine Avenue Bridge	8'-0"	The DEM cites the minimum sidewalk width in this land-use as 8'-0", and the AASHTO Ped Guide confirms the 8'-0" minimum
Maine Avenue Bridge Ramps and Stairs	8'-0"	The DEM cites the minimum sidewalk width in this land-use as 8'-0", and the AASHTO Ped Guide confirms the 8'-0" minimum
Maine Avenue sidewalk	Varies	Measured face of abutment wall to back of curb. This an over-built sidewalk to match the sidewalk beneath the adjacent structure, with consideration for a future trail (12'-0" trail with 5'-0" buffer from curb could be one future layout, or a barrier could be added for a different layout)
Potomac River Bridge Optional Stairs	8'-0"	This inclusion of these optional stairs (at the ramps on either end of the River Bridge) in the design is TBD. 8'-0" matches the AASHTO Ped Guide

4.3.3 SIDEWALK/RAMP GRADE

Sidewalk and ramp grades will adhere to ADA standards and DDOT DEM Section 31.2.1.3. The maximum grade of the trails within the project will be **5 percent**. If site conditions constrain compliance with the 5 percent maximum grade, 8.33 percent grade is acceptable over short distances in accordance with ADAAG 2010. Refer to the U.S. Access Board website for current information regarding accessibility provisions.

4.3.4 VERTICAL CLEARANCES

The vertical clearances above the pedestrian facilities to overhead obstructions will be **10 feet minimum** per *AASHTO Guide for the Planning, Design, and Operation of Pedestrian Facilities*.

The vertical underclearances of the Maine Avenue Bridge will be as follows:

TABLE 4-6. MAINE AVENUE BRIDGE UNDERCLEARANCE.

Facility Below	Min. Vert. Clearance	Notes
Maine Avenue	17'-6"	DEM 13.3.1
Maiden Lane	17'-6"	DEM 13.3.1

4.3.5 DRAINAGE

Sidewalks will be sloped to match adjacent sidewalks with a minimum cross-slope of 1 percent.

The Maine Avenue Bridge deck drainage (including ramps) is designed for closed drainage across the deck to a curb and down grade to a scupper and downspout. The curb, scupper, downspout components must be coordinated with the truss manufacturer.

Refer to *Chapter 7, Drainage and Stormwater Management* for additional information.

4.4 Structural Design of Pedestrian-Bicycle Bridges

4.4.1 REFERENCES

Design specifications used in the structural design of the pedestrian-bicycle structures include the following:

- DDOT Design and Engineering Manual (DEM), January 2019
- AASHTO LRFD Guide Specification for the Design of Pedestrian Bridges, 2009 2nd Edition with 2015 interims (AASHTO Ped Bridge Guide)
- AASHTO LRFD Bridge Design Specifications (AASHTO Bridge), 9th Edition, 2020
- AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires, and Traffic Signals, 6th Edition, 2013 with 2015, 2019, and 2020 interims (AASHTO Signs)
- AASHTO Guide Specifications for LRFD Seismic Bridge Design, 2011 2nd Edition with 2012, 2014, and 2015 interims (AASHTO Seismic)

Other references that may be included in the structural design of the pedestrian-bicycle structures include the following:

- AASHTO Guide Specifications for Seismic Isolation Design, 2014 4th Edition
- AASHTO/AWS Bridge Welding Code D1.5, 2008
- International Building Codes (IBC)
- Federal Highway Administration (FHWA) Guides

4.4.2 DESIGN METHOD

Structures will be designed in accordance with Load and Resistance Factor Design (LRFD) method.

4.4.3 SPECIAL DESIGN CONSIDERATIONS

- Material specifications and details will comply with the agency approval requirements as they relate to aesthetics. Per the EIS, the Pedestrian-Bicycle bridge over the GWMP, MVT and the Potomac River will consist primarily of prefabricated truss spans.
- Structures will be designed to accommodate all components and attachments, such as screening, drainage, and lights, as applicable.
- Other considerations may include future jacking, construction loads, and maintenance requirements.

4.4.4 DESIGN LIFE

Design service life is 100 years.

4.4.5 DEAD LOAD

The self-weight of the prefabricated trusses will be taken as the largest weight estimate from a minimum of two suppliers plus a 10 percent contingency for the potential to increase during the final design and fabrication of the trusses. For design cases that reduce dead load, the lightest weight estimate without contingency will be considered.

In addition to the self-weight of the truss, dead load of the deck, railings, lighting, and all components and attachments not accounted for in the truss self-weight must be included in the design of the bridge's superstructure, bearings, substructure, and foundations. The components included in the manufacturer's estimated dead load and those calculated by the design engineer must be clearly defined and closely coordinated.

Additional dead load considerations may include future overlay, additional aesthetic features not determined at this phase, and/or future utility allowances (specifications TBD).

4.4.6 LIVE LOADS

Structures will be designed for the greater of truck loading or pedestrian loading per *AASHTO Ped Bridge Guide*. See **Table 4-7**.

Equestrian patch loading for decks will be checked.

No special heavy emergency vehicle (for example fire truck) or heavy maintenance vehicle loading above the *AASHTO Ped Bridge Guide* will be accommodated.

TABLE 4-7. LIVE LOADS.

Live Load	Magnitude	Notes
Pedestrian Loading (PL)	90 psf (No allowance for reduction)	Load will be patterned to produce the maximum load effect (<i>AASHTO Ped Bridge Guide</i> 3.1)
Vehicle Load (LL)	H10 Truck	<i>AASHTO Ped Bridge Guide</i> 3.2

4.4.7 WIND LOADS

Structures will be design for horizontal wind load in accordance with *AASHTO Signs* 3.8 and 3.9, including an Importance Factor of 1.15 per *AASHTO Ped Bridge Guide* 3.4.

Additionally, a concurrent uplift force of 0.020 ksf over the full deck will be applied at the windward quarter point of the deck per *AASHTO Ped Bridge Guide*.

4.4.8 RAILING LOADS

Railings will be designed for pedestrian loads of 0.050 klf vertically, plus 0.50 klf horizontally, plus 0.20 kip concentrated load in any direction per *AASHTO Bridge* 13.8.2.

Railings are not designed for vehicular collision loads.

For railing height and detailing requirements see *Section 4.2*.

Curbs, deck, and/or bridge components supporting railings will be designed and detailed to accommodate the railing loads and transfer those loads into the deck, as applicable.

4.4.9 THERMAL LOADS

Thermal forces and movements will be in accordance with the *DDOT DEM 19.7* and *AASHTO Bridge 3.12.2 and 14.4*.

4.4.10 STREAM PRESSURE AND BUOYANCY LOADS

Bridge and ramp anchor bolts will be designed for stream pressure and buoyancy loads for the design storm elevation and checked for the 100-year storm elevation and in accordance with *DDOT DEM*.

4.4.11 SEISMIC LOADS

Structures will be designed for seismic loads in accordance with *AASHTO Seismic* and *DDOT DEM*.

Soil class, profile, and site parameters shall be based on site specific boring exploration and geotechnical analysis and recommendations.

4.4.12 VEHICULAR COLLISION LOAD

Substructure units and walls within roadway clear zones will be designed for vehicular collision loads in accordance with *AASHTO Bridge*.

4.4.13 VESSEL COLLISION LOAD

For the navigation channel, an independent fender system will be designed and included as part of the Potomac River Undergrade Bridge. Refer to the Railroad Bridge section for specifications.

For all piers, including those away from the navigation channel, piers, foundations, and superstructures as applicable shall be designed for the minimum empty barge load at mean river velocity, as specified in *AASHTO Bridge 3.14.1*.

4.4.14 DEFLECTIONS AND VIBRATIONS

Bridge deflections due to live loads and wind loads will meet the recommendations of *AASHTO Ped Bridge Guide Sections 5 and 6*.

4.4.15 CONSTRUCTION LOADS

Construction live loads and erection loads will be determined by the final design team.

4.4.16 MATERIALS

Materials will comply with *AASHTO Bridge*, *DDOT DEM*, and *DDOT Standard Specifications for Highways and Structures*.

Concrete cover to reinforcement will follow *DEM Table 13-1*.

Structural steel HSS members shall meet CVN test requirements per DDOT DEM.

The railing and screen material is TBD (stainless or galvanized steel under review).

See plan general notes for additional material specifications.

4.4.17 FOUNDATIONS

Foundations shall be designed based on geotechnical analysis and recommendations in accordance with AASHTO Bridge and DDOT DEM.

4.4.18 RETAINING WALLS

Refer to retaining wall section in *Chapter 3*. With the following exceptions:

The Live Load Surcharge equivalent height of soil will be 2 feet for parallel retaining walls and abutments per AASHTO Bridge C3.11.6.4. This section's commentary states that the "traditional value" of 2 feet corresponds to an H10 truck, which is the design live load for these structures.

Mechanically Stabilized Earth (MSE) walls will be allowed adjacent to pedestrian/bicycle bridges only and will be designed for 100-year service life.

5 Roadway

5.1 Project Background

The roadway improvements are limited and based on the approved Operator Signoff Plans developed during the Environmental Impact Statement (EIS) phase. They generally consist of the following proposed and temporary improvements:

- Proposed
 - 14th Street SW off ramp to Maine Avenue SW will be realigned to facilitate the construction of the proposed railroad bridge.
 - Pavement mill and overlay treatments along all roadways where maintenance of traffic layouts modify the existing pavement markings.
- Temporary
 - The temporary George Washington Memorial Parkway (GWMP) median widening to support the temporary median crossover into the proposed construction staging area south of the existing CSX Transportation (CSXT) railroad bridge over the GWMP and the Potomac River.
 - Minor temporary widening of I-395 on-ramp to GWMP for construction access.
 - All other temporary traffic shifts are anticipated to occur within the existing curb lines and edge of existing pavement where the restoration as identified above in the proposed section.

5.2 Safety

Roadway design intentions are to provide a safe and reliable roadway infrastructure attaining the highest level of service within the physical and economical Project constraints. Design goals will be to apply the standard roadway design criteria. Designers are to provide justification for any physical, environmental, or economic constraints preventing standard criteria. Standard criteria deviations are to be collaborated with the Authority Having Jurisdiction (AHJ), and approved by the AHJ, prior to implementing minimum criteria.

The Virginia Passenger Rail Authority (VPRA) and the host railroad (CSXT) reserves the rights to review, approve, deny, and/or issue a permit for all improvements either passing over or under the rail Corridor. Roadway design shall be attentive to rail operation safety, traveling public safety, and the safety of the neighboring communities and commercial businesses.

5.3 Design Criteria

5.3.1 ROADWAY STANDARDS

Roadway designs are to be compliant with the AHJ. AHJ approval is required for alternate or “minimum” design criteria prior to application in accordance with *Chapter 10*. In the absence of a design criteria standard, the designs are to be applicable to the *American Association of*

State Highway and Transportation Officials (AASHTO) Policy on Geometric Design of Highways and Streets, 7th Edition, 2018.

The designs will consider the latest edition of the following:

- District Department of Transportation (DDOT) Design and Engineering Manual (DEM), January 2019
- DDOT Standard Specifications for Highways and Structures, 2013
- AASHTO, A Policy on Geometric Design of Highways and Streets
- AASHTO Roadside Design Guide, 4th Edition 2011
- National Park Service (NPS) Active Transportation Guidebook
- Virginia Department of Transportation (VDOT) Road Design Manual
- Arlington County Design guidance documents

Where the proposed roadway designs are primarily a result of replacing the roadway infrastructure due to construction impacts associated with bridge and railroad infrastructure construction improvements, the intent of the roadway designs is to replace-in-kind the existing roadway conditions and layout.

5.3.2 DESIGN CONTENT

The design content is to be compliant with the AHJ. The following roadway design elements are expected for all designs based on the design stage:

- Layout (Reflecting existing topographic features and proposed features)
- Right-of-way
- Typical Sections
- Traffic signing, lighting, and striping
- Traffic signalization
- Horizontal and vertical alignments
- Vertical profile of primary roadway and relevant connecting roadways
- Drainage structures and networks
- Erosion and sediment control
- Existing and proposed structural improvements (bridges and retaining walls)
- Utility conflicts/relocations
- Cross-sections (50-foot intervals and critical locations)
- Construction phasing and maintenance of traffic during construction

5.4 Maintenance of Traffic

The temporary work zones for the project will be designed in accordance with *Part 6 of the Manual of Uniform Traffic Control Devices (MUTCD), Roadside Design Guide*, and the *D.C. Temporary Traffic Control Manual* to provide for the safe and efficient movement of vehicles, pedestrians, and bicyclists through each phase of construction. On travel ways within VDOT or Virginia locality jurisdiction, work zones will be designed in accordance with the *Virginia Work Area Protect Manual (VWAPM, 2011 Edition, Version 2)*.

5.4.1 ALLOWABLE WORK HOURS

This section will define the allowable work hours and road closures after traffic analysis and coordination with DDOT and NPS is complete during the design build phase of the project.

5.4.2 TEMPORARY CONDITION DESIGN CRITERIA

Temporary conditions vary based on facility and work requirements. Duration of allowable closures will be coordinated with the appropriate agency.

Maintenance of traffic criteria for 14th Street SW/I-395 will be based on Interstate criteria with a design speed of 40 mph. The following requirements will be used for maintenance of traffic:

TABLE 5-1. ALLOWABLE TEMPORARY CONDITION DESIGN CRITERIA – INTERSTATE.

Minimum Number of Lanes	2
Minimum Lane Width	11 feet
Minimum Shoulder Width	0 feet
Minimum Ramp Width	16 feet
Minimum Ramp Shoulder Width	0 feet
Minimum Clear Zone	14 feet

Maintenance of traffic criteria for GWMP will be based on Other Freeway or Expressway criteria with a design speed of 40 mph. The following requirements will be used for maintenance of traffic:

TABLE 5-2. ALLOWABLE TEMPORARY CONDITION DESIGN CRITERIA - GEORGE WASHINGTON MEMORIAL PARKWAY.

Minimum Number of Lanes	1
Minimum Lane Width	11 feet
Minimum Shoulder Width	N/A
Minimum Ramp Width	16 feet
Minimum Ramp Shoulder Width	0 feet
Minimum Clear Zone	14 feet

Maintenance of traffic criteria for Ohio Drive SW will be based on Local Street criteria with a design speed of 25 mph. The following requirements will be used for maintenance of traffic:

TABLE 5-3. ALLOWABLE TEMPORARY CONDITION DESIGN CRITERIA - OHIO DRIVE SW.

Minimum Number of Lanes	1 with temporary flagging or temporary traffic signals
Minimum Lane Width	10 feet
Minimum Shoulder Width	N/A
Minimum Clear Zone	12 feet

Maintenance of traffic criteria for Maine Avenue SW will be based on Principal Arterial criteria with a design speed of 15 mph. The following requirements will be used for maintenance of traffic:

TABLE 5-4. ALLOWABLE TEMPORARY CONDITION DESIGN CRITERIA - MAINE AVENUE SW.

Minimum Number of Lanes	2
Minimum Lane Width	9 feet
Minimum Shoulder Width	N/A
Minimum Clear Zone	12 feet

5.4.3 PEDESTRIAN AND BICYCLE ACCESS

This section will define the minimum sidewalk widths and allowable detours to be determined in coordination with DDOT.

DRAFT

6 Bridge Hydraulics

6.1 References and Resources

A variety of sources were referenced in the design of the Long Bridge Project. These references included design documents developed by the regulatory agencies involved in review and approval of the project, industry accepted references such as the Federal Highway Administration (FHWA) and Hydraulic Engineering Circular (HEC) manuals that provide the foundation of the design, and previous studies of the project area.

6.1.1 REGULATORY APPROVAL

The proposed design of the bridge will go through the approval process from several different entities. These include the Department of Energy and the Environment (DOEE), Federal Emergency Management Agency (FEMA), the United States Coast Guard (USCG), United States Army Corps of Engineers (USACE), National Park Service (NPS), and the District Department of Transportation (DDOT).

6.1.2 DESIGN GUIDELINES

Design guidelines, specifications, and manuals include the following:

- Applicable FHWA HEC manuals
- DDOT Design and Engineering Manual (DEM), January 2019
- Environmental Impact Statement (EIS)

6.1.3 ENVIRONMENTAL IMPACT STATEMENT

Hydraulic design criteria provided herein reference the Environmental Impact Statement (EIS) created through DDOT and the Federal Railroad Administration (FRA) for the Long Bridge project on June 11, 2018. The purpose of the study was to obtain and document information related to present and future navigation uses and the needs of the waterways near the Long Bridge, for the purpose of developing and evaluating alternatives for the Project.

USCG issued a Preliminary Navigation Clearance Determination (PNCD) on March 5th, 2020, specifying a 20-foot minimum vertical clearance for the Navigational Channel of the Proposed Potomac River Structures.

6.2 Data Collection

Information collected for this project includes topographic surveys, existing plans and/or as-builts, previous studies, flood data, and channel characteristics.

6.2.1 SURVEY AND AS-BUILTS

A survey was performed in the vicinity of the bridge, and survey points were collected to create the bathymetry (below water surface elevations) in the surrounding area upstream and downstream of the bridge.

As-built plans of the three bridges just upstream of the rail bridge include the 14th Street bridge titled "Superstructure for New West Highway Bridge Over Potomac River, Vicinity 14th Street" dated 7/14/1959, "New West Highway Bridge and Approaches Over Potomac River, Vicinity of 14th Street" dated 3/11/1964, and "Substructure for New West Highway Bridge Over Potomac River, Vicinity 14th Street" dated 7/14/1959.

6.2.2 EFFECTIVE FEMA STUDY

The current FEMA Flood Insurance Study (FIS) and associated Flood Insurance Rate Map (FIRM) panels of the study area are effective as of September 27, 2010. The FIRM panels that cover the project area are: 1100010018C, 1100010019C, 1100010056C, and 1100010057C. After these documents became effective, additional Letter of Map Revisions (LOMRs) within the study area became effective which include 15-03-2388P-110001 and 20-03-0337P-110001.

6.3 Level of Analysis/Method of Analysis

A "no rise" determination was concluded to incorporate the proposed design. HEC-RAS 6 was used to complete the hydraulic analyses.

6.4 Hydrology

The following sections detail the proposed hydrologic analysis used to calculate the 10-, 50-, 100-, and 500-year storm frequency discharges.

6.4.1 PREVIOUS HYDROLOGIC STUDIES

Hydrologic information is provided in the latest FEMA study of the Potomac River within the project area and is dated September 27, 2010. Riverine Hydrologic Analysis Update was performed to validate the flood levels from the previous study.

For the riverine portions of the Potomac River, the effective FIS is based on a flood frequency analysis of annual peak discharge data collected at USGS gage for the Potomac River near the Washington, DC Little Falls Pumping Station (USGS Station No. 01646500), which is not tidally influenced. The years of data covered are from 1931 – 2020. Flood frequencies are developed using the program PeakFQ and the Bulletin 17B method.

Additional documents include:

- Climate Change Adaptation Plan for the District of Columbia (2015 DOEE) to account for Sea Level Rise (SLR);
- Climate Ready DC (DOEE, 2016);
- DDOT Climate Change Action Plan (DDOT, 2013)

6.4.2 TIDAL HYDROLOGY

For the tidally influenced portions of the Potomac River, the effective hydrology is based on a stage-frequency analysis of measured water-surface elevations recorded at National Ocean Service (NOS) gage no. 8594900, which is located at Haines Point, near the confluence of the Potomac and Anacostia Rivers. The update to the tidal hydrology uses this same location as a

point of analysis. Highest water surface elevations at this location were used to determine the water surface elevations used in the downstream boundary conditions of the hydraulic model.

6.5 Hydraulic Design Criteria

6.5.1 VERTICAL CLEARANCES AND NAVIGATION

Storm surge was considered in the design of the bridge including riverine and coastal surge for the full length of the structures. Both bridges navigational superstructures are above the 100-year event storm surge elevation. The Potomac River Undergrade Bridge and Potomac River Bike-Ped Bridge ramps on both sides meet the 1 foot freeboard DDOT requirement with ramp structures over edges of the river for the 10-year event storm surge. The north end of the ramp for the Bike/Pedestrian Bridge and their fill sections is within the 100-year event, however these volumes are very small relative to the main channel opening.

The USCG is requiring 20 feet above MHW (Elevation 1.54 NAVD88) for the proposed bottom (low chord) of the superstructure elevations for both bridges. The navigation channel spans for both bridges meet this clearance requirement by meeting or exceeding the elevation of 21.54.

6.6 Hydraulic Analysis

The hydraulics of the bridge were evaluated using HEC-RAS version 6 (USACE, 2021). The analysis includes the development of the Duplicate Effective, Existing Conditions, and Proposed Conditions Models.

6.6.1 DUPLICATE EFFECTIVE ANALYSIS

The Effective HEC-RAS Model was created for FEMA as part of the June 1, 2020, LOMR report 20-03-0337P-110001. This hydraulic model became effective on October 19, 2020, for Washington D.C. A duplicate effective model was created from the current effective model in order to conclude a “no-rise” determination for the proposed design..

6.6.2 EXISTING CONDITIONS ANALYSIS

The Existing Conditions model includes the latest available datasets of topography and bathymetry, updating the cross section elevations while maintaining the extent and overbanks of the Effective model. Information added or modified in the Existing Conditions model includes:

- The Yellow Line Metro Bridge geometry
- Two new cross sections for the Potomac-Anacostia junction to account for the widening in the intersection
- Hydrologic revisions
- New boundary conditions to evaluate a combination of scenarios that reflect riverine and coastal influences

A seamless high-resolution topo-bathymetric dataset was assembled from publicly available sources and current in-terrain surveys obtained for the project. This dataset was used in the HEC-RAS hydraulic modeling as well as in the ADCIRC coastal modeling.

Topobathymetry sources:

- LiDAR Topography (USGS), post-Sandy - 2014
- Latest Hydrographic Survey Activity (USACE), 2015-2020
- Lidar and bathymetry, Coastal National Elevation Dataset CoNED (USGS), post-Sandy – 2015
- NCEI Coastal Relief Model (NOAA), 1998
- General Bathymetric Chart of the Oceans GEBCO - open data contributors
- Current terrain survey

Five different resolution topobathymetry DEM's were created for different extents:

- High resolution 1-meter for Washington D.C. including the Potomac riverbed (from Little Falls, MD. to Alexandria, VA.)
- Medium resolution 30-meter DEM for the Lower Potomac River (Downstream from D.C.) to the Chesapeake Bay (Lewisetta, VA.)
- Low resolution 100-meter DEM for the Chesapeake Bay.
- Low resolution 500-meter DEM for the Chesapeake Bay connection with the Atlantic Ocean.
- Coarse Bathymetry for Atlantic Ocean and Gulf of Mexico Bed

6.6.3 PROPOSED ANALYSIS

The Proposed Conditions Model incorporates the Potomac River Undergrade and Bike-Ped bridges and any proposed physical changes within the floodplain near Long Bridge. The model updates the Existing Conditions geometry with the Proposed Conditions geometry and keeps the existing hydrology and boundary conditions.

6.7 Coastal Analysis

6.7.1 PREVIOUS COASTAL STUDIES

Existing coastal studies and observational data include the following:

- North Atlantic Comprehensive Coastal Study (NACCS)
- FEMA coastal studies
- Analyses of National Oceanic and Atmospheric (NOAA) gage data
- Others as appropriate

6.7.2 COASTAL ANALYSIS UPDATE

An analysis of the applicability of data from existing coastal studies was used to develop design criteria and identify the required updates for the coastal analysis.

6.7.3 IMPACT OF STORM SURGE

The impacts of storm surge on design conditions at the bridge site were analyzed by specifying downstream boundary conditions reflective of storm surge at various return intervals (25-, 50-, 100-year for example). The storm surge driven water surface elevations at the downstream boundary were obtained from previous coastal studies or the NOAA observation stations at Haines Point and Lewisetta.

6.7.4 IMPACT OF SEA LEVEL RISE

The impact of sea level rise shall be considered for the project location and incorporated as appropriate into the storm surge estimates discussed in Section 6.7.3. NOAA Station #8594900 is within one mile of the Project and provides long-term record of water levels since 1924. The USACE Sea-Level Change Calculator (Version 2021.12) will be used to generate scenarios projecting future changes to sea level to this Station.

6.7.5 COMPOUND FLOODING

Finally, design water surface elevation and currents were obtained by analyzing the HEC-RAS results and quantifying the combined impacts of pluvial and fluvial flooding, and storm surge.

6.8 Scour Analysis and Countermeasures

6.8.1 DESIGN CRITERIA

The latest HEC-18 and HEC-25 guidelines were used to calculate the scour estimates at each structure of the bridge for the 100-year storm event.

6.8.2 METHODOLOGY

Estimation of total scour considers three primary components: (1) Long-term degradation of the riverbed, (2) Contraction scour at the bridge, and (3) Local scour at the piers. Scour evaluations will focus on piers since abutments will be constructed on the overbanks and outside of the main channel. Scour shall be considered for each pier location assuming the proposed ground elevation.

A D50 value of 0.02 millimeters shall be assumed for the scour analysis.

6.9 Hydrodynamic and Wave Loading

6.9.1 DESIGN CRITERIA

Coastal hydrodynamic and wave simulations were carried out to determine the 100-year flood elevations, wave conditions, and currents using the *American Association of State Highway and Transportation Officials (AASHTO) Guide Specifications for Bridges Vulnerable to Coastal Storms (2008)*.

7 Drainage and Stormwater Management

7.1 References

The overall project limits are located in multiple jurisdictions that have unique drainage design requirements and regulations. The following standards and manuals be used as reference for the drainage design in accordance with the specific jurisdiction.

- District Department of Transportation (DDOT) Design and Engineering Manual (DEM), January 2019
- DDOT Standard Drawings
- DC Water Standard Design Guidelines, Drawings, and Specifications
- Virginia Department of Transportation (VDOT) Drainage Manual
- VDOT Road and Bridge Standards
- VDOT Road and Bridge Specifications
- American Association of State Highway and Transportation Officials (AASHTO) Highway Drainage Guidelines
- Federal Highway Administration (FHWA) Hydraulic Engineering Circular-14 Hydraulic Design of Energy Dissipators for Culverts and Channels (HEC-14)
- HEC-22 Urban Drainage Design Manual

7.2 Design Criteria

Storm drainage systems will be designed to provide safe roadway and trackbed conditions and adequately convey design flows. The existing storm drain system will be maintained where feasible. Existing survey, utilities, and other information needs to be obtained and confirmed prior to the drainage design. See Chapter 2-Railroad Section 2.8.4-Track Drainage and Chapter 3 Section 3.2.8 -Bridge Drainage for drainage design criteria for proposed track roadbed and bridge structures.

7.2.1 CLOSED DRAINAGE SYSTEMS

Design frequency, sizing, location, and spacing for storm drain system are based on the stormwater drainage calculations, spread, bypass flow, and efficiency requirements for the jurisdiction. Horizontal clearance will be maintained between the proposed drainage system and all underground structures. Culverts and closed drainage systems are designed and sized to accommodate the design flows.

Drainage from bridge superstructures or embankments must not discharge across a railroad right-of-way, National Park Services lands, public property, or private property without property owner approval.

The following criteria applies to the closed drainage system design of the Long Bridge project:

- Design Frequency Highway: 25-year storm event with pipes flowing full

- Design Frequency Railroad: 100-year storm event
- Sag Conditions: Must design for 50-year event for pipes draining to a sag condition
- Minimum Highway Drainage Pipe Size: 18 inches
- Minimum Railroad Drainage Pipe Size: 12 inches
- Basin Connect Pipe Size: 15 inches
- Minimum Pipe Flow Velocity: 3 feet per second
- Minimum Pipe Cover: 3 feet
- Hydraulic Grade Lines: Must not rise above crown of pipe
- Manholes for Highway Drainage: required at each slope/grade change or change in alignment
- Manhole Connections: No more than 3 total pipes allowed entering or leaving
- Maximum Highway Manhole Spacing: 400 feet, connecting pipe must be 50 feet or less

Also, much of the downtown District Columbia area falls within the Combines Sewer Watershed. Additional design criteria apply to those watersheds and sub-watersheds which are regulated by DC Water.

7.2.2 OPEN CHANNEL FLOW

Open channels are designed to provide positive flow that has non-erosive velocities. Open channels shall be designed to meet the following criteria:

- Hydraulic calculations are required for all proposed open channels
- The final channel design must provide 6 inches of freeboard above the design flow elevation
- Channel inverts and top of bank elevations are required for all open channels
- Typical cross sections are required for each reach of open channel
- Channel lining design will be provided for non-erosive velocities
- Channel design shall also incorporate a pilot channel to handle lower flow events

7.2.3 CULVERT DESIGN

Culverts shall be sized to accommodate the following design flows based upon the roadway classification:

Railroad Corridor	100 year storm event
Freeways	50 year storm event
Principal Arterials	50 year storm event
Minor Arterials/Collectors	25 year storm event
Local Streets	10 year storm event

Also, adequate inlet and outfall protection for all culverts will be evaluated and designed in accordance with HEC-14.

7.3 Stormwater Management

Within the Washington, DC area, stormwater retention volume (SWRV) will be calculated for all major land disturbing activities in accordance with the Department of Energy and the Environment (DOEE) Stormwater Management Guidebook. For most areas of Washington, DC, this retention volume (called SRV) is calculated using a 1.2-inch rainfall event. An additional volume of storage for water quantity control will be required by DOEE to reduce the post development discharge to pre-existing (typically “meadow”) conditions. Portions of the Project within the Anacostia Waterfront Development Zone (AWDZ) as defined in the DOEE Stormwater Management Guidebook are subject to additional restrictions as defined in the DOEE Stormwater Management Regulations.

For project areas within Virginia, stormwater quality control and stormwater quantity control will be required in accordance with the Virginia Stormwater Management Handbook.

In accordance with DOEE practice, railroad ballast (both existing and new) is considered impervious because the underlying soil interface typically does not infiltrate. Railroad bridges crossing waterways and locations in Virginia are excluded from this practice. In addition, existing rail lines are eligible for Maximum Extent Practical (MEP) considerations. Underdrain may be considered a detention practice provided a dead storage stone area is located below the invert of the underdrain. Additional coordination is required to establish appropriate stormwater management in ballasted areas the context of this project. Refer to *Chapter 11, Additional Considerations* for additional discussion.

7.3.1 REFERENCES

Proposed stormwater management will be designed in accordance with the latest edition of the following standards and manuals:

- DOEE 2020 Stormwater Management Guidebook
- DDOT Design and Engineering Manual (DEM), January 2019
- DDOT 2014 Green Infrastructure Standards
- DC Water Green Infrastructure Utility Protection Guidelines
- VDOT Drainage Manual
- Virginia Department of Environmental Quality (DEQ) Stormwater Design Specifications

7.3.2 BMP DESIGN CRITERIA

Important considerations for the design of all stormwater management facilities (also known as BMPs) are as follows:

- Any proposed BMP must have soil borings and field infiltration tests within the proposed BMP limits.
- Groundwater levels must be at least 4-feet below the proposed BMP bottom elevation.
- BMP facilities cannot be located within existing floodplain limits.
- BMP facilities must meet certain pollutant removal requirements.

DOEE is also considering changes to their current floodplain regulations with the 500-year event becoming the regulated floodplain rather than the current 100-year floodplain limits. This proposed change will have an impact on any proposed BMP location as well as its design. The proposed regulation changes have not yet been made law but could be in effect at the time the Long Bridge Project goes under construction.

Since the project area consists of the National Park Service (NPS) George Washington Memorial Parkway (GWMP), NPS National Mall and Memorial Parks (NAMA), and DDOT Right-of-Way (ROW), the design criteria for BMP Facilities for these three areas are subject to different review agencies, which follows:

- BMP Facilities in NPS GWMP – Virginia DEQ
- BMP Facilities in NPS NAMA – DC DOEE
- BMP Facilities in DDOT ROW – DC DOEE & DDOT

7.4 Erosion and Sediment Control

Within the District of Columbia and Virginia, Erosion and Sediment Control (ESC) design is required to temporarily protect water resources from sediment pollution and increases in runoff associated with active land disturbance, clearing, and grading activities. Therefore, ESC Plans are required for all portions of a construction project and need to be properly phased to provide the maximum amount of protection to the receiving waterways.

7.4.1 REFERENCES

The latest edition of the following codes and standards specific to ESC design are followed in the development of the ESC plans:

- DOEE 2020 Stormwater Management Guidebook
- DOEE 2017 Erosion and Sediment Control Manual
- DOEE Soil Erosion and Sediment Control Handbook
- DOEE Soil Erosion and Sediment Control General Notes
- Review Checklist for Soil Erosion and Sediment Control Plans
- Virginia Erosion and Sediment Control Handbook
- VDOT Road and Bridge Standards

The project area consists of the NPS George Washington Memorial Parkway (GWMP), NPS National Mall and Memorial Parks (NAMA), and DDOT ROW. The design criteria for these three areas are subject to different review agencies, which are listed as follows:

- ESC in NPS GWMP – Virginia Department of Environmental Quality (DEQ)
- ESC in NPS NAMA – DC Department of Energy and Environment (DOEE)
- ESC in DDOT ROW – DC DOEE and the District Department of Transportation (DDOT)

8 Utilities

Available utility records have been received from the existing utilities owners within the project limit. This phase of design is based on existing utilities records, which will be verified by survey. Existing utilities and owners within the vicinity of the project limits include:

- Railroad owned utilities
- Franchise utilities in the railroad Right-of-Way (ROW)
- District Department of Transportation (DDOT) owned utilities
- DC Water utilities
- National Park Service (NPS) owned utilities
- Washington Metropolitan Area Transit Authority (WMATA) owned utilities
- Dark Fiber (no record, federal/military lines may run within the project area)

TABLE 8-1. UTILITY AGENCIES

Utility Agency	Area
AOC Connect	DC
AT&T Local	DC/VA
AT&T Corporation and AT&T Network Operations	DC
AT&T Core/AT&T Legacy/AT&T Long Distance	DC
Lumen Engineering (Formerly Century Link National)	DC/VA
Comcast	DC/VA
DC Water and DC Clean Rivers	DC
DDOT Signals and Streetlights	DC
Dominion VA Power	VA
Excelon Corp (PEPCO / PEPCO Network Cable)	DC
Fiberlight (Formerly Espire)	DC/VA
Jones Utilities	VA
MWAA	VA
NPS - GWMP	VA
NPS - NAMA	DC
Openband of Virginia	VA
PEPCO	VA
RCN	DC
Sprint / T Mobile	DC
Verizon	DC/VA
Verizon Business (MCI)	DC
Washington Gas	DC/VA
Windstream-KDL	VA
WMATA	DC/VA
X-O Communications (Verizon)	DC
Zayo Group (Formerly Above Net)	DC/VA

8.1 References

The latest edition of the following codes and standards specific to utilities will be followed:

- DDOT Design and Engineering Manual (DEM), January 2019
- ASCE Standard Guidelines for the Collection and Depiction of Existing Subsurface Utility Data
- DC Water Project Design Manual, Volume 3, Linear Asset Design
- DC Water Standard Details and Specifications

8.2 Impacts and Relocation Approach

Any existing utilities impacted by the project will require close coordination to determine where those lines can be relocated to as well as overall sequencing and phasing of the relocation work. Experience indicates that the affected utility owner can take as long as 2-years or more to design and construct any proposed relocations which could impact the overall Long Bridge Project construction schedule.

Also, shall a particular utility need to be relocated, the utility owner will require that utility designation (Quality Level B) and test hole data (Quality Level A) information be provided to them so they can evaluate their relocation options.

Utility relocations as well as new utility systems must be designed to limit impacts to the critical root zone areas of any existing trees. This is an extremely important consideration for both DDOT and NPS.

Finally, the Maine Avenue SW area of the project has other legacy utility items including abandoned foundations, abandoned streetcar (trolley) tracks, and an abandoned GSA steam tunnel which may also be impacted by the project.

9 Landscape Design

Landscape design for this project includes protection and restoration on both the George Washington Memorial Parkway (GWMP) and National Mall and Memorial Parks (NAMA) parkland adjacent to the Potomac River. Section 106 Programmatic Agreement requires two components for planting mitigation resulting from construction activities.

Vegetation Protection Plan Includes areas within the Limits of Disturbance (LOD) wherever vegetation is to be removed, impacted, or protected. Existing vegetation will be surveyed, and specific measures will be outlined to protect trees during temporary and permanent construction activities.

Vegetation Restoration Plan Includes areas within the LOD where vegetation will be replaced to reestablish historic planting plans, while incorporating guidance from historic and recent Cultural Landscape Inventories (CLIs). Plantings are prohibited from the railroad roadbed.

Proposed Landscape Plan Incorporates elements from the Vegetation Protection and Restoration plans, with additional plantings for screening, mitigating potential erosion issues, and compliance with BMPs planting requirements.

9.1 References

Design specifications and mitigation commitments used in the Landscape Protection and Restoration Plans include the following:

- Combined Final Environmental Impact Statement/Record of Decision and Final Section 4(f) Evaluation
- Vegetation at Long Bridge Interim Assessment
- Section 106 Programmatic Agreement
- Virginia Department of Rail and Public Transportation (DRPT)-National Park Service (NPS) Mitigation Agreement

CLIs:

- 2010 Cultural Landscape Inventory for Lady Bird Johnson Park
- 2014 Mount Vernon Memorial Highway - South of Alexandria Cultural Landscape Inventory
- 2016 Theodore Roosevelt Island Cultural Landscape Inventory

GWMP Vegetation Cultural Landscape Report (CLR):

- 2009 Vegetation of the GWMP Central Section (Alexandria to Arlington Memorial Bridge) Vegetation Information (Volumes One and Two)

Historic American Buildings Surveys (HABS) and Historic American Landscapes Surveys (HALS):

- Historic American Engineering Record for Mount Vernon Memorial Highway - George Washington Memorial Parkway portion
- Historic American Landscapes Survey of Mount Vernon Memorial Highway, George Washington Memorial Parkway along Potomac River from McLean to Mount Vernon, VA

Mount Vernon Memorial Highway (MVMH) Cultural Landscape Report:

- Mount Vernon Memorial Highway Cultural Landscape Report – Volume 1 History
- Mount Vernon Memorial Highway Cultural Landscape Report – Volume 2 – Design Documentation

National Register:

- Lyndon Baines Johnson Memorial Grove National Register of Historic Places Registration Form
- George Washington Memorial Parkway National Register of Historic Places Registration Form

National Mall and Memorial Parks (NAMA) CLIs:

- 2008 Constitution Gardens Cultural Landscapes Inventory
- 2017 East Potomac Golf Course Cultural Landscape Inventory
- 2015 Thomas Jefferson Memorial Cultural Landscape Inventory

CLR – Treatment:

- 1999 Lincoln Memorial Grounds Cultural Landscape Report
- NPS Golf Courses Cultural Landscape report and Treatment Guidelines
- 018 Rock Creek and Potomac Parkway, Potomac Waterfront Section Cultural Landscape Report
- 1996 Thomas Jefferson Memorial Landscape Overview
- 2020 Tidal Basin Viewshed Analysis

HABS:

- Hains Point - East Potomac Park Historic American Buildings Survey
- Hains Point - East Potomac Park Historic American Buildings
- West Potomac Park Historic American Buildings Survey

HALS:

- Tidal Basin - West Potomac Park Historic American Landscaping Survey
- Historic American Landscape Survey - 1910 Japanese Flowering Cherry Trees in East Potomac Park

History and Architecture:

- Chappell 1973 West Potomac Park History Historic Resource Study
- East Potomac Park HSR Final 508c 2019
- Lincoln Memorial Historic Structure Assessment Report

National Register:

- National Mall National Register of Historic Places Registration Form

Other References:

- Protecting Historic Trees During Construction. National Center for Preservation Technology and Training, March 2021

9.2 Vegetation Protection Plan

9.2.1 APPROACH

In close collaboration with the National Park Service (NPS), a Vegetation Protection Plan will provide documentation of the site's existing conditions, including existing tree species, caliper, and health. The Vegetation Protection Plan will identify which trees may be impacted by construction activities.

Specifications will indicate protection measures necessary to mitigate construction damage in temporary staging and permanent construction areas. The Vegetation Protection Plan will be provided during the Preliminary Engineering Phase, and further refined through the project.

9.2.2 TREE SURVEYING CRITERIA

During the August 2021 site walk, the NPS confirmed that a 6-inch diameter at breast height (DBH) would be the minimum tree size required to be surveyed. Existing shrubs would be recorded as massings, not individual specimens.

9.2.3 TREE PROTECTION CRITERIA

Tree protection will be recommended based on collaboration with arborist recommendations and NPS tree protection standards. Primary attention will be placed to minimize soil compaction, severing of roots, trunk and limb injury, and limb breakage around all trees in the LOD.

9.2.4 NAMA HEADQUARTERS

During the July 2021 site walk, NAMA staff informed the design team that a historic cherry tree was located near the NPS trailer. Species is Okame Cherry (*Prunus 'Okame'*) near where the temporary construction impacts will occur.

9.2.5 CONSTRUCTION AREA SCREENING

Screening around construction staging areas and planting will be provided as part of the Vegetation Protection Plan, incorporating standard NPS screen fencing.

9.3 Vegetation Restoration Plan

9.3.1 APPROACH

Combining available references, specifically CLIs and CLRAs, a Vegetation Restoration Plan will be developed to mitigate trees removed as part of this project. The restoration area for this project will occur within the Project Limits of Work.

9.3.2 RESTORATION PLANTING PALETTE

The proposed plant palette will be based on historic NPS planting plans, drawing on NPS recommended cultivars if alternate species are preferred for availability, disease resistance, or maintenance considerations. The GWMP portion of the project has had three historic plantings plans: 1932, 1965, and 1980s.

9.3.3 MITIGATION RATIO

Per the Section 106 Programmatic Agreement, restoration will be for the same number of caliper inches removed. For example, if three 24-inch trees are removed, then 72 inches of caliper would need to be restored by new tree plantings.

9.4 Proposed Landscape Plan

9.4.1 APPROACH

The Proposed Landscape Plan will incorporate relevant drainage and stormwater designs, including any Best Management Practices (BMP) planting and revegetation to mitigation erosion. The Landscape Plan will be reviewed by the Signatories to the Section 106 Programmatic Agreement, as stipulated in the agreement.

9.4.2 INVASIVE SPECIES MANAGEMENT

The design team will work closely with the NPS to specify an appropriate management strategy for invasive species. Application of herbicide treatment(s), species targeted for removal, and schedule have been coordinated with NPS during multiple meetings.

9.4.3 VEGETATIVE SCREENING

NPS reiterated the importance of viewsheds during each site walk. With vegetation being cleared and new structures being built, there are opportunities to selectively screen or frame views that may have not previously been possible.

10 Approvals and Design Exceptions

10.1 Design Exceptions

The designer is expected to adhere to the practices and criteria specified in the Basis of Design (BOD). The Virginia Passenger Rail Authority (VPRA) and Federal Railroad Administration (FRA) recognize that design exceptions may be required for criteria not met on the National Highway System. These deviations may be necessary for avoidance of environmental impacts or due to physical constraints. These changes must be approved by the Authority Having Jurisdiction (AHJ) prior to implementing the criteria change.

All design exceptions are to be submitted by the design team in writing to VPRA and FRA for distribution to the AHJ. Each variation request will be logged for tracking and distributed to the appropriate AHJ for consideration. Those stakeholders having jurisdiction will provide a written response to the variance request.

The designer is requested to provide adequate information for the exception. Adequate information includes, but is not limited to:

- Applicable BOD Chapter and Section
- Implications of applying BOD criteria
- Rationale and justification for the request and the location(s) and/or length where the exception may apply
- Benefits of exception
- Graphical representation through plan/profile/typical section
- Cost estimate reflecting increases or savings
- Identification of exception regarding the minimum standard and its relevance to the desirable standard
- Identification of effects of the exception to the freight and intercity passenger rail system operations and maintenance, if any, and appropriate potential mitigation measures
- Supporting documentation, including a description of the specific design element and the applicable criteria
- Professional engineer signature and seal of the design engineer of record
- Elements proposed to be constructed or installed to mitigate the risks associated with not constructing the items to applicable standards and that warrant a requested for an exception

The AHJ reserves the right to request additional information to understand the implications of the variance.

10.2 Design Waivers

Design waivers are required for potential for deviations to the technical criteria presented in the BOD or other controlling AHJ criteria that are not considered design exceptions. The designer is requested to provide adequate information for the design waiver request to the AHJ.

DRAFT

11 Additional Considerations

The Basis of Design (BOD) is intended to be a living document. As such, several specific considerations or criteria remain outstanding throughout the document and as listed below.

- In accordance with the Department of Energy and the Environment (DOEE) practice, railroad ballast (both existing and new) is considered to be impervious because the underlying soil interface typically does not infiltrate. However, existing rail lines are considered eligible for Maximum Extent Practical (MEP) considerations and properly designed underdrains may be considered an approved detention practice for water quantity control attenuation. Further coordination regarding final Best Management Practices (BMPs) design and detailing is required to define water quality and quantity criteria.
 - The Virginia Department of Environmental Quality (DEQ) officials considers railroad ballast as pervious on the Virginia side of the project.
- Bridge decks over existing water bodies do not trigger a stormwater obligation. However, DOEE may require mitigation measures to mitigate stream impacts.

As information becomes available and coordination with stakeholders continues, this section may be removed in future drafts.

Appendices

DRAFT

Appendix A - Definitions

DRAFT

Key abbreviations used for terms for this Project are identified in **Table A-1**.

Table A-1. Definitions

ABBREVIATION	DEFINITION
AAR	Association of American Railroads
AASHTO	American Association of State Highway Transportation Officials
AHJ	Authority Having Jurisdiction
AMTRAK	National Railroad Passenger Corporation and Subsidiaries
AREMA	American Railway Engineering and Maintenance-Of-Way Association
BOD	Basis of Design
CFA	Commission of Fine Arts
CFS	Cubic Feet Per Second
CSXT	CSX Transportation
DC SHPO	District of Columbia State Historic Preservation Office
DDOT	District Department of Transportation
DEQ	Virginia Department of Environmental Quality
DHR	Virginia Department of Historic Resources
DOEE	District Department of Energy and the Environment
DRPT	Virginia Department of Rail And Public Transportation
EIS	Environmental Impact Statement
ES	Engineering Stationing
F/S	Feet per Second
FHWA	Federal Highway Administration
FRA	Federal Railroad Administration
FTA	Federal Transit Administration
HEC-18	Hydraulic Engineering Circular No. 18
HEC-RAS	Hydrologic Engineering Center – River Analysis System
HY-8	Culvert Hydraulics Analysis Program
KLF	Kips per Linear Foot
KSI	Kips per Square Inch
LBS	Pounds
MAS	Maximum Allowable Speed
MPH	Miles Per Hour
MP	Mile Post
MRE	Manual for Railway Engineering
MT-1, MT-2, MT-3	Main Track #1, #2 And #3
MUTCD	Manual of Uniform Traffic Control Devices
NCPC	National Capital Planning Commission
NPS	National Park Service
PCF	Pounds per Cubic Foot
PLF	Pounds per Linear Foot
PSF	Pounds per Square Foot
ROW	Right-Of-Way
SCC	Virginia State Corporation Commission, Division of Utility and Railroad Safety

Table A-1. Definitions (Cont.)

ABBREVIATION	DEFINITION
US-ACOE	United States Army Corps of Engineers
VDOT	Virginia Department of Transportation
VRE	Virginia Railway Express
VPRA	Virginia Passenger Rail Authority
WMATA	Washington Metropolitan Area Transit Authority

DRAFT



VIRGINIA PASSENGER RAIL AUTHORITY
 ARLINGTON, VA TO WASHINGTON, DC
PROPOSED IMPROVEMENTS

BETWEEN ROSSLYN (RO) INTERLOCKING (MP CFP 110.1) AND L'ENFANT (LE) INTERLOCKING (MP CFP 111.5)

FEBRUARY 13, 2023



VICINITY MAP
 SCALE 1" = 1000'

FOR REFERENCE ONLY

CENTRAL DIVISION
 RF&P SUBDIVISION
 MP CFP 109.76 TO MP CFT 111.57

DRAFT 30% SUBMISSION

PRELIMINARY ENGINEERING
 DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	E. LAWES
DRAWN BY	E. LAWES
CHECKED BY	S. WELLER
APPROVED BY	M. COLGAN
DATE	2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
 SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 TITLE SHEET

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	G-001
REV.	SHEET NO. 1 OF 203
SCALE	AS SHOWN

VDOT PDF-plotting
 id_0465.tbl
 Plotted By: sgreary
 9/20/23 10:01 AM South Package.dgn
 Title Sheet

DRAWING INDEX - SOUTH CONTRACT

<p>GENERAL</p> <p>1 G-001 TITLE SHEET</p> <p>2 G-002 DRAWING INDEX</p> <p>3 G-003 GENERAL NOTES</p> <p>4 G-004 KEY PLAN</p> <p>SITE DEMOLITION PLANS</p> <p>5 SDM-001 SITE DEMOLITION NOTES AND LEGEND</p> <p>6 SDM-002 SITE DEMOLITION PLAN (1 OF 9)</p> <p>7 SDM-003 SITE DEMOLITION PLAN (2 OF 9)</p> <p>8 SDM-004 SITE DEMOLITION PLAN (3 OF 9)</p> <p>9 SDM-005 SITE DEMOLITION PLAN (4 OF 9)</p> <p>10 SDM-006 SITE DEMOLITION PLAN (5 OF 9)</p> <p>11 SDM-007 SITE DEMOLITION PLAN (6 OF 9)</p> <p>12 SDM-008 SITE DEMOLITION PLAN (7 OF 9)</p> <p>13 SDM-009 SITE DEMOLITION PLAN (8 OF 9)</p> <p>14 SDM-010 SITE DEMOLITION PLAN (9 OF 9)</p> <p>UTILITY DEMOLITION PLANS</p> <p>15 UDM-001 UTILITY DEMOLITION NOTES AND LEGEND</p> <p>16 UDM-002 UTILITY DEMOLITION PLAN (1 OF 9)</p> <p>17 UDM-003 UTILITY DEMOLITION PLAN (2 OF 9)</p> <p>18 UDM-004 UTILITY DEMOLITION PLAN (3 OF 9)</p> <p>19 UDM-005 UTILITY DEMOLITION PLAN (4 OF 9)</p> <p>20 UDM-006 UTILITY DEMOLITION PLAN (5 OF 9)</p> <p>21 UDM-007 UTILITY DEMOLITION PLAN (6 OF 9)</p> <p>22 UDM-008 UTILITY DEMOLITION PLAN (7 OF 9)</p> <p>23 UDM-009 UTILITY DEMOLITION PLAN (8 OF 9)</p> <p>24 UDM-010 UTILITY DEMOLITION PLAN (9 OF 9)</p> <p>TRACK</p> <p>25 RR-001 TRACK DEFINITIONS, EQUATIONS, ABBREVIATIONS, AND SYMBOLS</p> <p>26 RR-002 TRACK GEOMETRY TABLES (1 OF 2)</p> <p>27 RR-003 TRACK GEOMETRY TABLES (2 OF 2)</p> <p>28 RR-004 TRACK SCHEMATICS</p> <p>29 RR-301 TRACK 3 PLAN AND PROFILE (1 OF 5)</p> <p>30 RR-302 TRACK 3 PLAN AND PROFILE (2 OF 5)</p> <p>31 RR-303 TRACK 3 PLAN AND PROFILE (3 OF 5)</p> <p>32 RR-304 TRACK 3 PLAN AND PROFILE (4 OF 5)</p> <p>33 RR-305 TRACK 3 PLAN AND PROFILE (5 OF 5)</p> <p>34 RR-401 TRACK 4 PLAN AND PROFILE (1 OF 5)</p> <p>35 RR-402 TRACK 4 PLAN AND PROFILE (2 OF 5)</p> <p>36 RR-403 TRACK 4 PLAN AND PROFILE (3 OF 5)</p> <p>37 RR-404 TRACK 4 PLAN AND PROFILE (4 OF 5)</p> <p>38 RR-405 TRACK 4 PLAN AND PROFILE (5 OF 5)</p> <p>39 RR-501 TRACK TYPICAL SECTIONS</p> <p>40 RR-502 TRACK CRITICAL SECTIONS (1 OF 2)</p> <p>41 RR-503 TRACK CRITICAL SECTIONS (2 OF 2)</p> <p>42 RR-601 TRACK DETAILS SPECIAL TRACKWORK (1 OF 2)</p> <p>43 RR-602 TRACK DETAILS SPECIAL TRACKWORK (2 OF 2)</p> <p>44 RR-701 CROSS SECTIONS (1 OF 35)</p> <p>45 RR-702 CROSS SECTIONS (2 OF 35)</p> <p>46 RR-703 CROSS SECTIONS (3 OF 35)</p> <p>47 RR-704 CROSS SECTIONS (4 OF 35)</p> <p>48 RR-705 CROSS SECTIONS (5 OF 35)</p> <p>49 RR-706 CROSS SECTIONS (6 OF 35)</p> <p>50 RR-707 CROSS SECTIONS (7 OF 35)</p> <p>51 RR-708 CROSS SECTIONS (8 OF 35)</p> <p>52 RR-709 CROSS SECTIONS (9 OF 35)</p> <p>53 RR-710 CROSS SECTIONS (10 OF 35)</p> <p>54 RR-711 CROSS SECTIONS (11 OF 35)</p> <p>55 RR-712 CROSS SECTIONS (12 OF 35)</p> <p>56 RR-713 CROSS SECTIONS (13 OF 35)</p> <p>57 RR-714 CROSS SECTIONS (14 OF 35)</p> <p>58 RR-715 CROSS SECTIONS (15 OF 35)</p> <p>59 RR-716 CROSS SECTIONS (16 OF 35)</p> <p>60 RR-717 CROSS SECTIONS (17 OF 35)</p> <p>61 RR-718 CROSS SECTIONS (18 OF 35)</p> <p>62 RR-719 CROSS SECTIONS (19 OF 35)</p> <p>63 RR-720 CROSS SECTIONS (20 OF 35)</p> <p>64 RR-721 CROSS SECTIONS (21 OF 35)</p> <p>65 RR-722 CROSS SECTIONS (22 OF 35)</p> <p>66 RR-723 CROSS SECTIONS (23 OF 35)</p> <p>67 RR-724 CROSS SECTIONS (24 OF 35)</p> <p>68 RR-725 CROSS SECTIONS (25 OF 35)</p>	<p>TRACK (CONTINUED)</p> <p>69 RR-726 CROSS SECTIONS (26 OF 35)</p> <p>70 RR-727 CROSS SECTIONS (27 OF 35)</p> <p>71 RR-728 CROSS SECTIONS (28 OF 35)</p> <p>72 RR-729 CROSS SECTIONS (29 OF 35)</p> <p>73 RR-730 CROSS SECTIONS (30 OF 35)</p> <p>74 RR-731 CROSS SECTIONS (31 OF 35)</p> <p>75 RR-732 CROSS SECTIONS (32 OF 35)</p> <p>76 RR-733 CROSS SECTIONS (33 OF 35)</p> <p>77 RR-734 CROSS SECTIONS (34 OF 35)</p> <p>78 RR-735 CROSS SECTIONS (35 OF 35)</p> <p>STRUCTURES</p> <p>79 B-001 STRUCTURAL GENERAL NOTES (1 OF 2)</p> <p>80 B-002 STRUCTURAL GENERAL NOTES (2 OF 2)</p> <p>WALLS</p> <p>81 W-001 RETAINING WALL TYPICAL DETAILS</p> <p>82 W-002 RETAINING WALL "A" PLAN AND SECTION</p> <p>POTOMAC RIVER UNDERGRADE BRIDGE</p> <p>83 B-201 GENERAL PLAN AND ELEVATION (1 OF 6)</p> <p>84 B-202 GENERAL PLAN AND ELEVATION (2 OF 6)</p> <p>85 B-203 GENERAL PLAN AND ELEVATION (3 OF 6)</p> <p>86 B-204 GENERAL PLAN AND ELEVATION (4 OF 6)</p> <p>87 B-205 GENERAL PLAN AND ELEVATION (5 OF 6)</p> <p>88 B-206 GENERAL PLAN AND ELEVATION (6 OF 6)</p> <p>89 B-207 PROFILE (1 OF 3)</p> <p>90 B-208 PROFILE (2 OF 3)</p> <p>91 B-209 PROFILE (3 OF 3)</p> <p>92 B-210 TRANSVERSE SECTIONS</p> <p>93 B-211 ABUTMENT A PLAN AND ELEVATION</p> <p>94 B-212 ABUTMENT B PLAN AND ELEVATION</p> <p>95 B-213 WALL PIER 1 PLAN AND ELEVATION</p> <p>96 B-214 WALL PIER 2 PLAN AND ELEVATION</p> <p>97 B-215 MULTI-COLUMN PIERS PLAN AND ELEVATION</p> <p>98 B-216 RIVER PIER PLAN AND ELEVATION</p> <p>99 B-217 FENDER GENERAL PLAN</p> <p>100 B-218 FENDER PLAN, ELEVATION, AND DETAILS</p> <p>101 B-219 SUPERSTRUCTURE DETAILS</p> <p>102 B-220 TEMPORARY TRESTLE PLANS (1 OF 3)</p> <p>103 B-221 TEMPORARY TRESTLE PLANS (2 OF 3)</p> <p>104 B-222 TEMPORARY TRESTLE PLANS (3 OF 3)</p> <p>105 B-223 TEMPORARY TRESTLE DETAILS (1 OF 2)</p> <p>106 B-224 TEMPORARY TRESTLE DETAILS (2 OF 2)</p> <p>107 B-225 DCCR TUNNEL PROFILE AND ELEVATION</p> <p>108 B-226 AESTHETIC TREATMENT DETAILS (1 OF 2)</p> <p>109 B-227 AESTHETIC TREATMENT DETAILS (2 OF 2)</p> <p>POTOMAC RIVER BIKE-PED BRIDGE</p> <p>110 D-001 POTOMAC RIVER BIKE-PED BRIDGE GENERAL NOTES</p> <p>111 D-101 GENERAL PLAN AND ELEVATION (1 OF 6)</p> <p>112 D-102 GENERAL PLAN AND ELEVATION (2 OF 6)</p> <p>113 D-103 GENERAL PLAN AND ELEVATION (3 OF 6)</p> <p>114 D-104 GENERAL PLAN AND ELEVATION (4 OF 6)</p> <p>115 D-105 GENERAL PLAN AND ELEVATION (5 OF 6)</p> <p>116 D-106 GENERAL PLAN AND ELEVATION (6 OF 6)</p> <p>117 D-107 PROFILE (1 OF 4)</p> <p>118 D-108 PROFILE (2 OF 4)</p> <p>119 D-109 PROFILE (3 OF 4)</p> <p>120 D-110 PROFILE (4 OF 4)</p> <p>121 D-111 TRANSVERSE SECTIONS</p> <p>122 D-112 PIER DETAILS (1 OF 2)</p> <p>123 D-113 PIER DETAILS (2 OF 2)</p> <p>124 D-114 ABUTMENT DETAILS (1 OF 4) ABUTMENT A</p> <p>125 D-115 ABUTMENT DETAILS (2 OF 4) ABUTMENT B</p> <p>126 D-116 ABUTMENT DETAILS (3 OF 4) ABUTMENT C</p> <p>127 D-117 ABUTMENT DETAILS (4 OF 4) MVT TRAIL STAIRS ABUTMENT</p> <p>128 D-118 RAILING DETAILS</p> <p>129 D-119 MVT STAIR DETAILS</p>	<p>MOUNT VERNON TRAIL RELOCATION</p> <p>130 D-201 MVT PLAN AND PROFILE</p> <p>131 D-202 MVT TYPICAL SECTION</p> <p>132 D-203 TEMPORARY MVT PLAN AND PROFILE</p> <p>133 D-204 TEMPORARY MVT TYPICAL SECTION</p> <p>134 D-205 TEMPORARY MVT SECTION AND DETAILS AT TRESTLE</p> <p>135 D-206 MVT CROSS-SECTIONS (1 OF 3)</p> <p>136 D-207 MVT CROSS-SECTIONS (2 OF 3)</p> <p>137 D-208 MVT CROSS-SECTIONS (3 OF 3)</p> <p>ROADWAY</p> <p>138 R-001 TYPICAL SECTION - PAVEMENT OVERLAY - GWMP</p> <p>139 R-002 TYPICAL SECTION - PAVEMENT OVERLAY - OHIO DRIVE SW</p> <p>140 R-003 GENERAL PLAN - GWMP (1 OF 3)</p> <p>141 R-004 GENERAL PLAN - GWMP (2 OF 3)</p> <p>142 R-005 GENERAL PLAN - GWMP (3 OF 3)</p> <p>143 R-006 GENERAL PLAN - OHIO DRIVE SW (WEST)</p> <p>MAINTENANCE OF TRAFFIC</p> <p>144 MOT-001 GWMP NOTES</p> <p>145 MOT-002 GWMP (1 OF 4)</p> <p>146 MOT-003 GWMP (2 OF 4)</p> <p>147 MOT-004 GWMP (3 OF 4)</p> <p>148 MOT-005 GWMP (4 OF 4)</p> <p>149 MOT-006 OHIO DRIVE SW AND MAINE AVENUE SW NOTES (1 OF 3)</p> <p>150 MOT-007 OHIO DRIVE SW AND MAINE AVENUE SW NOTES (2 OF 3)</p> <p>151 MOT-008 OHIO DRIVE SW AND MAINE AVENUE SW NOTES (3 OF 3)</p> <p>152 MOT-009 OHIO DRIVE SW (WEST) (1 OF 2)</p> <p>153 MOT-010 OHIO DRIVE SW (WEST) (2 OF 2)</p> <p>154 MOT-011 POTOMAC RIVER</p> <p>UTILITY RELOCATION PLANS</p> <p>155 URP-001 UTILITY RELOCATION NOTES/SYMBOLS</p> <p>156 URP-002 UTILITY RELOCATION TABLES</p> <p>157 URP-003 UTILITY RELOCATION PLAN (1 OF 9)</p> <p>158 URP-004 UTILITY RELOCATION PLAN (2 OF 9)</p> <p>159 URP-005 UTILITY RELOCATION PLAN (3 OF 9)</p> <p>160 URP-006 UTILITY RELOCATION PLAN (4 OF 9)</p> <p>161 URP-007 UTILITY RELOCATION PLAN (5 OF 9)</p> <p>162 URP-008 UTILITY RELOCATION PLAN (6 OF 9)</p> <p>163 URP-009 UTILITY RELOCATION PLAN (7 OF 9)</p> <p>164 URP-010 UTILITY RELOCATION PLAN (8 OF 9)</p> <p>165 URP-011 UTILITY RELOCATION PLAN (9 OF 9)</p> <p>STORMWATER MANAGEMENT CONCEPT PLANS</p> <p>166 SW-001 STORMWATER MANAGEMENT SUMMARY AND NOTES</p> <p>167 SW-002 STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (1 OF 9)</p> <p>168 SW-003 STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (2 OF 9)</p> <p>169 SW-004 STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (3 OF 9)</p> <p>170 SW-005 STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (4 OF 9)</p> <p>171 SW-006 STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (5 OF 9)</p> <p>172 SW-007 STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (6 OF 9)</p> <p>173 SW-008 STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (7 OF 9)</p> <p>174 SW-009 STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (8 OF 9)</p> <p>175 SW-010 STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (9 OF 9)</p> <p>176 SW-011 STORMWATER COMPUTATION WORKSHEETS (VIRGINIA DEQ)</p> <p>177 SW-012 STORMWATER COMPUTATION WORKSHEETS (DOEE)</p>	<p>LANDSCAPING</p> <p>178 LA-001 LANDSCAPE GENERAL NOTES</p> <p>179 LA-002 TREE PROTECTION DETAILS</p> <p>180 LA-003 VEGETATION REMOVAL AND PROTECTION PLAN CONTEXT MAP</p> <p>181 LA-100 VEGETATION REMOVAL AND PROTECTION PLAN (1 OF 7)</p> <p>182 LA-101 VEGETATION REMOVAL AND PROTECTION PLAN (2 OF 7)</p> <p>183 LA-102 VEGETATION REMOVAL AND PROTECTION PLAN (3 OF 7)</p> <p>184 LA-103 VEGETATION REMOVAL AND PROTECTION PLAN (4 OF 7)</p> <p>185 LA-104 VEGETATION REMOVAL AND PROTECTION PLAN (5 OF 7)</p> <p>186 LA-105 VEGETATION REMOVAL AND PROTECTION PLAN (6 OF 7)</p> <p>187 LA-106 VEGETATION REMOVAL AND PROTECTION PLAN (7 OF 7)</p> <p>188 LA-200 OVERALL VEGETATION RESTORATION PLAN CONTEXT MAP</p> <p>189 LA-201 VEGETATION RESTORATION PLAN (1 OF 7)</p> <p>190 LA-202 VEGETATION RESTORATION PLAN (2 OF 7)</p> <p>191 LA-203 VEGETATION RESTORATION PLAN (3 OF 7)</p> <p>192 LA-204 VEGETATION RESTORATION PLAN (4 OF 7)</p> <p>193 LA-205 VEGETATION RESTORATION PLAN (5 OF 7)</p> <p>194 LA-206 VEGETATION RESTORATION PLAN (6 OF 7)</p> <p>195 LA-207 VEGETATION RESTORATION PLAN (7 OF 7)</p> <p>196 LA-300 EXISTING TREE INVENTORY TABLE (1 OF 2)</p> <p>197 LA-301 EXISTING TREE INVENTORY TABLE (2 OF 2)</p> <p>198 LA-302 TREE MITIGATION CALCULATIONS</p> <p>199 LA-400 TREE PLANTING DETAILS</p> <p>200 LA-401 PROPOSED PLANTING SCHEDULES</p> <p>RENDERINGS</p> <p>201 RE-001 POTOMAC RIVER UNDERGRADE BRIDGE RENDERINGS</p> <p>202 RE-002 POTOMAC RIVER BIKE-PED BRIDGE RENDERINGS (1 OF 2)</p> <p>203 RE-003 POTOMAC RIVER BIKE-PED BRIDGE RENDERINGS (2 OF 2)</p>
--	---	--	--

FOR REFERENCE ONLY

VDOT PDF-att10g
 LBPE_Ld_v95.tbl
 2/13/2023
 Plotted By: sgeary
 gR02A_G002_South Contract Index.dgn
 DRAWING INDEX

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	E. LAWES	
DRAWN BY	E. LAWES	
CHECKED BY	S. WELLER	
APPROVED BY	M. COLGAN	
DATE	2/13/2023	
Rev.	Date	Description

 		 	THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY	
--	---	--	--	---

LONG BRIDGE SOUTH PACKAGE ARLINGTON, VA TO WASHINGTON, DC		PROJECT NO. VPRA R02A CSXT XXXX
SUBDIVISION: RF&P ZONE: CENTRAL		DRAWING NO. G-002
REV.	SHEET NO.	
N/A	2 OF 203	
DRAWING INDEX		SCALE AS SHOWN

GENERAL NOTES

CODES AND STANDARDS

THE WORK OF THIS PROJECT SHALL COMPLY WITH THE FOLLOWING:
 2022 AREMA MANUAL FOR RAILWAY ENGINEERING
 CSXT DESIGN AND CONSTRUCTION STANDARD SPECIFICATIONS VOL. 1
 CSXT MWI 2800 SERIES
 2019 DISTRICT DEPARTMENT OF TRANSPORTATION (DDOT) DESIGN AND ENGINEERING MANUAL (DEM)
 2020 DDOT STANDARD SPECIFICATIONS FOR HIGHWAYS AND STRUCTURES
 VDOT MODIFICATIONS TO THE AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS, 8TH EDITION, 2017
 2021 VDOT MANUAL OF THE STRUCTURE AND BRIDGE DIVISION, PART 2, DESIGN AIDS AND TYPICAL DETAILS
 2020 AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS, 9TH EDITION
 2009 AASHTO VESSEL COLLISION DESIGN
 2015 WMATA ADJACENT CONSTRUCTION PROJECT MANUAL
 AASHTO/AWS BRIDGE WELDING CODE D1.5, 8TH EDITION
 AASHTO GUIDE SPECIFICATIONS FOR SEISMIC ISOLATION DESIGN, 4TH EDITION
 VIRGINIA RAILWAY EXPRESS (VRE) STANDARDS
 AMTRAK STANDARDS

THE CONTRACTOR SHALL COMPLY WITH CSXT PUBLIC PROJECTS INFORMATION MANUAL AND WITH ALL VPRA, LOCAL, STATE, AND FEDERAL SAFETY AND ENVIRONMENTAL REGULATIONS.

CONTRACTOR IS REQUIRED TO PROVIDE TRAFFIC CONTROL PLAN, STAGING PLAN, WORK AREA SAFETY AND SECURITY PLAN.

CONTRACTOR TO COORDINATE WITH ALL ADJACENT PROJECTS INCLUDING BUT NOT LIMITED TO ALEXANDRIA FOURTH TRACK AND VRE L'ENFANT PROJECTS.

1. DESCRIPTION
 THE LONG BRIDGE PROJECT (THE PROJECT) CONSISTS OF IMPROVEMENTS TO THE LONG BRIDGE AND RELATED RAILROAD INFRASTRUCTURE LOCATED BETWEEN THE ROSSLYN (RO) INTERLOCKING NEAR LONG BRIDGE PARK IN ARLINGTON, VIRGINIA AND THE L'ENFANT (LE) INTERLOCKING NEAR 10TH STREET SW IN WASHINGTON, DC.

THE PROPOSED IMPROVEMENTS ALONG THE CORRIDOR INCLUDE, BUT ARE NOT LIMITED TO, THE FOLLOWING:

- ADDING TWO NEW TRACKS ADJACENT TO THE EXISTING TWO-TRACK ALIGNMENT;
- ADDING A NEW TWO-TRACK BRIDGE UPSTREAM OF THE EXISTING LONG BRIDGE FOR A FOUR-TRACK CROSSING;
- CORRIDOR-WIDE UPGRADES TO TRACK, SIGNAL, AND INTERLOCKINGS;
- NEW AND REPLACEMENT BRIDGES ALONG THE CORRIDOR TO ACHIEVE FOUR-TRACK CAPACITY;
- NEW RETAINING WALLS ALONG THE CORRIDOR TO MINIMIZE IMPACTS AND FACILITATE PHASING; AND
- NEW PEDESTRIAN/BICYCLEBRIDGE CROSSING OF THE POTOMAC RIVER, GEORGE WASHINGTON MEMORIAL PARKWAY (GWMP), UPSTREAM OF THE NEW TWO-TRACK RAIL BRIDGE

2. OWNER NAME:
 VIRGINIA PASSENGER RAIL AUTHORITY (VPRA)
 919EAST MAIN STREET, SUITE 2400,
 RICHMOND, VA 23219

THESE PLANS ARE INCOMPLETE UNLESS ACCOMPANIED BY THE SUPPLEMENTAL SPECIFICATIONS INCLUDED IN THE CONTRACT DOCUMENTS.

GENERAL

1. WORK ON THIS PROJECT REQUIRES WORKING WITHIN AN EXISTING CSXT RIGHT OF WAY. EVERY EFFORT HAS BEEN MADE TO IDENTIFY DISCREPANCIES AND ENSURE PREPARED BASED ON INFORMATION AVAILABLE. HOWEVER, SINCE THIS IS AN EXISTING R.O.W., THE CONTRACTOR CAN EXPECT AND SHOULD PLAN ON ENCOUNTERING VARIANCES AND DEVIATIONS BETWEEN THE INFORMATION FOUND IN THESE DRAWINGS AND EXISTING SITE CONDITIONS. ACTUAL FIELD CONDITIONS MAY REQUIRE MODIFICATIONS IN CONSTRUCTION DETAILS AND QUANTITIES. DRAWING SCALES THAT ARE SHOWN ON THE PROJECT PLANS ARE TO BE CONSIDERED AS BEING APPROXIMATE AND SHALL NOT BE RELIED UPON FOR PURPOSES OF PREPARING BIDS, ORDERING AND FABRICATING MATERIALS, NOR CALCULATING MEASUREMENT FOR PAYMENT. THE CONTRACTOR IS RESPONSIBLE TO FIELD VERIFY ALL DETAILS INCLUDING GEOMETRY AND ELEVATIONS PRIOR TO THE FABRICATION AND INSTALLATION OF ANY MATERIAL. THE CONTRACTOR SHALL SUBMIT TO THE ENGINEER, OR AUTHORIZED REPRESENTATIVE, COPIES OF FIELD SURVEYS AND VERIFICATIONS FOR INCLUSION INTO THE CONSTRUCTION RECORDS FOR THE PROJECT.
2. ANY DESIGN REVISIONS LOCATED WITHIN THE CSXT RIGHT-OF-WAY, OR WITH THE POTENTIAL TO IMPACT CSXT FACILITIES OR OPERATIONS ARE SUBJECT TO CSXT REVIEW AND APPROVAL.
3. THE CONTRACTOR SHALL COMPLY WITH ALL RAILROAD (CSXT & VRE), LOCAL, STATE, AND FEDERAL SAFETY AND ENVIRONMENTAL REGULATION.
4. RAILROAD SIGNAL DESIGN AT RO INTERLOCKING IS BEING DEVELOPED BY CSXT AND IS NOT SHOWN AS A PART OF THIS DESIGN PACKAGE. THE CONTRACTOR SHALL COORDINATE WITH CSXT ON SIGNAL DESIGN AND LAYOUT OF PROPOSED SIGNAL INFRASTRUCTURE.
5. CONTRACTOR TO COMPLY WITH ALL NOISE ORDINANCES, IF APPLICABLE.
6. THE CONTRACTOR SHALL FURNISH ALL MATERIALS, LABOR, EQUIPMENT, TRANSPORTATION AND SERVICES NECESSARY FOR THE SATISFACTORY COMPLETION OR THE WORK. CONSTRUCTION SHALL CONFORM TO ALL APPLICABLE CODES REGULATIONS, AND THE CONTRACT DOCUMENTS.
7. THE CONTRACTOR SHALL SCHEDULE ALL ACTIVITIES SUCH THAT RAIL TRAFFIC IS NOT DELAYED OR OTHERWISE IMPACTED DUE TO THE WORK BEING PERFORMED. WEEKEND AND NIGHT WORK SHOULD BE EXPECTED.

GENERAL (CONTINUED)

8. THE CONTRACTOR SHALL SUBMIT A DETAILED PROGRESS SCHEDULE AND SEQUENCING A MINIMUM OF 30 DAYS PRIOR TO THE START OF WORK.
9. THE CONTRACTOR SHALL COORDINATE LOCATION AND SCHEDULE OF STAGING AREAS WITH VPRA. THE CONTRACTOR SHALL NOT BE PERMITTED TO USE THE CSXT RIGHT-OF-WAY EXCEPT AREAS SHOWN ON APPROVED PLANS. FOR THE STORAGE OF MATERIALS OR EQUIPMENT DURING CONSTRUCTION WITHOUT PRIOR APPROVAL OF CSXT. THE CSXT RIGHT-OF-WAY MUST REMAIN CLEAR AT ALL TIMES.
10. THE CONTRACTOR SHALL SUBMIT A DETAILED TRAFFIC CONTROL PLAN (IF REQUIRED) A MINIMUM OF 30 DAYS PRIOR TO THE START OF WORK.
11. ANY WORK INSTALLED IN CONFLICT WITH THE ARCHITECTURAL/ENGINEER DRAWINGS SHALL BE CORRECTED BY THE CONTRACTOR AT CONTRACTOR'S EXPENSE AND AT NO ADDITIONAL EXPENSE TO THE OWNER OR ARCHITECT/ENGINEER.
12. REPAIRS TO UTILITIES OR PROPERTY DAMAGE AS A RESULT OF CONTRACTOR'S NEGLIGENCE OR METHOD OF OPERATION SHALL BE MADE AT THE CONTRACTOR'S EXPENSE BEFORE PROCEEDING WITH CONSTRUCTION.
13. THE CONTRACTOR SHALL BE RESPONSIBLE TO RESET ANY SIGN POSTS OR OTHER APPURTENANCES REMOVED DURING THE CONSTRUCTION TO FACILITATE HIS WORK, EXCEPT WHERE SPECIFIED ON THE PLANS OR AS DIRECTED BY THE ENGINEER.
14. SPECIAL NOTICE TO CONTRACTORS: ALL CONTRACTORS PERFORMING WORK ON THE PREMISES SHALL BE RESPONSIBLE FOR INITIATING, MAINTAINING AND SUPERVISING A REASONABLE AND PRUDENT SAFETY PROGRAM INCLUDING BUT NOT LIMITED TO THE ISOLATION OF WORK AREAS AND THE PROMPT REMOVAL OF ANY DEBRIS OR TOOLS WHICH MIGHT ENDANGER THE GENERAL PUBLIC, VISITORS AND STAFF OF THE OWNER.
15. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS REQUIRED BY GOVERNING JURISDICTIONS.
16. THE CONTRACTOR SHALL SUBMIT A DETAILED TRAFFIC CONTROL PLAN (WHERE REQUIRED) A MINIMUM OF 30 DAYS PRIOR TO THE START OF THE WORK.
17. PROPOSED TRACKS IN THE AREA UNDERNEATH MARYLAND AVENUE EXTENDING RAILROAD NORTH TO THE L'ENFANT INTERLOCKING SHALL HAVE A MINIMUM OF 14-FT TRACK CENTERS AND 7.5-FT LATERAL CLEARANCE (CONSIDERED SUBSTANDARD LATERAL CLEARANCE). ALL OTHER LOCATIONS SHALL MAINTAIN A MINIMUM LATERAL CLEARANCE AND SPACING PER CSXT STANDARD, INCLUDING A MINIMUM OF 15-FT TRACK CENTERS.
18. THERE ARE A NUMBER OF SAFETY-RELATED ITEMS THAT WILL BE FURTHER DEVELOPED AND INCLUDED IN FUTURE SUBMISSIONS IN THE VICINITY OF THE SUBSTANDARD LATERAL CLEARANCE LOCATION, INCLUDING BUT NOT LIMITED TO:

- A. FRICTION MODIFIERS AND GAUGE-FACE LUBRICATION WILL BE INSTALLED ON ALL TRACKS APPROACHING THE SUBSTANDARD LATERAL CLEARANCE AREA TO MITIGATE RAIL WEAR, NOISE, AND VIBRATION.
- B. AUTOMATIC RAILROAD CLEARANCE DETECTORS WILL BE INSTALLED IN ADVANCE OF THE SUBSTANDARD LATERAL CLEARANCE AREA.
- C. LIGHTED AND PROMINENT SIGNS WILL BE INSTALLED INDICATING THE REDUCED LATERAL CLEARANCE AT THE APPROACHES.
- D. ADDITIONAL SAFETY AND SECURITY LIGHTING WILL BE INSTALLED INSIDE ALL OPENINGS UNDER MARYLAND AVENUE AND ANY OTHER STRUCTURES WHERE THERE IS SUBSTANDARD LATERAL CLEARANCES.
- E. ENHANCED SECURITY FENCING WILL BE INSTALLED ALONG THE TRACK.
- F. THE EXISTING MARYLAND AVENUE OVERBUILD WILL BE ANALYZED, VERIFIED, AND CERTIFIED THAT IT MEETS THE CRASH WORTHINESS BASED ON CRITERIA SET-FORTH FROM THE MOST STRINGENT REQUIREMENTS OF DDOT, CSXT, AREMA, AND FHWA SPECIFICATIONS.

RAILROAD (CSXT & VPRA) COORDINATION

1. TEMPORARY CONSTRUCTION CLEARANCES TO BE USED SHALL BE AS SPECIFIED BY THE RAILROAD'S DIVISION MANAGER. CLEARANCES WILL BE COORDINATED THROUGH CSXT CHIEF ENGINEER OR HIS REPRESENTATIVE.
2. THE CONTRACTOR SHALL COORDINATE WITH CSXT & VRE AND OBTAIN APPROVALS PRIOR TO PERFORMING ANY WORK ON OR NEAR THE TRACKS OR CSXT RIGHT-OF-WAY.
3. THE CONTRACTOR WILL BE REQUIRED TO ACQUIRE A RIGHT OF ENTRY AGREEMENT WITH CSXT & VPRA PRIOR TO WORKING ON THEIR RIGHT OF WAY. CSXT MAY TAKE UP TO 60 DAYS TO ISSUE.
4. THE CONTRACTOR MUST COORDINATE CONSTRUCTION ACTIVITIES WITH CSXT & VPRA. FLAGGING SERVICES MAY TAKE UP TO 45 DAYS TO OBTAIN. FLAGMEN ARE PROVIDED BASED ON AVAILABILITY. THERE ARE NO GUARANTEES THAT A FLAGMAN WILL BE PROVIDED IN THE TIME LISTED.
5. RAILROAD TRAFFIC SHALL BE MAINTAINED AND PROTECTED AT ALL TIMES AND THE CONTRACTOR SHALL AT NO TIME DURING CONSTRUCTION OF THIS PROJECT DELAY OR INTERFERE WITH THE SAFE OPERATION OF TRAIN TRAFFIC. ALL METHODS OF HANDLING THE WORK AFFECTING THE DELAY AND SAFETY OF TRAIN TRAFFIC SHALL BE APPROVED BY THE RAILROAD PRIOR TO PROCEEDING WITH THAT PART OF THE WORK.
6. THE CONTRACTOR SHALL MAINTAIN CONTACT WITH THE CSXT FLAGMAN AND FOLLOW HIS INSTRUCTIONS AT ALL TIMES.
7. THE CONTRACTOR WILL SCHEDULE AND COORDINATE ALL FLAGMAN SERVICES WITH CSXT.
8. THE CONTRACTOR IS RESPONSIBLE FOR LOCATING EXISTING UTILITIES AND RAILROAD SIGNALS AND FOR MAINTAINING THE UTILITIES AND RAILROAD SIGNALS THROUGHOUT THE DURATION OF THE PROJECT, UNLESS NOTED OTHERWISE. CSXT WILL MARK EXISTING CSXT FACILITIES. CONTRACTOR SHALL COORDINATE WITH CSXT TO HAVE THEIR FACILITIES MARKED IN THE FIELD. PRIOR TO PERFORMING WORK WITH THE POTENTIAL TO IMPACT BELOW-GRADE FACILITIES.
9. THE CONTRACTOR SHALL CONTACT "MISS UTILITY" AT 1-800-552-7001 FOR MARKING THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES (I.E. WATER, SEWER, GAS TELEPHONE, ELECTRIC, AND CABLE TV) AT LEAST 72 HOURS PRIOR TO ANY EXCAVATION OR CONSTRUCTION. THE CONTRACTOR IS REQUIRED TO IDENTIFY AND PROTECT ALL OTHER UTILITY LINES FOUND IN THE WORK SITE AREA BELONGING TO OTHER OWNER THAT ARE NOT MEMBERS OF "MISS UTILITY". PLEASE NOTE THAT CSXT'S COMMUNICATIONS AND SIGNALS FACILITIES ARE NOT SUBJECT TO "MISS UTILITY."
10. CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING RAILROAD FACILITIES FROM DEBRIS DURING CONSTRUCTION.
11. THE CONTRACTOR MUST PLAN AND PERFORM THE WORK IN A MANNER SUCH THAT THE CSXT TRACKS AT THE PROJECT LOCATION REMAIN FULLY CAPABLE OF CARRYING RAIL TRAFFIC THROUGHOUT THE WORK PERIOD.
12. CONTRACTOR SHALL NOT IMPEDE CSXT ACCESS ALONG ITS TRACK AND RIGHT-OF-WAY.
13. THE CONTRACTOR SHALL NOT REMOVE ANY EXISTING CSXT OWNED MATERIAL (INCLUDING, BUT NOT LIMITED TO, SOIL, STONE, COMMUNICATIONS AND SIGNAL DEVICE COMPONENTS, AND DRAINAGE FACILITIES) FROM CSXT RIGHT-OF-WAY WITHOUT PRIOR AUTHORIZATION FROM CSXT. IN THE EVENT THAT SUCH MATERIAL CANNOT BE RELOCATED WITHIN CSXT'S RIGHT-OF-WAY IN A MANNER SATISFACTORY TO CSXT, THE MATERIAL SHALL BE PROPERLY TESTED BY CSXT FOR CONTAMINATION AND DISPOSED OF IN ACCORDANCE WITH THE CSX DISPOSAL POLICY (SEE SPECIFICATIONS).

TEMPORARY SHORING NOTES

1. TEMPORARY SHORING WILL BE REQUIRED IF THE EXCAVATION WILL ENCR OACH WITHIN THE "THEORETICAL RAILROAD EMBANKMENT LINE".
2. THE CONTRACTOR SHALL SUBMIT DETAILED DRAWINGS AND CALCULATIONS TO CSXT FOR APPROVAL. SHOWING SIZES OF ALL STRUCTURAL MEMBERS, DETAILS OF CONNECTIONS, AND DISTANCES FROM THE CENTERLINE OF TRACK TO FACE OF SHORING. DRAWING SHALL INCLUDE A SECTION SHOWING HEIGHT OF SHORING AND TRACK ELEVATION IN RELATION TO BOTTOM OF EXCAVATION. THE DRAWING AND CALCULATIONS SHALL BE PREPARED BY A LICENSED PROFESSIONAL ENGINEER IN THE DISTRICT OF COLUMBIA AND SHALL BEAR HIS SEAL AND SIGNATURE.
3. PREFERRED PROTECTION IS THE COFFERDAM TYPE THAT COMPLETELY ENCLOSES THE EXCAVATION, WHERE DICTATED BY CONDITIONS, PARTIAL COFFERDAMS WITH OPEN SIDES AWAY FROM THE TRACK MAY BE USED. COFFERDAMS SHALL BE CONSTRUCTED USING STEEL SHEET PILING OR STEEL SOLDIER PILES WITH TIMBER LAGGING, WALES AND STRUTS SHALL BE PROVIDED AS NEEDED. MANUFACTURED PRODUCTS (I.E. TRENCH BOXES) WILL NOT BE ALLOWED.
4. SHORING SHALL BE DESIGNED TO RESIST A VERTICAL LIVE LOAD SURCHARGE PER AREMA GUIDELINES IN ADDITION TO ACTIVE EARTH PRESSURE.
5. ALLOWABLE STRESSES IN MATERIALS SHALL BE IN ACCORDANCE WITH AREMA MANUAL FOR RAILWAY ENGINEERING, CHAPTERS 7, 8 AND 15.
6. A CONSTRUCTION PROCEDURE FOR TEMPORARY SHORING SHALL BE SHOWN ON THE DRAWING.
7. SAFETY RAILING SHALL BE INSTALLED WHEN TEMPORARY SHORING IS WITHIN 15'-0" OF THE CENTERLINE OF TRACK.
8. A MINIMUM DISTANCE OF 10 FEET FROM THE CENTERLINE OF THE TRACK TO THE FACE OF THE NEAREST POINT OF SHORING SHALL BE MAINTAINED.
9. FOR SHEETING AND SHORING WITHIN 18'-0" OF THE CENTERLINE OF THE TRACK, THE LIVE LOAD INFLUENCE ZONE, AND IN SLOPES, THE CONTRACTOR SHALL USE SHEET PILE. NO SHEET PILE IN SLOPES OR WITHIN 18'-0" OF THE CENTERLINE OF TRACK SHALL BE REMOVED SHEET PILES SHALL BE CUT OFF 3'-0" BELOW FINISHED GROUND LINE THE REMAINING 3'-0" SHALL BE BACKFILLED AND COMPACTED IMMEDIATELY AFTER CUT OFF.

FOR REFERENCE ONLY

VDOT PDF-attlog
 LBPE_id_v95.tbl
 2/13/2023
 Plotted By: sgeary
 gR02A_G003_notes South_1.dgn
 DRAWING INDEX

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		DESIGNED BY E. LAWES
		DRAWN BY E. LAWES
		CHECKED BY S. WELLER
		APPROVED BY M. COLGAN
Rev.	Date	Description
	2/13/2023	



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY





**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL

GENERAL NOTES

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. G-003	
REV. N/A	SHEET NO. 3 OF 203
SCALE AS SHOWN	





FOR REFERENCE ONLY


KEY PLAN
SCALE: 1" = 400'-0"



VDOT PDF:allfig
 LBPE_id_v95.tbl
 2/13/2023
 Plotted By: sgeary
 gR02A_G004_keymap South.dgn
 KEY PLAN


PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
	DESIGNED BY E. LAWES	
	DRAWN BY E. LAWES	
	CHECKED BY S. WELLER	
	APPROVED BY M. COLGAN	
	DATE 2/13/2023	
Rev.	Date	Description

DESIGNED BY E. LAWES
DRAWN BY E. LAWES
CHECKED BY S. WELLER
APPROVED BY M. COLGAN
DATE 2/13/2023





LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL

KEY PLAN






THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. G-004	
REV. N/A	SHEET NO. 4 OF 203
SCALE AS SHOWN	

SITE DEMOLITION NOTES

- EXISTING UNDERGROUND UTILITIES SHOWN ON THESE PLANS WERE DIGITIZED FROM AVAILABLE RECORD INFORMATION AND VISIBLE SURFACE FEATURES TO A SUBSTANTIAL EXTENT (QUALITY LEVEL D AND QUALITY LEVEL C). SUBSURFACE UTILITY ENGINEERING (SUE) SOUNDINGS/DESIGNATIONS (QUALITY LEVEL B) INVESTIGATIONS WERE ALSO UNDERTAKEN AND THAT INFORMATION HAS BEEN INCORPORATED INTO THE BASE PLANS.
- OTHER UTILITIES MAY EXIST THAT ARE NOT SHOWN ON THESE PLANS BECAUSE OF THE LACK OF AVAILABLE RECORD DRAWING INFORMATION.
- THE LOCATION OF EXISTING BELOW GRADE WMATA TUNNELS AND FACILITIES WERE TAKEN FROM AVAILABLE RECORDS INFORMATION AND SHOULD BE CONSIDERED APPROXIMATE. APPROXIMATELY 200 FT FROM THE PORTAL FOR WMATA YELLOW LINE TUNNEL IS BASED ON LIDAR DATA.
- THE SHORELINE OF THE POTOMAC RIVER HAS BEEN SHOWN AT THE 1.54- FEET HIGH WATER MARK (NGVD 88) ELEVATION.
- PROPERTY/BOUNDARY LINES SHOWN HEREON ON THESE PLANS WERE TAKEN FROM A CURRENT COMPILATION OF "SURVEY-TO-MARK" RECORDS UNDER REVIEW AND PENDING APPROVAL BY THE OFFICE OF THE SURVEYOR IN THE DISTRICT OF COLUMBIA AND OTHER AVAILABLE PROPERTY RECORDS. SAID LINES ARE TO BE CONSIDERED APPROXIMATE.
- ABANDONED ABUTMENTS SHOWN HEREON FROM PLAN OF THE BALTIMRE AND POTOMAC R.R. AT THE NORTH END OF LONG BRIDGE WASHINGTON DC.
- EXISTING CONTOURS NOT SHOWN FOR PLAN CLARITY.
- SEE VEGETATION REMOVAL AND PROTECTION FOR EXISTING TREE REMOVAL AND PROTECTION LOCATIONS
- ALL WORK SHOWN ON PLANS, EXCEPT AS NOTED TO BE DONE BY OTHERS SHALL BE PERFORMED BY THE CONTRACTOR TO THE SATISFACTION OF VPRA.
- RAILROAD TRAFFIC SHALL BE MAINTAINED AND PROTECTED AT ALL TIMES AND THE CONTRACTOR SHALL AT NO TIME DURING CONSTRUCTION OF THIS PROJECT DELAY OR INTERFERE WITH THE SAFE OPERATION OF TRAIN TRAFFIC. ALL METHODS OF HANDLING THE WORK AFFECTING THE DELAY AND SAFETY OF TRAIN TRAFFIC SHALL BE APPROVED BY THE RAILROAD PRIOR TO PROCEEDING WITH THAT PART OF WORK.
- UNLESS DIRECTED OTHERWISE, CONTRACTOR SHALL COORDINATE THEIR WORK AND DIRECT ALL CORRESPONDENCE TO CSXT OR ITS AUTHORIZED AGENT. DIRECTIVES PROVIDED BY OTHER PARTIES ALTERING THE CONTRACT DOCUMENTS WITHOUT THE CONSENT OF CSXT WILL NOT BE RECOGNIZED FOR REIMBURSEMENT.
- THE CONTRACTOR SHALL COMPLY WITH ALL CSXT, LOCAL, STATE, AND FEDERAL SAFETY AND ENVIRONMENTAL REGULATIONS.
- CONTRACTOR TO COMPLY WITH ALL LOCAL NOISE AND AFTER HOURS PERMIT REQUIREMENT ORDINANCES.
- THE CONTRACTOR SHALL SCHEDULE ALL ACTIVITIES SUCH THAT DISRUPTIONS TO VRE, AMTRAK, AND CSXT OPERATIONS BE MINIMIZED. WEEKEND AND NIGHT WORK SHOULD BE EXPECTED.
- SEE TRACK PLAN AND PROFILE SHEETS FOR LIMITS OF TRACK REMOVAL.

SITE DEMOLITION LEGEND

-  ASPHALT AND BASE TO BE REMOVED
-  ASPHALT MILL AND OVERLAY
-  SIDEWALK AND BASE TO BE REMOVED
- EXISTING TRACK AND TIES TO BE REMOVED
-  TREE TO BE REMOVED
-  TREE TO BE PROTECTED

SITE DEMOLITION LEGEND

Coded Note #	Surface Feature Impact
SD-01	EXISTING ASPHALT CROSSOVER AND BASE TO BE REMOVED
SD-02	EXISTING RAILROAD TRACKS, TIES AND BALLAST TO BE REMOVED
SD-03	EXISTING METAL RAILROAD SHED FOUNDATION, AND ASSOCIATED CONDUIT TO BE REMOVED
SD-04	EXISTING RAILROAD SIGNAL, BASE AND ASSOCIATED CONDUITS TO BE REMOVED
SD-04A	EXISTING RAILROAD SIGNAL, BASE AND ASSOCIATED CONDUITS TO REMAIN AND BE PROTECTED IN PLACE
SD-05	EXISTING RAILROAD SWITCH, BASE AND ASSOCIATED CONDUITS TO BE REMOVED
SD-06	EXISTING TRANSFORMER, BASE AND ASSOCIATED CONDUITS TO BE REMOVED
SD-07	EXISTING UTILITY YARD, FOUNDATION AND ASSOCIATED CONDUITS TO BE REMOVED
SD-08	EXISTING RAILROAD CSXT METAL CABINET TO REMAIN AND BE PROTECTED IN PLACE
SD-09	EXISTING CSXT METAL CABINET TO BE REMOVED
SD-10	EXISTING RETAINING WALL AND FOUNDATION TO REMAIN AND BE PROTECTED IN PLACE
SD-11	EXISTING RETAINING WALL AND FOUNDATION TO BE REMOVED
SD-12	SEE BRIDGE PLANS FOR EXISTING STRUCTURES TO REMAIN AND BE PROTECTED IN PLACE
SD-13	SEE BRIDGE PLANS FOR EXISTING STRUCTURES TO BE REMOVED
SD-13A	ABANDONED ABUTMENTS TO BE REMOVED
SD-14	EXISTING MOUNT VERNON TRAIL AND BASE TO BE REMOVED
SD-15	EXISTING MOUNT VERNON TRAIL TO REMAIN AND BE PROTECTED IN PLACE
SD-16	EXISTING NAVIGABLE CHANNEL TO REMAIN UNOBSTRUCTED DURING CONSTRUCTION
SD-17	EXISTING CURB GUTTER AND BASE TO BE REMOVED
SD-18	EXISTING CURB GUTTER AND BASE TO REMAIN AND BE PROTECTED IN PLACE
SD-19	EXISTING ASPHALT AND BASE TO BE REMOVED
SD-19A	EXISTING ASPHALT AND BASE TO REMAIN AND BE PROTECTED IN PLACE
SD-20	EXISTING SIDEWALK AND BASE TO BE REMOVED
SD-21	EXISTING SIDEWALK AND BASE TO REMAIN AND BE PROTECTED IN PLACE
SD-22	POTOMAC SEA WALL TO REMAIN AND BE PROTECTED IN PLACE
SD-23	EXISTING JERSEY BARRIER TO BE REMOVED
SD-24	EXISTING JERSEY BARRIER TO REMAIN AND BE PROTECTED IN PLACE
SD-25	EXISTING OVERHEAD SIGN STRUCTURE AND BASE TO BE REMOVED
SD-26	NPS NAMA HEADQUARTERS TO REMAIN AND BE PROTECTED IN PLACE
SD-27	ELECTRIC CAR CHARGER, BASE, AND ASSOCIATED CONDUITS TO REMAIN AND BE PROTECTED IN PLACE
SD-28	NPS GAZEBO TO REMAIN AND BE PROTECTED IN PLACE
SD-29	NPS HEAD QUARTERS AIR CONDITIONING UNIT TO REMAIN AND BE PROTECTED IN PLACE
SD-30	NPS FENCING AND POSTS TO REMAIN AND BE PROTECTED IN PLACE
SD-31	NPS FENCING AND BASE TO BE REMOVED
SD-32	DO NOT ANCHOR CABLE CROSSING SIGN TO REMAIN AND BE PROTECTED IN PLACE
SD-33	WASHINGTON CHANNEL SEA WALL TO REMAIN AND BE PROTECTED IN PLACE
SD-34	EXISTING WASHINGTON MARINA SHED TO REMAIN AND BE PROTECTED IN PLACE
SD-35	EXISTING WASHINGTON MARINA FENCE TO REMAIN AND BE PROTECTED IN PLACE
SD-36	EXISTING WASHINGTON MARINA FENCE TO BE REMOVED
SD-37	EXISTING WASHINGTON MARINA DECORATIVE FENCE TO BE REMOVED
SD-38	EXISTING CONCRETE PAD AND BASE TO BE REMOVED
SD-39	EXISTING CURB AND BASE TO BE REMOVED
SD-40	EXISTING PEDESTRIAN BRIDGE, ABUTMENT, PIERS, FOUNDATION, AND IRRIGATION TO BE REMOVED
SD-41	EXISTING STAIR, FOUNDATION, AND ASSOCIATED FIXTURES TO BE REMOVED
SD-42	EXISTING GUARDRAIL TO BE REMOVED
SD-43	EXISTING CHAINLINK FENCE AND BASE TO BE REMOVED
SD-44	EXISTING PARKING METERS TO REMAIN AND BE PROTECTED IN PLACE
SD-45	EXISTING STORMWATER FACILITY AND ASSOCIATED UTILITIES TO BE REMOVED
SD-46	EXISTING ADA RAMP AND BASE TO BE REMOVED
SD-47	EXISTING BURIED TROLLEY TRACKS TO BE REMOVED
SD-48	EXISTING WHEELSTOPS TO BE REMOVED
SD-49	EXISTING RAILROAD EQUIPMENT BASE AND ASSOCIATED CONDUITS TO BE REMOVED
SD-50	EXISTING MARYLAND AVE OVERBUILD PIERS TO REMAIN AND BE PROTECTED IN PLACE
SD-50A	EXISTING 12TH ST OVERBUILD PIERS TO REMAIN AND BE PROTECTED IN PLACE
SD-51	EXISTING CATENARY STRUCTURE TO REMAIN AND BE PROTECTED IN PLACE
SD-52	EXISTING CATENARY STRUCTURE, BASE, FOUNDATION, AND ASSOCIATED CONDUIT TO BE REMOVED
SD-53	EXISTING 12TH ST. EXPRESSWAY PIERS TO REMAIN AND BE PROTECTED IN PLACE
SD-54	EXISTING L'ENFANT PLAZA SW PIERS TO REMAIN AND BE PROTECTED IN PLACE
SD-55	EXISTING MILE MARKER TO BE REMOVED
SD-56	EXISTING SIGNAL BRIDGE AND FOUNDATION TO BE REMOVED

FOR REFERENCE ONLY

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	M. BRUNO	
DRAWN BY	A. DOMMEL	
CHECKED BY	J. LONG	
APPROVED BY	J. LONG	
DATE	1/26/2023	
Rev.	Date	Description





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL

**SITE DEMOLITION NOTES
AND LEGEND**

PROJECT NO.		VPRA R02A CSXT XXXX
DRAWING NO.		SDM-001
REV.	SHEET NO.	5 OF 203
N/A		
SCALE		AS SHOWN

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: mbruno
 cR02A_sdm-000.dgn
 DW-001 (South)
 1/26/2023

UTILITY DEMOLITION NOTES

- EXISTING UNDERGROUND UTILITIES SHOWN ON THESE PLANS WERE DIGITIZED FROM AVAILABLE RECORD INFORMATION AND VISIBLE SURFACE FEATURES TO A SUBSTANTIAL EXTENT (QUALITY LEVEL D AND QUALITY LEVEL C). SUBSURFACE UTILITY ENGINEERING (SUE) SOUNDINGS/DESIGNATIONS (QUALITY LEVEL B) INVESTIGATIONS WERE ALSO UNDERTAKEN AND THAT INFORMATION HAS BEEN INCORPORATED INTO THE BASE PLANS.
- OTHER UTILITIES MAY EXIST THAT ARE NOT SHOWN ON THESE PLANS BECAUSE OF THE LACK OF AVAILABLE RECORD DRAWING INFORMATION.
- THE LOCATION OF EXISTING BELOW GRADE WMATA TUNNELS AND FACILITIES WERE TAKEN FROM AVAILABLE RECORDS INFORMATION AND SHOULD BE CONSIDERED APPROXIMATE. APPROXIMATELY 200 FT FROM THE PORTAL FOR WMATA YELLOW LINE TUNNEL IS BASED ON LIDAR DATA.
- PROPERTY/BOUNDARY LINES SHOWN HEREON ON THESE PLANS WERE TAKEN FROM A CURRENT COMPILATION OF "SURVEY-TO-MARK" RECORDS UNDER REVIEW AND PENDING APPROVAL BY THE OFFICE OF THE SURVEYOR IN THE DISTRICT OF COLUMBIA AND OTHER AVAILABLE PROPERTY RECORDS. SAID LINES ARE TO BE CONSIDERED APPROXIMATE.
- EXISTING CONTOURS NOT SHOWN FOR PLAN CLARITY.
- SEE VEGETATION REMOVAL AND PROTECTION FOR EXISTING TREE REMOVAL AND PROTECTION LOCATIONS.
- ALL WORK SHOWN ON PLANS, EXCEPT AS NOTED TO BE DONE BY OTHERS SHALL BE PERFORMED BY THE CONTRACTOR TO THE SATISFACTION OF VPRA.
- RAILROAD TRAFFIC SHALL BE MAINTAINED AND PROTECTED AT ALL TIMES AND THE CONTRACTOR SHALL AT NO TIME DURING CONSTRUCTION OF THIS PROJECT DELAY OR INTERFERE WITH THE SAFE OPERATION OF TRAIN TRAFFIC. ALL METHODS OF HANDLING THE WORK AFFECTING THE DELAY AND SAFETY OF TRAIN TRAFFIC SHALL BE APPROVED BY THE RAILROAD PRIOR TO PROCEEDING WITH THAT PART OF WORK.
- UNLESS DIRECTED OTHERWISE, CONTRACTOR SHALL COORDINATE THEIR WORK AND DIRECT ALL CORRESPONDENCE TO CSXT OR ITS AUTHORIZED AGENT. DIRECTIVES PROVIDED BY OTHER PARTIES ALTERING THE CONTRACT DOCUMENTS WITHOUT THE CONSENT OF CSXT WILL NOT BE RECOGNIZED FOR REIMBURSEMENT.
- THE CONTRACTOR SHALL COMPLY WITH ALL CSXT, LOCAL, STATE, AND FEDERAL SAFETY AND ENVIRONMENTAL REGULATIONS.
- CONTRACTOR TO COMPLY WITH ALL LOCAL NOISE AND AFTER HOURS PERMIT REQUIREMENT ORDINANCES.
- THE CONTRACTOR SHALL SCHEDULE ALL ACTIVITIES SUCH THAT DISRUPTIONS TO VRE, AMTRAK, AND CSXT OPERATIONS BE MINIMIZED. WEEKEND AND NIGHT WORK SHOULD BE EXPECTED.

UTILITY DEMOLITION LEGEND

Coded Note #	Utility Impacts
UD-01	UNKOWN RAILROAD ELECTRIC BOX TO BE REMOVED
UD-02	EXISTING ELECTRIC POLE, BASE AND ASSOCIATED CONDUIT TO BE REMOVED
UD-03	EXISTING ELECTRIC PULL BOX, BASE AND ASSOCIATED CONDUIT TO BE REMOVED
UD-03A	EXISTING ELECTRIC PULL BOX, BASE AND ASSOCIATED CONDUIT TO REMAIN AND BE PROTECTED IN PLACE
UD-03B	EXISTING TELEPHONE DUCTBANK TO BE REMOVED
UD-04	EXISTING TELEPHONE DUCTBANK TO REMAIN AND BE PROTECTED IN PLACE
UD-04A	EXISTING FIBER-OPTIC LINE TO REMAIN AND BE PROTECTED IN PLACE
UD-04B	EXISTING FIBER-OPTIC LINE TO BE REMOVED
UD-05	EXISTING MOUNTED ELECTRIC PULL BOX, BASE AND ASSOCIATED CONDUITS TO BE REMOVED
UD-06	EXISTING PENTAGON PIPE TO REMAIN AND BE PROTECTED IN PLACE
UD-07	EXISTING LUMEN GOVERNMENT DUCTBANK TO REMAIN AND BE PROTECTED IN PLACE
UD-08	EXISTING ELECTRIC DUCTBANK TO REMAIN AND BE PROTECTED IN PLACE
UD-08A	EXISTING ELECTRIC DUCTBANK TO BE REMOVED
UD-09	EXISTING CURB INLET TO REMAIN AND BE PROTECTED IN PLACE
UD-10	EXISTING DRAINAGE PIPE TO REMAIN AND BE PROTECTED IN PLACE
UD-11	EXISTING CSXT DUCTBANK TO REMAIN AND BE PROTECTED IN PLACE
UD-12	EXISTING ELECTRIC DUCTBANK TO BE REMOVED
UD-13	EXISTING DOMINION ENERGY TO BE REMOVED
UD-14	EXISTING DRAINAGE PIPE TO BE REMOVED
UD-15	EXISTING PEPCO DUCTBANK TO REMAIN AND BE PROTECTED IN PLACE
UD-16	EXISTING PEPCO TWIN 69KV DUCTBANK TO REMAIN AND BE PROTECTED IN PLACE
UD-17	NOT USED
UD-18	EXISTING NPS STREETLIGHT CIRCUIT TO BE REMOVED
UD-19	EXISTING NPS STREETLIGHT CIRCUIT TO REMAIN AND BE PROTECTED IN PLACE
UD-20	EXISTING VERIZON DUCTBANK TO BE REMOVED
UD-21	EXISTING VERIZON DUCTBANK TO REMAIN AND BE PROTECTED IN PLACE
UD-22	EXISTING VERIZON 52 WAY DUCTBANK TO REMAIN AND BE PROTECTED IN PLACE
UD-22A	NOT USED
UD-23	EXISTING FIRE HYDRANT TO REMAIN AND BE PROTECTED IN PLACE
UD-24	EXISTING WATER LINE TO REMAIN AND BE PROTECTED IN PLACE
UD-25	PORTIONS OF EXITING SUBMARINE CABLES TO BE REMOVED DURING FOUNDATION CONSTRUCTION SEE UTILITY RELOCATION PLAN
UD-26	FUTURE DC CLEAN RIVERS POTOMAC RIVER TUNNEL TO BE PROTECTED IN PLACE
UD-27	EXISTING NPS DRAINAGE PIPE TO BE REMOVED
UD-28	EXISTING NPS DRAINAGE PIPE TO REMAIN AND BE PROTECTED IN PLACE
UD-29	EXISTING NPS CURB INLET TO REMAIN AND BE PROTECTED IN PLACE
UD-30	EXISTING NPS CURB INLET TO BE REMOVED
UD-30A	EXISTING NPS YARD INLET TO REMAIN AND BE PROTECTED IN PLACE
UD-31	EXISTING NPS SANITARY FORCE MAIN TO REMAIN AND BE PROTECTED IN PLACE
UD-32	EXISTING NPS SANITARY FORCE MAIN TO BE REMOVED
UD-33	EXISTING NPS WATER TO REMAIN AND BE PROTECTED IN PLACE
UD-34	EXISTING NPS WATER TO BE REMOVED
UD-35	EXISTING DC WATER WATER LINE TO REMAIN AND BE PROTECTED IN PLACE
UD-36	EXISTING DC WATER WATER LINE TO BE REMOVED
UD-37	EXISTING DC WATER DRAINAGE PIPE TO REMAIN AND BE PROTECTED IN PLACE
UD-38	EXISTING DC WATER DRAINAGE PIPE TO BE REMOVED
UD-39	EXISTING DC WATER 3' DOGHOUSE PIPING TO REMAIN AND BE PROTECTED IN PLACE
UD-40	EXISTING DC WATER 3' DOGHOUSE PIPING TO BE REMOVED
UD-41	EXISTING DC WATER CURB INLET TO BE REMOVED
UD-42	EXISTING DC WATER YARD INLET TO BE REMOVED
UD-43	EXISTING WMATA DRAINAGE PIPE TO REMAIN AND BE PROTECTED IN PLACE
UD-44	EXISTING DC WATER FORCE MAIN TO REMAIN AND BE PROTECTED IN PLACE
UD-45	EXISTING DC WATER ABANDONED FORCE MAIN TO BE REMOVED
UD-46	PORTIONS OF EXISTING DC WATER FORCE MAIN TO BE REMOVED DURING FOUNDATION CONSTRUCTION
UD-47	EXISTING WMATA DRY WATER MAIN TO BE REMOVED
UD-48	NOT USED
UD-49	EXISTING DDOT STREET LIGHTING, BASE, AND ASSOCIATED CONDUIT TO BE REMOVED
UD-49A	EXISTING DDOT STREET LIGHTING, BASE, AND ASSOCIATED CONDUIT TO REMAIN AND BE PROTECTED IN PLACE
UD-50	EXISTING CSXT DUCTBANK TO BE REMOVED
UD-51	EXISTING WASHINGTON GAS GAS MAIN TO REMAIN AND BE PROTECTED IN PLACE
UD-52	EXISTING WASHINGTON GAS GAS MAIN TO BE REMOVED
UD-53	EXISTING DC WATER SANITARY SEWER MAIN TO REMAIN AND BE PROTECTED IN PLACE
UD-54	EXISTING DC WATER SANITARY SEWER MAIN TO BE REMOVED
UD-55	EXISTING DDOT SIGNAL MANHOLES TO BE REMOVED
UD-56	EXISTING DDOT SIGNAL POLE, BASE, AND ASSOCIATED CONDUIT TO BE REMOVED
UD-57	EXISTING GSA STEAM TUNNEL TO BE REMOVED AND CAPPED
UD-58	EXISTING GENERATOR TANK AND ASSOCIATED UTILITIES TO REMAIN AND BE PROTECTED IN PLACE
UD-59	EXISTING WASHINGTON MARINA LIGHT POLE, BASE, AND ASSOCIATED CONDUIT TO BE REMOVED

FOR REFERENCE ONLY

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: mbruno
 cR02A_ldm-000.dgn
 DW-001 (South)
 1/26/2023

PRELIMINARY ENGINEERING	
DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY	M. BRUNO
DRAWN BY	A. DOMMEL
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023
Rev.	Date
	Description

DESIGNED BY	M. BRUNO
DRAWN BY	A. DOMMEL
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023






THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
UTILITY DEMOLITION NOTES
AND LEGEND

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	UDM-001
REV.	SHEET NO.
N/A	15 OF 203
SCALE	AS SHOWN



NOTE:

1. SPIRAL CRITERIA SHOWN HEREIN IS FOR SPIRALS BETWEEN TANGENTS AND CURVES
2. FOR DEFINITIONS AND EQUATIONS FOR COMBINING SPIRALS BETWEEN COMPOUND CURVES REFER TO ROUTE LOCATION AND DESIGN, FIFTH EDITION, BY THOMAS F. HICKERSON, MCGRAW-HILL BOOK COMPANY, 1964.



DEFINITIONS

ALL LENGTHS IN FEET, ALL ANGLES IN DEGREES EXCEPT AS NOTED

MAIN TANGENTS - THOSE LINES TANGENT TO ALIGNMENT AT TS AND ST WHICH INTERSECT AT PI.

- CS CURVE SPIRAL, THE POINT OF CHANGE IN ALIGNMENT FROM CURVE TO SPIRAL.
- CC CENTER OF CIRCULAR CURVE.
- Dc DEGREE OF CURVE DEFINED BY THE 100 FT CHORD DEFINITION.
- E EXTERNAL DISTANCE FROM MIDPOINT OF CIRCULAR CURVE TO PIC.
- Es EXTERNAL DISTANCE FROM CURVE TO PI.
- I ANGLE OF INTERSECTION OF MAIN TANGENTS AT MAIN PI.
- K DISTANCE ALONG MAIN TANGENT FROM TS (OR ST) TO OFFSET PC.
- L THE LENGTH OF EACH EQUAL CHORD.
- Lc LENGTH OF CIRCULAR CURVE BETWEEN SC AND CS MEASURED ALONG 100 FT CHORDS.
- Lc CHORD LENGTH OF CIRCULAR CURVE FROM SC TO CS.
- Ln DISTANCE ALONG SPIRAL FROM TS (OR ST) TO POINT n.
- Ls THE LENGTH OF SPIRAL FROM TS TO SC (OR CS TO ST) AS MEASURED ON TEN CONSECUTIVE EQUAL CHORDS.
- M MID-ORDINATE DISTANCE OF CIRCULAR CURVE.
- n A NUMBER BETWEEN 1 AND 10 USED TO IDENTIFY CHORDS.
- P OFFSET FROM MAIN TANGENT TO PC (OR PT).
- PC POINT OF CURVE, THE POINT OF CHANGE IN ALIGNMENT FROM TANGENT TO CIRCULAR CURVE, ON SPIRALED CURVES THIS POINT IS OFFSET A DISTANCE p FROM THE MAIN TANGENT.
- PI POINT OF INTERSECTION OF MAIN TANGENTS.
- PIC POINT OF INTERSECTION OF LINES TANGENT AT SC AND CS.
- PIS POINT OF INTERSECTION OF MAIN TANGENT AND LINE TANGENT AT SC (OR CS).
- PT POINT OF TANGENCY, THE POINT OF CHANGE IN ALIGNMENT FROM CIRCULAR CURVE TO TANGENT, ON SPIRALED CURVES THIS POINT IS OFFSET A DISTANCE p FROM THE MAIN TANGENT.
- R RADIUS OF CIRCULAR CURVE.
- SC SPIRAL CURVE, THE POINT OF CHANGE IN ALIGNMENT FROM SPIRAL TO CURVE.
- ST SPIRAL TANGENT, THE POINT OF CHANGE IN ALIGNMENT FROM SPIRAL TO TANGENT.
- Tc DISTANCE FROM SC OR CS TO PIC IN SPIRALED CURVE OR TANGENT FROM PC OR PT TO PI IN A SIMPLE CURVE.
- TS TANGENT SPIRAL, THE POINT OF CHANGE IN ALIGNMENT FROM TANGENT TO SPIRAL.
- Ts LONG TANGENT, TANGENT DISTANCE FROM TS (OR ST) TO PI (MAIN TANGENTS).
- U LONG TANGENT OF SPIRAL, DISTANCE FROM TS (OR ST) TO PIS.
- V SHORT TANGENT OF SPIRAL, DISTANCE FROM PIS TO CS (OR SC).
- Xn DISTANCE ALONG MAIN TANGENT FROM TS (OR ST) TO OFFSET CHORD POINT n.
- Xs DISTANCE ALONG MAIN TANGENT TO PERPENDICULAR OFFSET FROM CS (OR SC).
- Yn OFFSET FROM MAIN TANGENT TO CHORD POINT n.
- Ys PERPENDICULAR OFFSET FROM MAIN TANGENT TO CS (OR SC).
- Δ (DELTA) ANGLE OF INTERSECTION AT PIC, CENTRAL ANGLE OF CIRCULAR CURVE.
- θn CHORD ANGLE, THE ANGLE BETWEEN THE MAIN TANGENT AND CHORD n.
- θs SPIRAL ANGLE, CENTRAL ANGLE OF SPIRAL.

EQUATIONS

1. $Dc = 2 \text{ ARCSIN } \frac{50}{R} \quad R = \frac{50}{\sin D/2}$
2. $\theta_s = \frac{L_s Dc}{200}$
3. $L = \frac{L_s}{10}$
4. $\theta_n = \frac{3n^2 - 3n + 1}{300} \theta_s \quad n=1, \dots, 10$
5. $X_n = L \sum_{i=1}^n \cos \theta_i \quad n=1, \dots, 10$
6. $Y_n = L \sum_{i=1}^n \sin \theta_i \quad n=1, \dots, 10$
7. $X_s = X_{10}$
8. $Y_s = Y_{10}$
9. $P = Y_s - R(1 - \cos \theta_s)$
10. $K = X_s - R \sin \theta_s$
11. $U = X_s - \frac{Y_s}{\tan \theta_s}$
12. $V = \frac{Y_s}{\sin \theta_s}$
13. $\Delta = 1 - 2\theta_s$ (WHEN BOTH SPIRALS ARE OF EQUAL LENGTH)
14. $T = R \tan \frac{\Delta}{2}$
15. $Lc = 100 \frac{R}{Dc}$
16. $E = R \{ \cos \frac{\Delta}{2} - 1 \}$
17. $LC = 2R \sin \frac{\Delta}{2}$
18. $M = R \{ 1 - \cos \frac{\Delta}{2} \}$
19. $Ts = K + (R+P) \tan \frac{1}{2} \theta_s$ (WHEN BOTH SPIRALS ARE OF EQUAL LENGTH)
20. $Es = \frac{Tc - K}{\sin \frac{1}{2} \theta_s} - R$ (WHEN BOTH SPIRALS ARE OF EQUAL LENGTH)

RAILROAD TRACK / SIGNAL ABBREVIATIONS

- CS CURVE TO SPIRAL
- CWR CONTINUOUSLY WELDED RAIL
- Dc DEGREE OF CURVATURE (CHORD DEFINED)
- E EQUILIBRIUM or Ea + Eu
- Ea ACTUAL SUPERELEVATION
- Eu UNBALANCED SUPERELEVATION
- EQ EQUAL OR EQUILATERAL GAUGE
- GA GAUGE
- LVC LENGTH OF VERTICAL CURVE
- LLT LAST LONG TIE
- PC TANGENT TO CURVE
- PINC POINT OF INTERSECTION NO CURVE
- PITO POINT OF INTERSECTION TURNOUT
- POB POINT OF BEGINNING
- POT POINT OF TANGENT
- PS POINT OF SWITCH
- PT CURVE TO TANGENT
- PVC POINT OF VERTICAL CURVE
- PVI POINT OF VERTICAL INTERSECTION
- PVT POINT OF VERTICAL TANGENT
- r RATE OF CHANGE
- R RADIUS
- RE AREMA
- SC SPIRAL TO CURVE
- ST SPIRAL TO TANGENT
- STA STATION
- T/O TURNOUT
- TRK TRACK
- TS TANGENT TO SPIRAL
- T/R TOP OF RAIL

RAILROAD TRACK / SIGNAL SYMBOLS

- EXISTING
- PROPOSED
- RAILROAD TRACK CENTERLINE
- TRACK HORIZONTAL CURVE NAMING

FOR REFERENCE ONLY

pdfplotf9
 LBPE_id_v95.tbl
 2/8/2023
 Plotted By: GBoles
 rR02A_RR-001_CurveDefinition_south.dgn

PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	G. BOLES	
DRAWN BY	I. NOVAES	
CHECKED BY	S. KULLEN	
APPROVED BY	G. BOLES	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
TRACK DEFINITIONS, EQUATIONS,
ABBREVIATIONS, AND SYMBOLS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-001
REV.	SHEET NO. 25 OF 203
SCALE	AS SHOWN



EXISTING CONDITION
NOT TO SCALE

FOR REFERENCE ONLY



PROPOSED CONDITION
NOT TO SCALE

PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	G. BOLES	
DRAWN BY	I. NOVAES	
CHECKED BY	S. KULLEN	
APPROVED BY	G. BOLES	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/8/2023




[CSX]


THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
TRACK SCHEMATICS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-004
REV.	SHEET NO. 28 OF 203
SCALE	AS SHOWN


pdfplotg
 LBPE_Id_v95.tbl
 Plotted By: GBoles
 rR02A_RR-004_SchematicSheet_south.dgn
 2/8/2023



BEGIN PROJECT LIMITS MP 109.76
 TIE IN POINT TO BE COORDINATED WITH ALEXANDRIA FOURTH TRACK PROJECT
 SURFACE AND LINE TO EXTEND 200 FEET BEYOND CONSTRUCTION LIMITS

MATCHLINE STA. 3011+00 - SEE DRAWING RR-302

FOR REFERENCE ONLY



PROFILE - TRACK 3
 SCALE: 1" = 40' (HORIZONTAL)
 SCALE: 1" = 8' (VERTICAL)

NOTE:
 EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

**PRELIMINARY ENGINEERING
 DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/9/2023





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
 SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC**
 SUBDIVISION: RF&P ZONE: CENTRAL
**TRACK 3
 PLAN AND PROFILE (1 OF 5)**

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-301
REV.	SHEET NO. 29 OF 203
SCALE	AS SHOWN

pdf:allfig
 LBPE_id_v95.tbl
 Plotted By: inovas
 rR02A_PPSheets3-South.dgn
 \$MODELNAME\$



NOTE:
EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/9/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
TRACK 3
PLAN AND PROFILE (2 OF 5)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-302
REV.	SHEET NO. 30 OF 203
SCALE	AS SHOWN

pdf:allreg
LBPE_id_v95.tbl
Plotted By: inovas
rR02A_PP:sheets3-South.dgn
2/9/2023
\$MODELNAME\$



FOR REFERENCE ONLY



NOTE: EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/9/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
TRACK 3
PLAN AND PROFILE (3 OF 5)


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-303
REV.	SHEET NO. 31 OF 203
SCALE	AS SHOWN

pdf:allfig
LBPE_id_v95.tbl
2/9/2023
Plotted By: inovaes
rR02A_PPsheet3-South.dgn
\$MODELNAME\$

Rev.	Date	Description



FOR REFERENCE ONLY



PROFILE - TRACK 3
 SCALE: 1" = 40' (HORIZONTAL)
 SCALE: 1" = 8' (VERTICAL)

NOTE: EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

**PRELIMINARY ENGINEERING
 DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/9/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
 SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC**
 SUBDIVISION: RF&P ZONE: CENTRAL
**TRACK 3
 PLAN AND PROFILE (4 OF 5)**

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-304
REV.	SHEET NO. 32 OF 203
SCALE	AS SHOWN

pdf:allreg
 LBPE_id_v95.tbl
 Plotted By: inovas
 rR02A_PPsheet3-South.dgn
 \$MODELNAME\$



FOR REFERENCE ONLY



PROFILE - TRACK 3
SCALE: 1" = 40' (HORIZONTAL)
SCALE: 1" = 8' (VERTICAL)

NOTE:
EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	G. BOLES	
DRAWN BY	I. NOVAES	
CHECKED BY	S. KULLEN	
APPROVED BY	G. BOLES	
DATE	2/9/2023	
Rev.	Date	Description

DESIGNED BY	G. BOLES	
DRAWN BY	I. NOVAES	
CHECKED BY	S. KULLEN	
APPROVED BY	G. BOLES	
DATE	2/9/2023	




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
TRACK 3
PLAN AND PROFILE (5 OF 5)

PROJECT NO.		VPRA R02A CSXT XXXX
DRAWING NO.		RR-305
REV.	SHEET NO.	33 OF 203
N/A		
SCALE	AS SHOWN	

pdf.plt
 LBPE_id_v95.tbl
 Plotted By: inovaes
 rR02A_PP sheets3-South.dgn
 Track 3 Plans - TK-305-1 [Sheet]



FOR REFERENCE ONLY



PROFILE - TRACK 4
SCALE: 1" = 40' (HORIZONTAL)
SCALE: 1" = 8' (VERTICAL)

NOTE:
EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	G. BOLES
DRAWN BY	C. SWANN
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/9/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**
SUBDIVISION: RF&P ZONE: CENTRAL
**TRACK 4
PLAN AND PROFILE (1 OF 5)**

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-401
REV.	SHEET NO. 34 OF 203
SCALE	AS SHOWN

pdfplotf9
 LBPE_id_v95.tbl
 2/9/2023
 Plotted By: GBoles
 rR02A_RR-400_PFSheetsSouth.dgn
 Track 4 Plans - TK-401 [Sheet]



FOR REFERENCE ONLY



NOTE: EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	G. BOLES
DRAWN BY	C. SWANN
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/9/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**
SUBDIVISION: RF&P ZONE: CENTRAL
**TRACK 4
PLAN AND PROFILE (2 OF 5)**

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-402
REV.	SHEET NO. 35 OF 203
SCALE	AS SHOWN

pdfplotter
 LBPE_id_v95.tbl
 Plotted By: GBoles
 rR02A_RR-400_PFSheetsSouth.dgn
 Track 4 Plans - TK-402 [Sheet]



FOR REFERENCE ONLY



PROFILE - TRACK 4
 SCALE: 1" = 40' (HORIZONTAL)
 SCALE: 1" = 8' (VERTICAL)

NOTE: EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

**PRELIMINARY ENGINEERING
 DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	G. BOLES
DRAWN BY	C. SWANN
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/9/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
 SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC**


SUBDIVISION: RF&P ZONE: CENTRAL

**TRACK 4
 PLAN AND PROFILE (3 OF 5)**


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-403
REV.	SHEET NO. 36 OF 203
SCALE	AS SHOWN

pdf:allfig
 LBPE_id_v95.tbl
 2/9/2023
 Plotted By: inovas
 rR02A_RR-400_PPSheetsSouth.dgn
 \$MODELNAME\$

Rev.	Date	Description



FOR REFERENCE ONLY



PROFILE - TRACK 4
 SCALE: 1" = 40' (HORIZONTAL)
 SCALE: 1" = 8' (VERTICAL)

NOTE: EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

**PRELIMINARY ENGINEERING
 DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	G. BOLES
DRAWN BY	C. SWANN
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/9/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
 SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC**
 SUBDIVISION: RF&P ZONE: CENTRAL
**TRACK 4
 PLAN AND PROFILE (4 OF 5)**


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-404
REV.	SHEET NO. 37 OF 203
SCALE	AS SHOWN

pdf:alleng
 LBPE_id_v95.tbl
 2/9/2023
 Plotted By: inovas
 rR02A_RR-400_PPSheetsSouth.dgn
 \$MODELNAME\$

Rev.	Date	Description



FOR REFERENCE ONLY



PROFILE - TRACK 4
SCALE: 1" = 40' (HORIZONTAL)
SCALE: 1" = 8' (VERTICAL)

NOTE: EXISTING AND PROPOSED UTILITIES SHOWN IN UTILITY RELOCATION PLANS

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	G. BOLES
DRAWN BY	C. SWANN
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/9/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**
SUBDIVISION: RF&P ZONE: CENTRAL
**TRACK 4
PLAN AND PROFILE (5 OF 5)**

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-405
REV.	SHEET NO. 38 OF 203
SCALE	AS SHOWN


pdf:plg
 LBPE_id_v95.tbl
 2/9/2023
 Plotted By: GBoles
 rR02A_RR-400_PFSheetsSouth.dgn
 Track 4 Plans - TK-405 (Sheet)

Rev.	Date	Description



TRACK TYPICAL SECTION - WALL
 APPROX. STA. 4017+00 TO 4018+00
 STA. 3017+00 TO 3018+00
 N.T.S.

FOR REFERENCE ONLY



TRACK TYPICAL SECTION - CUT
 APPROX. STA. 4000+00 TO 4011+00
 STA. 3000+00 TO 3011+00
 N.T.S.

pdfplotg
 LBPE_Id_v95.tbl
 Plotted By: GBoles
 nR02A_RR-501_TypicalSection_south.dgn
 2/6/2023

PRELIMINARY ENGINEERING	
DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/8/2023
Rev.	Date
	Description




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 TRACK TYPICAL SECTIONS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-501
REV.	SHEET NO.
N/A	39 OF 203
SCALE	AS SHOWN



CRITICAL SECTION - AQUATIC CENTER
 STA 3014+00 +/-
 N.T.S.

FOR REFERENCE ONLY



CRITICAL SECTION - RO INTERLOCKING
 STA 3009+00 +/-
 N.T.S.

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
TRACK CRITICAL SECTIONS (1 OF 2)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-502
REV.	SHEET NO.
N/A	40 OF 203
SCALE	AS SHOWN

pdfplotg
 LBPE_Id_v95.tbl
 Plotted By: GBoles
 2/8/2023
 rR02A_RR-502_CriticalSection_south.dgn



pdfplotg
LBPE_Id_v95.tbl
Plotted By: GBoles
rR02A_RR-503_CriticalSection_south.dgn
2/6/2023

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	G. BOLES	
DRAWN BY	I. NOVAES	
CHECKED BY	S. KULLEN	
APPROVED BY	G. BOLES	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/8/2023

VIRGINIA PASSENGER RAIL AUTHORITY

TRANSFORMING RAIL IN VIRGINIA


[CSX]

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
TRACK CRITICAL SECTIONS (2 OF 2)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-503
REV.	SHEET NO. 41 OF 203
SCALE	AS SHOWN



PLAN OF RIGHT HAND TURNOUT

FOR REFERENCE ONLY

WORKMANSHIP AND MATERIALS SHALL BE PER CURRENT AREMA SPECIFICATIONS UNLESS OTHERWISE SPECIFIED. SINCE THE ALLOWABLE VARIATION IN STANDARD LENGTHS OF RAILS, FROGS AND SWITCH POINTS IS GREATER THAN THE NORMAL EXPANSION GAPS AT RAIL JOINTS AND THICKNESS OF INSULATING END POST IN INSULATED JOINTS, NO ALLOWANCE HAS BEEN MADE FOR EXPANSION GAPS AND INSULATION END POSTS IN COMPUTING LENGTHS OF RAIL SHOWN.

USE 26'-0" CURVED SPLIT SWITCH WITH UNIFORM RISERS PER DRAWING 2321.

SEE DRAWING 2218 FOR STRAIGHT AND CURVED CLOSURE RAILS, AND STRAIGHT AND CURVED LEAD RAILS.

MANUFACTURER SHALL VERIFY ALL DIMENSIONS BEFORE FABRICATION.

SWITCH HAS PRS CLAMPTITE BRACE. ALTERNATE IS NORTRAK CLICKTITE.

FROG USES MILLED SEAT AND FLAT PLATES WITH WELDED PANDROL SHOULDERS PER DRAWING 2415.

EVERY TIE WILL BE BOX ANCHORED FOR A DISTANCE OF 234 FEET AHEAD OF THE SWITCH POINT, AND EVERY TIE ON BOTH TRACKS WILL BE BOX ANCHORED FOR A DISTANCE OF 234 FEET BEYOND THE JOINT OR WELD AT THE HEEL OF FROG.

THE NUMBER OF INSULATED JOINTS REQUIRED DEPENDS ON TURNOUT LOCATION.

USE 7-1/2" EVERGRIP SCREWS ON ALL PLATES.

SWITCH PLATE AND TIE LAYOUT ARRANGED FOR POWER THROW MECHANISM PER TRAIN CONTROL STANDARDS.

ALL FROG PLATES TO BE MILLED SEAT 3/4" UNDER RAIL BASE

TURNOUT DATA		BILL OF SWITCH TIES		BILL OF TRACK MATERIAL	
NUMBER	15	LENGTH	TURNOUT ONLY	QUANTITY	DESCRIPTION
ANGLE	3°-49'-06"			1	NO.15 RAILBOUND MANGANESE STEEL FROG, COMPLETE, PER DWG. 2415 BONDED FOR SIGNALS
TOTAL LENGTH	27'-9"			2	GUARD RAILS, COMPLETE, (26' ADJUSTABLE)
TOE LENGTH	10'-4"			1	58'-10" STRAIGHT STOCK RAIL PER DRAWING 2322
HEEL LENGTH	17'-5"			1	58'-8" BENT STOCK RAIL PER DRAWING 2322
TOE SPREAD	7 3/4"			1	38'-5" RAIL W/PREMIUM INSULATED JT.10'-0"-28'-5" LEGS
HEEL SPREAD	14 7/16"			1	38'-5" RAIL W/PREMIUM INSULATED JT.20'-0"-18'-5" LEGS
LENGTH OF SWITCH POINT	26'-0"			1	STRAIGHT CLOSURE RAIL: 61'-4 3/4"
HEEL SPREAD	6 1/4"			1	CURVED CLOSURE RAIL: 23'-1"
HEEL ANGLE	1°-32'-57"			1	FEET OF PREMIUM WELDED RAIL
THICKNESS OF POINT	0"			1	26'-0" CURVED SPLIT SWITCH, COMPLETE, WITH UNIFORM RISERS, PER DWGS. 2321, 2322, 2323
ANGLE AT POINT	0°-44'-47"			1	2324, 2325, AND 2326
RADIUS	1,855.769'			1	FRONT ROD ASSEMBLY PER S5001 AND S5044
VERTEX DISTANCE	0"			1	JOINTS, COMPLETE INCL. J CLIPS AND BOLTS
THICKNESS OF POINT	0"			6	INSULATED JOINTS, COMPLETE INC. E2063B CLIPS
ANGLE AT POINT	0°-44'-43"			1	7 1/2" LONG EVERGRIP SPIKES
RADIUS	1,851.061'			3	KEG TRACK SPIKES
VERTEX DISTANCE	0"			1	PANDROL TIE PLATES
ACTUAL LEAD	111'-2 3/4"			6,458.1	PANDROL CLIPS, REGULAR
RADIUS OF CENTERLINE	1,853.415'			12,517.3	PANDROL CLIP, LEFT HAND
DEGREE OF CURVE	3°-03'-30"			1	
CENTRAL ANGLE - SWITCH	0°-48'-10"				
CENTRAL ANGLE - CLOSURE	2°-16'-09"				
CENTRAL ANGLE - TOTAL	3°-04'-19"				
STRAIGHT CLOSURE LENGTH	74'-10 3/4"				
CURVED CLOSURE LENGTH	75'-0"				
TANGENT ADJACENT TOE OF FROG	18"				

CSX TRANSPORTATION

NO. 15 TURNOUT AND CROSSOVER
WITH 26'-0" CURVED SWITCH POINTS FOR 136RE RAIL

Approved Signature
APPROVED - DIRECTOR
ENGINEERING STANDARDS

Approved Signature
APPROVED - ASSISTANT VICE
PRESIDENT ENGINEERING

PREPARED BY:
M.E. AUSTIN


ISSUED: MARCH 01, 2000
REVISED: DECEMBER 23, 2011

<p>PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023</p>		<p>DESIGNED BY G. BOLES</p> <p>DRAWN BY I. NOVAES</p> <p>CHECKED BY S. KULLEN</p> <p>APPROVED BY G. BOLES</p> <p>DATE 2/8/2023</p>
Rev.	Date	Description

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

<p>LONG BRIDGE SOUTH PACKAGE ARLINGTON, VA TO WASHINGTON, DC</p> <p>SUBDIVISION: RF&P ZONE: CENTRAL</p> <p>TRACK DETAILS SPECIAL TRACKWORK (1 OF 2)</p>		<p>PROJECT NO. VPRA R02A CSXT XXXX</p> <p>DRAWING NO. RR-601</p> <p>REV. SHEET NO. N/A 42 OF 203</p> <p>SCALE AS SHOWN</p>
---	--	--


pdfplotg
 LBPE_id_v95.tbl
 Plotted By: GBoles
 rr02a_rr-601_TrackDetailsSpecialTrackwork_south.dgn
 2/8/2023



CROSSOVER DATA		
TRACK CENTERS	DISTANCE BETWEEN 1/2 POINTS OF FROGS	
	MAIN TRACK	CROSSOVER
15'-0"	82'-3"	82'-8 3/32"
14'-0"	67'-3 3/16"	67'-8 25/32"
1'-0" CHANGE	14'-11 3/16"	15'-0 3/16"
1" CHANGE	14.9844'	15.0156'


CURVE DATA		
TRACK CENTERS	DIMENSION	
	Q	X
13'-0"	311'-2"	47'-5 1/2"
14'-0"	326'-1 3/4"	62'-5 1/4"
15'-0"	341'-1 5/8"	77'-5 1/8"
16'-0"	356'-1 3/8"	92'-4 7/8"
1.0" CHANGE	14.9844'	14.9844'

OFFSET DIMENSIONS MEASURED FROM GAGE LINE TO GAGE LINE, FOR TRACK CENTERS OTHER THAN 15'-0", INCREASE OR DECREASE OFFSET DIMENSIONS BY SAME AMOUNT THAT TRACK CENTERS ARE INCREASED OR DECREASED FROM 15'-0", AND ADJUST *X* DISTANCE.




RAIL LAYOUT DIAGRAM

* IF INSULATED JOINTS ARE REQUIRED, USE PREMIUM INSULATED JOINT IN 38'-5" RAIL WITH LEGS AS SHOWN, MAXIMUM STAGGER ANY PAIR OF INSULATED JOINTS IS 4'-6".



CROSSOVER - 15'-0" TRACK CENTERS



CROSSOVER - 14'-0" TRACK CENTERS



NUMBER 15 OFFSET AND LAYOUT DIAGRAMS FOR I36RE RAIL

APPROVED - DIRECTOR
ENGINEERING STANDARDS

APPROVED - ASSISTANT VICE
PRESIDENT ENGINEERING

PREPARED BY,
M.E. AUSTIN

ISSUED: MARCH 01, 2000
REVISED: DECEMBER 23, 2011

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	G. BOLES
DRAWN BY	I. NOVAES
CHECKED BY	S. KULLEN
APPROVED BY	G. BOLES
DATE	2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL

TRACK DETAILS
SPECIAL TRACKWORK (2 OF 2)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RR-602
REV.	SHEET NO. 43 OF 203
SCALE	AS SHOWN

SPECIFICATIONS

- CONSTRUCTION: CONTRACT SPECIFICATIONS CONSISTING OF GENERAL PROVISIONS AND SPECIAL PROVISIONS.
- DESIGN SPECIFICATIONS (EXCEPT AS MODIFIED BY THE CONTRACT SPECIFICATIONS):
 - 2022 AMERICAN RAILWAY ENGINEERING AND MAINTENANCE OF WAY ASSOCIATION (AREMA) MANUAL FOR RAILWAY ENGINEERING.
 - CSXT DESIGN AND CONSTRUCTION STANDARD SPECIFICATION VOLUME 1, MARCH 1, 2021.
 - CSXT MWI 2800 SERIES.
 - DISTRICT DEPARTMENT OF TRANSPORTATION (DDOT) DESIGN AND ENGINEERING MANUAL (DEM), JANUARY 2019.
 - DC WATER STANDARD SPECIFICATIONS, FEBRUARY 2020.
 - DC WATER PROJECT DESIGN MANUALS (PDM).
 - DDOT STANDARD SPECIFICATIONS FOR HIGHWAYS AND STRUCTURES, 2013.
 - VIRGINIA DEPARTMENT OF TRANSPORTATION (VDOT) MODIFICATIONS TO THE AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS (AASHTO) LOAD AND RESISTANCE FACTOR DESIGN (LRFD) BRIDGE DESIGN SPECIFICATIONS, 8TH EDITION, 2017.
 - VDOT MANUAL OF THE STRUCTURE AND BRIDGE DIVISION, PART 2, DESIGN AIDS AND TYPICAL DETAILS, 2021.
 - AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS, 9TH EDITION, 2020.
 - AASHTO VESSEL COLLISION DESIGN, 2009.
 - WMATA ADJACENT CONSTRUCTION PROJECT MANUAL, SEPTEMBER 2015.
 - AASHTO/AWS BRIDGE WELDING CODE D1.5, 8TH EDITION.
 - AASHTO GUIDE SPECIFICATIONS FOR SEISMIC ISOLATION DESIGN, 4TH EDITION.
 - VIRGINIA RAILWAY EXPRESS (VRE) STANDARDS.
 - AMTRAK STANDARDS.
 - DISTRICT OF COLUMBIA BUILDING CODE, 2017.

3. DESIGN SERVICE LIFE: 100 YEARS.

CONSTRUCTION

- THE CONTRACTOR SHALL PERFORM WORK AT THE SITE ONLY PER APPROVED SITE SPECIFIC SAFETY WORK PLANS. SEE SPECIFICATIONS.
- THE CONTRACTOR SHALL TAKE THE PROPER PRECAUTIONS TO ASSURE THE STABILITY OF ALL STRUCTURAL ELEMENTS UNTIL THE TOTAL STRUCTURE IS COMPLETE AND ACCEPTED BY THE OWNER.
- THE CONTRACTOR SHALL EMPLOY A LICENSED PROFESSIONAL ENGINEER REGISTERED IN THE COMMONWEALTH OF VIRGINIA OR DISTRICT OF COLUMBIA AS APPROPRIATE TO DESIGN ALL TEMPORARY SHORING, BRACING, SUPPORTS, FALSEWORK, JACKING, OR OTHER TEMPORARY PROVISION TO ALLOW FOR CONSTRUCTION. ALL CALCULATIONS SHALL BE SUBMITTED TO THE ENGINEER FOR REVIEW.
- ERECTION STRESSES SHALL BE LIMITED TO 125% OF AREMA NORMAL ALLOWABLES. CALCULATIONS OF ERECTION STRESSES SHALL BE PREPARED BY A LICENSED PROFESSIONAL ENGINEER REGISTERED IN THE COMMONWEALTH OF VIRGINIA OR DISTRICT OF COLUMBIA AS APPROPRIATE AND SUBMITTED TO THE ENGINEER FOR REVIEW.
- DC WATER WILL REQUIRE PRE-AUGERING OR EXCAVATION SUPPORT FOR ANY PROPOSED STRUCTURES THAT FALL WITHIN THE ZONE OF INFLUENCE OF ANY OF THEIR EXISTING UTILITY LINES.

DEFINITIONS

- MEAN TEMPERATURE: 60 DEGREES FAHRENHEIT.
- VERTICAL DATUM: NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88).

MAINTENANCE OF NAVIGATION

- DURING CONSTRUCTION, NAVIGATION WITHIN THE CLEARANCES INDICATED ON THE PLANS SHALL BE MAINTAINED AT ALL TIMES, EXCEPT AS THE CONTRACTOR MAY OBTAIN UNITED STATES COAST GUARD PERMISSION FOR TEMPORARY CLOSURE(S). SEE ALSO THE SPECIFICATIONS.

MAINTENANCE OF RAIL OPERATIONS

- RAILROAD TRAFFIC SHALL BE MAINTAINED AND PROTECTED AT ALL TIMES AND THE CONTRACTOR SHALL AT NO TIME DURING CONSTRUCTION OF THIS PROJECT DELAY OR INTERFERE WITH THE SAFE OPERATION OF TRAIN TRAFFIC. ALL METHODS OF HANDLING THE WORK AFFECTING THE DELAY AND SAFETY OF TRAIN TRAFFIC SHALL BE APPROVED BY THE RAILROAD PRIOR TO PROCEEDING WITH THAT PART OF THE WORK.

TIDAL DATA

- TIDAL DATA ELEVATIONS IN NORTH AMERICAN VERTICAL DATUM (NAVD) (FEET), PROVIDED BY NOAA GAGE 8594900 WASHINGTON, DC OVER THE POTOMAC RIVER UNDERGRADE BRIDGE, ARE AS FOLLOWS:

MEAN HIGHER HIGH WATER (MHHW)	1.77 FEET
MEAN HIGH WATER (MHW)	1.54 FEET
MEAN TIDE LEVEL	0.15 FEET
MEAN SEA LEVEL	0.15 FEET
MEAN LOW WATER	-1.25 FEET
MEAN LOWER LOW WATER	-1.40 FEET

DESIGN LOADS

- DEAD LOAD
 - STRUCTURAL STEEL - 490 PCF
 - REINFORCED CONCRETE - 150 PCF
 - BALLAST - 120 PCF
 - TRACK AND RAILS - 200 PLF
- LIVE LOAD: COOPER E80 WITH DIESEL IMPACT AND ALTERNATE LIVE LOAD FOR TIES, DECKS, STRINGERS, FLOORBEAMS AND GIRDERS.
- LONGITUDINAL FORCE FROM EQUIPMENT: THE GREATER OF LONGITUDINAL FORCE DUE TO BREAKING OR FORCE DUE TO TRACTION AS PRESCRIBED BY AREMA EQUATIONS. FOR MEMBERS RECEIVING LOAD FROM MORE THAN ONE TRACK, THE DESIGN LOAD ON THE TRACKS SHALL BE AS FOLLOWS:
 - FOR TWO TRACKS, FULL LIVE LOAD ON TWO TRACKS.
- DESIGN TRAIN SPEED AND LOAD FOR CENTRIFUGAL FORCE ON STRUCTURE: DESIGNED FOR THE COOPER E80 AT 60 MPH.
- OTHER LOADS: PER AREMA MANUAL.

CONCRETE


- ALL CONCRETE PROPERTIES AND MATERIALS SHALL BE IN ACCORDANCE WITH CSXT DESIGN AND CONSTRUCTION STANDARD SPECIFICATIONS, DIVISION 7 - STRUCTURES.
- EXPOSED EDGES OF CONCRETE SHALL BE BEVELED 3/4" x 3/4" UNLESS DIMENSIONED OTHERWISE.
- CONSTRUCTION JOINTS, OTHER THAN THOSE SHOWN ON THE PLANS, WILL NOT BE PERMITTED WITHOUT THE PRIOR APPROVAL OF THE ENGINEER.
- STRUCTURAL CONCRETE SHALL REACH ITS MINIMUM SPECIFIED DESIGN STRENGTH WITHIN 28 DAYS.

REINFORCEMENT STEEL FOR CONCRETE

- ALL REINFORCEMENT STEEL FOR CONCRETE SHALL BE GALVANIZED, CONFORMING TO THE REQUIREMENTS OF ASTM A767, AFTER BENDING AND SHALL BE ASTM A615, GRADE 60 (AASHTO M31, GRADE 60). BASIC ALLOWABLE STRESS $F_s = 24,000$ PSI.
- UNLESS SHOWN OTHERWISE, BARS AT SPLICES SHALL BE LAPPED IN ACCORDANCE WITH THE DESIGN CRITERIA.
- CONCRETE COVER FOR REINFORCEMENT BARS SHALL CONFORM TO THE FOLLOWING, UNLESS INDICATED OTHERWISE ON THE DRAWINGS:
 - TOP OF DECK SLAB.....2 1/2 IN
 - BOTTOM OF DECK SLAB.....1 1/2 IN
 - PIER CAPS (MAIN STEEL AND SECONDARY STEEL).....3 IN
 - CAST IN PLACE PIERS AND PRECAST PIER SEGMENTS
 - EXTERNAL SURFACE.....3 IN
 - INTERNAL SURFACE.....2 IN
 - PIER FOOTINGS.....3 IN
 - ALL OTHER PRINCIPAL REINFORCEMENT.....2 1/2 IN
 - ALL OTHER STIRRUPS AND TIES.....2 IN
- MINIMUM COVER FOR REINFORCING STEEL IN CONCRETE PIER SURFACES EXPOSED TO SEAWATER OR SPRAY AT OR BELOW ELEVATION +10 SHALL BE 4 INCHES.
- ALL DIMENSIONS RELATIVE TO REINFORCING STEEL EXCEPT COVER ARE TO CENTERLINE OF BAR, UNLESS NOTED OTHERWISE.
- BAR BENDS SHALL CONFORM TO THE REQUIREMENTS OF ACI-318.

UTILITIES

- LOCATIONS OF EXISTING UTILITIES ARE SHOWN BASED ON AVAILABLE EXISTING RECORD DRAWING INFORMATION (QUALITY LEVEL D AND C) AS WELL AS UTILITY DESIGNATION AND TEST PIT INFORMATION (QUALITY LEVEL B AND A)



AREMA DOUBLE TRACK CLEARANCE ENVELOPE
SCALE 1/4" = 1'-0"

* ON CURVED TRACK, THE LATERAL CLEARANCE EACH SIDE OF TRACK CENTERLINE SHALL BE INCREASED 1.5" PER DEGREE OF CURVATURE.

FOR REFERENCE ONLY

FOR POTOMAC RIVER BIKE-PED BRIDGE GENERAL NOTES, SEE DWG. NO. D-001.

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b_R02A_southnotes1.dgn
 General Notes 1 Sheet File
 2/8/2023

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	J. HEWKO	
DRAWN BY	Z. WOLFE	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	J. HEWKO
DRAWN BY	Z. WOLFE
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

 SUBDIVISION: RF&P ZONE: CENTRAL

**STRUCTURAL
GENERAL NOTES (1 OF 2)**

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-001
REV.	SHEET NO. 79 OF 203
SCALE	AS SHOWN

STRUCTURAL STEEL GENERAL

- STRUCTURAL STEEL SHALL CONFORM TO ASTM A709 GRADE 50W (AASHTO M270) UNLESS NOTED OTHERWISE. GRADE HPS 70W REQUIRES APPROVAL PER CSXT 0701252.1B.
- HIGH STRENGTH BOLTS SHALL CONFORM TO ASTM F3125 TYPE A325, TYPE 3, INSTALLED AS FRICTION-TYPE CONNECTIONS. UNLESS OTHERWISE NOTED, BOLT THREADS SHALL BE EXCLUDED FROM THE SHEAR PLANES.
- CONNECTIONS SHALL BE CLASS-B SLIP CRITICAL JOINTS UNLESS OTHERWISE NOTED.
- ANCHOR BOLTS SHALL CONFORM TO ASTM 1554 GRADE 55 AND SHALL BE HOT-DIPPED GALVANIZED.
- STRUCTURAL STEEL FABRICATOR(S) SHALL BE CERTIFIED UNDER THE AISC QUALITY CONTROL PROGRAM, CATEGORY CBR-F, MAJOR STEEL BRIDGES.
- THE MAIN GIRDERS OF THE THROUGH GIRDERS ARE NON-REDUNDANT FRACTURE CRITICAL MEMBERS AND SHALL CONFORM TO THE REQUIREMENTS OF AREMA CHAPTER 15, PART 1, SECTION 1.14.
- ALL STEEL DESIGNATED AS FRACTURE CRITICAL (FCM) AND ALL WELDS THAT JOIN AT LEAST ONE PLATE CONSIDERED FRACTURE CRITICAL, REGARDLESS OF DIRECTION OF STRESS, SHALL MEET AREMA REQUIREMENTS FOR FRACTURE CRITICAL MEMBERS. FCMS SHALL MEET AREMA IMPACT TEST REQUIREMENTS FOR FRACTURE CRITICAL MEMBERS, FURNISHED TO ZONE 2. ALL STEEL DESIGNATED (T) SHALL MEET AREMA IMPACT TEST REQUIREMENTS FOR STRUCTURAL STEEL OTHER THAN FRACTURE CRITICAL MEMBERS. ALL CONNECTION PLATES AND ANGLES FOR FCM SHALL BE CONSIDERED FCM. THIS INCLUDES GIRDER AND FLOORBEAM STIFFENERS.
- STEEL SHALL MEET CHARPY IMPACT TEST REQUIREMENTS FOR TEMPERATURE ZONE 2. THE CONTRACTOR SHALL SUBMIT CHARPY TEST RESULTS TO THE ENGINEER FOR APPROVAL. SUPPLEMENTARY REQUIREMENTS FOR NOTCH TOUGHNESS FOR ALL FRACTURE CRITICAL MEMBERS SHALL BE PROVIDED TO THE ENGINEER.
- CHARPY V-NOTCH REQUIREMENTS FOR STRUCTURAL STEEL SHALL BE AS FOLLOWS:

THICKNESS	FCM STEEL	OTHER STEEL
UP TO 1½"	25 FT-LBS @ 40°F	15 FT-LBS @ 40°F
1½" TO 2"	25 FT-LBS @ 40°F	15 FT-LBS @ 40°F
OVER 2"-4" (BOLTED)	25 FT-LBS @ 40°F	15 FT-LBS @ 40°F
OVER 2"-4" (WELDED)	25 FT-LBS @ 40°F	15 FT-LBS @ 40°F
- STEEL PLATE OF THICKNESS TWO (2) INCHES AND GREATER FOR MAIN LOAD CARRYING MEMBERS, FLOORBEAMS AND GIRDERS SHALL BE TESTED FOR LAMINATIONS PER ASTM A435.
- MINIMUM THICKNESS FOR FILL PLATES SHALL BE ¼", EXCEPT IN SHIM PACKS.
- PLATE GIRDER FLANGES SHALL NOT EXCEED 4 INCH THICKNESS.
- FLANGE-TO-WEB WELDS SHALL BE COMPLETE JOINT PENETRATION (CJP) PER CSXT PUBLIC PROJECTS MANUAL. DERIVATION FROM THIS REQUIRES CSXT APPROVAL.
- SEE ALSO THE SPECIFICATIONS FOR STRUCTURAL STEEL, GENERAL NOTES, AND FOLLOWING NOTES FOR FURTHER REQUIREMENTS.








STRUCTURAL STEEL WELDING

- WELDING DETAILS, PROCEDURES, AND TESTING METHODS SHALL CONFORM TO AWS D1.5, AS MODIFIED OR SUPPLEMENTED BY AREMA, UNLESS OTHERWISE NOTED ON THE PLANS.
- JOINT WELDING PROCEDURES, OVERALL FABRICATION METHODS, AND QUALITY CONTROL INSPECTION PROCEDURES SHALL BE INCLUDED IN THE WRITTEN PROCEDURE SPECIFICATIONS WITH THE SHOP DRAWING SUBMISSIONS.
- IN ADDITION TO AWS WELD INSPECTION REQUIREMENTS, ALL WELDS SHALL BE 100% VISUALLY INSPECTED.
- ALLOWANCE SHALL BE MADE IN THE SHOP FOR SHRINKAGE DUE TO WELDING AND BURNING. IF UNEVEN SHRINKAGE IS ANTICIPATED, CAMBER ORDINATES SHALL BE ADJUSTED ACCORDINGLY.
- FILLET WELDS SHALL BE ⅜" MINIMUM, UNLESS OTHERWISE NOTED.
- ALL WELDING ELECTRODES SHALL BE E70XX LOW HYDROGEN CONFORMING TO AWS D1.5, UNLESS OTHERWISE NOTED.
- BUTT WELDS SHALL BE FULL PENETRATION WELDS. PROVIDE BACKING BARS AS REQUIRED. ALL BACKING BARS SHALL BE REMOVED.
- ALL SHOP GROOVE WELDS IN THE WEB PLATES AND FLANGE PLATES SHALL BE FINISHED SMOOTH AND FLUSH WITH THE BASE METAL ON ALL SURFACES BY GRINDING IN THE DIRECTION OF APPLIED STRESS, LEAVING THE SURFACES FREE FROM DEPRESSIONS, AND SHALL BE INSPECTED BY ULTRASONIC TESTING. THE GRINDING SHALL NOT REDUCE THE THICKNESS OF THE BASE METAL BY MORE THAN ½" OR 5% OF THE THICKNESS, WHICHEVER IS SMALLER.
- ALL WEB TO FLANGE AND WEB TO STIFFENER FILLET WELDS SHALL BE INSPECTED BY THE MAGNETIC PARTICLE METHOD. AT LEAST EVERY ONE FOOT OF EVERY TEN FOOT LENGTH OF FILLET WELD SHALL BE TESTED. AT LEAST ONE FOOT OF FILLET WELDS SHORTER THAN 10 FEET SHALL BE TESTED. IF UNACCEPTABLE DISCONTINUITIES ARE FOUND IN ANY TEST LENGTH OF WELD, THE FULL LENGTH OF WELD OR FIVE FEET ON EITHER SIDE OF THE WELD, WHICHEVER IS LESS, SHALL BE TESTED.
- MULTIPLE PASS WELDS INSPECTED BY THE MAGNETIC PARTICLE METHOD SHALL HAVE EACH PASS OR LAYER INSPECTED AND ACCEPTED BEFORE PROCEEDING TO THE NEXT PASS OR LAYER AS DETERMINED BY THE ENGINEER.
- ALL GROOVE WELDS SHALL BE COMPLETE PENETRATION (CP). JOINT PREPARATION IS OPTIONAL WITH THE FABRICATOR, SUBJECT TO AWS REQUIREMENTS. WHERE BACKING BAR STRIPS ARE TO BE LEFT IN PLACE, THEY SHALL BE CONTINUOUS FOR THE FULL LENGTH OF THE WELD. ALL JOINTS IN THE BACKING BARS SHALL BE MADE WITH COMPLETE PENETRATION BUTT WELDS AND INSPECTED BY THE ULTRASONIC METHOD PRIOR TO ASSEMBLY WITH PLATES. SEE DETAILS ON LIFT SPAN NOTES SHEET(S).
- NO FIELD WELDING WILL BE PERMITTED UNLESS SHOWN ON THE CONTRACT DRAWINGS.
- NO WELDED ATTACHMENTS WILL BE PERMITTED UNLESS SHOWN ON THE CONTRACT DRAWINGS.
- WELDED BUILT-UP BEARING ASSEMBLIES SHALL BE STRESS RELIEVED PER AWS D1.5 ARTICLE 4.4.
- SHOP WEB SPLICES SHALL BE LOCATED A MINIMUM OF SIX (6) INCHES FROM THE FLANGE SPLICES.
- STIFFENERS AND CONNECTION PLATES SHALL BE LOCATED A MINIMUM OF SIX (6) INCHES FROM FLANGE OR WEB SPLICES.

ABBREVIATIONS

- ABUT. - ABUTMENT
- APPROX. - APPROXIMATELY
- BRG. - BEARING
- BTM. - BOTTOM
- CL - CENTERLINE
- CONC - CONCRETE
- DIA. - DIAMETER
- EXP. - EXPANSION
- ELEV. - ELEVATION
- EXIST. - EXISTING
- FIX. - FIXED
- FB - FLOORBEAM
- GWMP - GEORGE WASHINGTON MEMORIAL PARKWAY
- MAX. - MAXIMUM
- MHW - MEAN HIGH WATER
- MIN. - MINIMUM
- MLW - MEAN LOW WATER
- MVC - MINIMUM VERTICAL CLEARANCE
- NB - NORTHBOUND
- O.C. - ON CENTER
- O/O - OUT TO OUT
- PL - PLATE
- PROP. - PROPOSED
- REQ. - REQUIRED
- SB - SOUTHBOUND
- STA. - STATION
- SW - SOUTHWEST
- TBD - TO BE DETERMINED
- TYP. - TYPICAL
- U.N.O - UNLESS NOTED OTHERWISE

LEGEND

-  BH-XX - BRIDGE BORING
-  I-XX - HISTORIC BORING
-  L-XX - LAND BORING
-  R-XX - RIVER BORING
-  CPT-XX - CONE PENETRATION TEST
-  - DIRECTION OF TRAFFIC
-  - FLOW DIRECTION

FOR REFERENCE ONLY

FOR POTOMAC RIVER BIKE-PED BRIDGE GENERAL NOTES, SEE DWG. NO. D-001.

VDOT PDF-att6g
 LBPE_id_v95.tbl
 Plotted By: ccampbell
 b_R02A_southnotes2.dgn
 General Notes Sheet File
 2/8/2023

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		DESIGNED BY J. HEWKO
		DRAWN BY Z. WOLFE
		CHECKED BY A. RODZON
		APPROVED BY J. KONRAD
		DATE 2/8/2023
Rev.	Date	Description



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**


 SUBDIVISION: RF&P ZONE: CENTRAL

**STRUCTURAL
GENERAL NOTES (2 OF 2)**

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. B-002	
REV. N/A	SHEET NO. 80 OF 203
SCALE AS SHOWN	



TYPICAL MODULAR GRAVITY WALL SECTION
SCALE: 3/8" = 1'-0"



LOCUS MAP
SCALE 1" = 500'

FOR REFERENCE ONLY

- RETAINING WALL NOTES:**
- RETAINING WALL A TO BE INCLUDED IN THE SOUTH PACKAGE. SEE NORTH PACKAGE FOR WALLS C, F, G, H, I, J, K, L, AND T. WALLS B, D, AND E HAVE BEEN ELIMINATED.
 - THE 12'-0" MINIMUM HORIZONTAL CLEARANCE INCLUDES A WALKWAY WIDTH OF APPROXIMATELY 3'-0" BEYOND THE STANDARD CSXT CLEARANCE ENVELOPES.
 - THE 4'-6" MINIMUM HEIGHT FOR WORKER FALL PROTECTION MEETS THE 3'-6" MINIMUM HEIGHT SPECIFIED IN AREMA 15-8.5 PLUS AN ADDITIONAL 12" FOR FUTURE BALLAST.
 - STONE VENEER SHALL BE INSTALLED USING DOVETAIL ANCHORS AS SHOWN IN DDOT STANDARD DRAWING 703.03.
 - GRADING AROUND RETAINING WALLS SHALL BE KEPT TO A MINIMUM AND SHALL STAY WITHIN THE RIGHT-OF-WAY. GRADING SHALL BE SET TO AVOID EXISTING FEATURES TO REMAIN AND SHALL NOT INTRODUCE ADDITIONAL LOADING ON ADJACENT STRUCTURES.
 - TEMPORARY SUPPORT OF EXCAVATION (TSOE) WILL BE REQUIRED AT VARIOUS LOCATIONS TO MAINTAIN ACTIVE RAIL DURING WALL CONSTRUCTION AND TO AVOID EXISTING FEATURES. TSOE SHALL BE CUT OFF 3'-0" BELOW FINISH GROUND AND ABANDONED IN PLACE IN ACCORDANCE WITH CSXT REQUIREMENTS. ANTICIPATED LOCATIONS, MEANS, AND METHODS OF TSOE SHOWN ARE CONCEPTUAL. THE FINAL LOCATION, MEANS, AND METHODS WILL BE DETERMINED DURING FINAL DESIGN BY THE PROGRESSIVE DESIGN-BUILD (PDB) TEAM.
 - GROUND IMPROVEMENTS IN THE FORM OF PILES OR RIGID INCLUSIONS BELOW LOAD TRANSFER PLATFORMS MAY BE NECESSARY TO LIMIT SETTLEMENT WHERE PROPOSED GRADE WILL BE RAISED MORE THAN 2 FEET ABOVE EXISTING. LIGHTWEIGHT FILL MAY BE USED WHEN PRACTICAL BUT MAY NOT BE PLACED WITHIN 3 FEET OF THE PROPOSED TRACK SUBGRADE. ANTICIPATED LOCATION AND EXTENTS OF GROUND IMPROVEMENTS AND LIGHTWEIGHT FILL SHOWN ARE CONCEPTUAL. THE FINAL LOCATION AND EXTENTS WILL BE DETERMINED DURING FINAL DESIGN BY THE PROGRESSIVE DESIGN-BUILD (PDB) TEAM.

PRELIMINARY ENGINEERING	
DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY	J. MACPHERSON
DRAWN BY	J. MACPHERSON
CHECKED BY	K. D'URSO
APPROVED BY	G. GOODRICH
DATE	2/8/2023
Rev.	Date
	Description






THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
RETAINING WALL TYPICAL DETAILS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	W-001
REV.	SHEET NO.
N/A	81 OF 203
SCALE	AS SHOWN


pdfplotting
 LBPE_id_v95.tbl
 Plotted By: Kwenworth 2/8/2023
 w_R02A_w001_tp_wall.dgn
 Plan Sheet w001_South



WALL "A" TABLE (SEE NOTE 2)		
STA.	OFFSET	HEIGHT
4016+50	12.94'	5'±
4017+00	12.02'	8'±
4017+50	12.00'	14'±
4018+00	12.90'	23'±
4018+04.84	13.08'	23'±

RETAINING WALL "A" PLAN
SCALE: 1" = 20'

FOR REFERENCE ONLY



TYPICAL SECTION
RETAINING WALL "A"
(SHOWN AT STA. 4017+50)
SCALE: 3/16" = 1'-0"

LEGEND

	= NEW RETAINING WALL
	= LIMITS OF LOAD TRANSFER PLATFORM

- NOTES:**
- SEE RETAINING WALL TYPICAL DETAILS SHEET FOR GENERAL RETAINING WALL NOTES.
 - WALL OFFSET PROVIDED FROM CENTERLINE OF TRACK TO BACK OF PARAPET. "HEIGHT" IS THE EXPOSED WALL HEIGHT, SEE TYPICAL DETAILS SHEET.
 - SEE TRACK PLANS FOR TRACK ALIGNMENT DATA AND ADDITIONAL INFORMATION.
 - WALL A SHALL TIE INTO THE EXISTING WELDED WIRE RETAINING WALL AROUND LONG BRIDGE PARK. FINAL LOCATION AND DETAILS OF WALL CONNECTION WILL BE DETERMINED DURING FINAL DESIGN BY THE DESIGN-BUILD (DB) TEAM.
 - A NEW SIGNAL STRUCTURE WILL BE INSTALLED IN THE VICINITY OF THE END OF WALL A, AS PART OF THE ALEXANDRIA 4TH TRACK PROJECT. CSXT IS RESPONSIBLE FOR SIGNAL DESIGN. FINAL LOCATION, LAYOUT, AND DESIGN OF THE SIGNAL STRUCTURE IS ONGOING.

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	J. MACPHERSON
DRAWN BY	J. MACPHERSON
CHECKED BY	K. D'URSO
APPROVED BY	G. GOODRICH
DATE	2/8/2023

Rev.	Date	Description

DESIGNED BY
J. MACPHERSON

DRAWN BY
J. MACPHERSON

CHECKED BY
K. D'URSO

APPROVED BY
G. GOODRICH

DATE
2/8/2023

VIRGINIA
PASSENGER RAIL
AUTHORITY

TRANSFORMING
RAIL IN VIRGINIA

CSX

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

vhb



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL

**RETAINING WALL "A"
PLAN AND SECTION**

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. W-002	
REV. N/A	SHEET NO. 82 OF 203
SCALE AS SHOWN	


pdfplotfgr
 LBPE_id_v95.tbl
 Plotted By: kwenworth 2/8/2023
 w_r02a_w002_reinwall_A.dgn
 Plan Sheet w002_South




LOCUS MAP
SCALE 1" = 1000'

FOR REFERENCE ONLY

PLAN
SCALE 1" = 20'-0"



ELEVATION
(LOOKING WEST)
SCALE 1" = 20'-0"



LOCATION MAP: POTOMAC RIVER UNDERGRADE BRIDGE

- NOTES:
1. UNDERGROUND UTILITIES NOT SHOWN FOR CLARITY. SEE UTILITY DEMOLITION AND RELOCATION PLANS FOR FURTHER INFORMATION.
 2. EXISTING PILES SHOWN BASED ON AVAILABLE CSX RECORD PLANS. PRESENCE OF ANY BATTERED PILES SHALL BE CONFIRMED BY THE CONTRACTOR IN THE FIELD.

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY R. CAMPBELL	
DRAWN BY E. RIDOLFI	
CHECKED BY A. RODZON	
APPROVED BY J. KONRAD	
DATE 2/8/2023	
Rev.	Date
	Description

DESIGNED BY R. CAMPBELL
DRAWN BY E. RIDOLFI
CHECKED BY A. RODZON
APPROVED BY J. KONRAD
DATE 2/8/2023

TRANSFORMING
RAIL IN VIRGINIA



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. B-201	
REV. N/A	SHEET NO. 83 OF 203
SCALE AS SHOWN	

**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**


**SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
GENERAL PLAN AND ELEVATION (1 OF 6)**

VDOT PDF-attf6g
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 2/8/2023
 b02_R02A_B201_pe1.dgn
 GPE 1 Sheet File



NOTES:

- UNDERGROUND UTILITIES NOT SHOWN FOR CLARITY. SEE UTILITY DEMOLITION AND RELOCATION PLANS FOR FURTHER INFORMATION.
- EXISTING PILES SHOWN BASED ON AVAILABLE CSX RECORD PLANS. PRESENCES OF ANY BATTERED PILES SHALL BE CONFIRMED BY THE CONTRACTOR IN THE FIELD.



PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	R. CAMPBELL	
DRAWN BY	E. RIDOLFI	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	R. CAMPBELL
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023

VIRGINIA PASSENGER RAIL AUTHORITY

TRANSFORMING RAIL IN VIRGINIA

CSX


H&H

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

PROJECT NO.		VPRA R02A
DRAWING NO.		CSXT XXXX
REV.		B-202
SHEET NO.	84 OF 203	
SCALE	AS SHOWN	

LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER UNDERGRADE BRIDGE
GENERAL PLAN AND ELEVATION (2 OF 6)


VDOT PDF:alfcig
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B202_pe2.dgn
 GPE 2 Sheet File
 2/8/2023




POTOMAC RIVER

FOR REFERENCE ONLY

PLAN
SCALE 1" = 20'-0"



ELEVATION
(LOOKING WEST)
SCALE 1" = 20'-0"



LEGEND:
- NAVIGATION LIGHT

- UNDERGROUND UTILITIES NOT SHOWN FOR CLARITY. SEE UTILITY DEMOLITION AND RELOCATION PLANS FOR FURTHER INFORMATION.
- NAVIGATION LIGHT SHOWN FOR LOCATION PURPOSES ONLY. NAVIGATION LIGHT SHOULD NOT ENCROACH INTO MINIMUM REQUIRED VERTICAL CLEARANCE IN NAVIGATION CHANNEL.
- EXISTING STRUCTURE SHOWN IS BASED ON AVAILABLE CSX RECORD PLANS. CURRENT CONDITION OF THE FENDER AND FIRE PROTECTION SHALL BE CONFIRMED BY THE CONTRACTOR IN THE FIELD.
- EXISTING PILES SHOWN BASED ON AVAILABLE CSX RECORD PLANS. PRESENCE OF ANY BATTERED PILES SHALL BE CONFIRMED BY THE CONTRACTOR IN THE FIELD.

PRELIMINARY ENGINEERING	
DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY	R. CAMPBELL
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023
Rev.	Date
	Description

DESIGNED BY	R. CAMPBELL
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER UNDERGRADE BRIDGE
GENERAL PLAN AND ELEVATION (3 OF 6)


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-203
REV.	SHEET NO. 85 OF 203
SCALE	AS SHOWN

VDOT PDF:alfg
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B203_pe3.dgn
 GPE 3 Sheet File
 2/8/2023




FOR REFERENCE ONLY

PLAN
SCALE 1" = 20'-0"



ELEVATION
(LOOKING WEST)
SCALE 1" = 20'-0"



- NOTES:
- UNDERGROUND UTILITIES NOT SHOWN FOR CLARITY. SEE UTILITY DEMOLITION AND RELOCATION PLANS FOR FURTHER INFORMATION.
 - EXISTING PILES SHOWN BASED ON AVAILABLE CSX RECORD PLANS. PRESENCE OF ANY BATTERED PILES SHALL BE CONFIRMED BY THE CONTRACTOR IN THE FIELD.

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

Rev.	Date	Description

DESIGNED BY	R. CAMPBELL
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
**POTOMAC RIVER
UNDERGRADE BRIDGE
GENERAL PLAN AND ELEVATION (4 OF 6)**


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-204
REV.	SHEET NO. 86 OF 203
SCALE	AS SHOWN

VDOT PDF:alf6g
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B204_p04.dgn
 GPE 4 Sheet File




FOR REFERENCE ONLY

PLAN
SCALE 1" = 20'-0"



ELEVATION
(LOOKING WEST)
SCALE 1" = 20'-0"

- NOTES:
1. UNDERGROUND UTILITIES NOT SHOWN FOR CLARITY. SEE UTILITY DEMOLITION AND RELOCATION PLANS FOR FURTHER INFORMATION.
 2. EXISTING PILES SHOWN BASED ON AVAILABLE CSX RECORD PLANS. PRESENCE OF ANY BATTERED PILES SHALL BE CONFIRMED BY THE CONTRACTOR IN THE FIELD.



PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	R. CAMPBELL	
DRAWN BY	E. RIDOLFI	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY
R. CAMPBELL

DRAWN BY
E. RIDOLFI

CHECKED BY
A. RODZON

APPROVED BY
J. KONRAD

DATE
2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**


SUBDIVISION: RF&P ZONE: CENTRAL
**POTOMAC RIVER
UNDERGRADE BRIDGE
GENERAL PLAN AND ELEVATION (5 OF 6)**

PROJECT NO.	VPRA R02A CSXT XXXX	
DRAWING NO.	B-205	
REV.	SHEET NO.	87 OF 203
SCALE	AS SHOWN	


VDOT PDF:alf6g
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B205_pe5.dgn
 GPE 5 Sheet File



PLAN
SCALE 1" = 20'-0"



ELEVATION
(LOOKING WEST)
SCALE 1" = 20'-0"



LOCATION MAP: POTOMAC RIVER UNDERGRADE BRIDGE

- NOTES:
1. UNDERGROUND UTILITIES NOT SHOWN FOR CLARITY. SEE UTILITY DEMOLITION AND RELOCATION PLANS FOR FURTHER INFORMATION.
 2. SEE TUNNEL PLANS ON DWG. B-225 FOR ADDITIONAL INFORMATION.
 3. SEE LONG BRIDGE NORTH PACKAGE FOR PERMANENT ACCESS ROAD PLANS.
 4. EXISTING PILES SHOWN BASED ON AVAILABLE CSX RECORD PLANS. PRESENCE OF ANY BATTERED PILES SHALL BE CONFIRMED BY THE CONTRACTOR IN THE FIELD.

PRT 18" ID PROPOSED TUNNEL
INV EL. -94.03' (SEE NOTE 2)

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	R. CAMPBELL
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
GENERAL PLAN AND ELEVATION (6 OF 6)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-206
REV.	SHEET NO. 88 OF 203
SCALE	AS SHOWN

VDOT PDF:rlf6g
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 02_R02A_B206_p06.dgn
 GPE & Sheet File
 2/8/2023



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY
R. CAMPBELL

DRAWN BY
E. RIDOLFI

CHECKED BY
A. RODZON

APPROVED BY
J. KONRAD

DATE
2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER UNDERGRADE BRIDGE
PROFILE (1 OF 3)



PROJECT NO.
VPRA R02A
CSXT XXXX

DRAWING NO.
B-207

REV. SHEET NO.
N/A 89 OF 203

SCALE
AS SHOWN

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 02_R02A_B207_prof1.dgn
 Profile 1 Sheet File
 2/8/2023



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY
R. CAMPBELL

DRAWN BY
E. RIDOLFI

CHECKED BY
A. RODZON

APPROVED BY
J. KONRAD

DATE
2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL

POTOMAC RIVER
UNDERGRADE BRIDGE
PROFILE (2 OF 3)


PROJECT NO.
VPRA R02A
CSXT XXXX

DRAWING NO.
B-208

REV. SHEET NO.
N/A 90 OF 203

SCALE
AS SHOWN

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 02_R02A_B208_prof2.dgn
 Profile 2 Sheet File
 2/8/2023



PROFILE
 (ALONG CL TRACK 3)
 SCALE: 1" = 20' (HORIZONTAL)
 1" = 10' (VERTICAL)






FOR REFERENCE ONLY

NOTE: SEE TRACK PROFILE FOR CURVE DATA.


VDOT PDF:allfig
 LBPE_id_v95.tbl 2/8/2023
 Plotted By: rcampbell
 b02_R02A_B209_prof9.dgn
 Profile 3 Sheet File

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	R. CAMPBELL	
DRAWN BY	E. RIDOLFI	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	R. CAMPBELL
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023

 				<p> LONG BRIDGE SOUTH PACKAGE ARLINGTON, VA TO WASHINGTON, DC SUBDIVISION: RF&P ZONE: CENTRAL POTOMAC RIVER UNDERGRADE BRIDGE PROFILE (3 OF 3) </p>	PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. B-209					REV. N/A	SHEET NO. 91 OF 203
					SCALE	AS SHOWN

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



TRANSVERSE SECTION: SPANS 1 & 2
 GWMP SPANS
 SCALE: 1/4" = 1'-0"

TRANSVERSE SECTION: SPANS 3-27
 SCALE: 1/4" = 1'-0"

PRELIMINARY ENGINEERING
 DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	R. CAMPBELL
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

LONG BRIDGE
 SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 POTOMAC RIVER
 UNDERGRADE BRIDGE
 TRANSVERSE SECTIONS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-210
REV.	SHEET NO. 92 OF 203
SCALE	AS SHOWN

VDOT PDF:alf6g
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 2/8/2023
 b02_R02A_B210_1yp1.dgn
 Typ Section 1 Sheet File


Rev.	Date	Description



NOTES:


1. FOR ADDITIONAL DETAILS ON THE ARCHITECTURAL PILASTER, SEE AESTHETIC TREATMENT DETAIL SHEETS.
2. COORDINATION ON AESTHETICS IS ONGOING.

ABUTMENT A - PLAN
SCALE 1/8" = 1'-0"



ABUTMENT A - ELEVATION
SCALE 1/8" = 1'-0"

FOR REFERENCE ONLY



SECTION A-A
SCALE 1/8" = 1'-0"

<p>PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023</p>		<p>DESIGNED BY E. RIDOLFI</p> <p>DRAWN BY E. RIDOLFI</p> <p>CHECKED BY A. RODZON</p> <p>APPROVED BY J. KONRAD</p> <p>DATE 2/8/2023</p>
Rev.	Date	Description

DESIGNED BY
E. RIDOLFI

DRAWN BY
E. RIDOLFI

CHECKED BY
A. RODZON

APPROVED BY
J. KONRAD

DATE
2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC


SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
ABUTMENT A PLAN AND ELEVATION

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-211
REV.	SHEET NO. 93 OF 203
SCALE	AS SHOWN


VDOT PDF-attf6g
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 2/8/2023
 b02_R02A_B211_AbutApe.dgn
 Sheet Model



ABUTMENT B - PLAN
SCALE 1/8" = 1'-0"



ABUTMENT B - ELEVATION
SCALE 1/8" = 1'-0"



VIEW A-A
SCALE 1/8" = 1'-0"

NOTES:
1. COORDINATION ON AESTHETICS IS ONGOING.

FOR REFERENCE ONLY

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	E. RIDOLFI
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

LONG BRIDGE SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 POTOMAC RIVER UNDERGRADE BRIDGE
 ABUTMENT B PLAN AND ELEVATION


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-212
REV.	SHEET NO. 94 OF 203
SCALE	AS SHOWN

VDOT PDF-plotting
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 2/8/2023
 b02_R02A_B212_AbutBpre.dgn
 Sheet Model

Rev.	Date	Description



- NOTES:
1. SEE DWG. NO. B-226 FOR ADDITIONAL PILASTER DETAILS.
 2. TOP OF PILASTER ELEVATION SHOULD, AT MINIMUM, MATCH TOP OF THROUGH GIRDER ELEVATION FOR THE HIGHEST GIRDER SUPPORTED ON THE PIER.
 3. COORDINATION ON AESTHETICS IS ONGOING.



FOR REFERENCE ONLY

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	K. MCCULLOCH
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 POTOMAC RIVER UNDERGRADE BRIDGE
 WALL PIER 1 PLAN AND ELEVATION

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-213
REV.	SHEET NO. 95 OF 203
SCALE	AS SHOWN

VDOT PDF:rlf6g
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B213_WPpe1.dgn
 Sheet Model

Rev.	Date	Description



FOR REFERENCE ONLY

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	K. MCCULLOCH	
DRAWN BY	E. RIDOLFI	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description







THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
WALL PIER 2 PLAN AND ELEVATION

PROJECT NO.	VPRA R02A CSXT XXXX	
DRAWING NO.	B-214	
REV.	SHEET NO.	96 OF 203
SCALE	AS SHOWN	

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B214_WPae2.dgn
 Sheet Model



FOR REFERENCE ONLY

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	E. RIDOLFI	
DRAWN BY	E. RIDOLFI	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description



**VIRGINIA
PASSENGER RAIL
AUTHORITY**



**TRANSFORMING
RAIL IN VIRGINIA**



H&H


THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**


SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
MULTI-COLUMN PIERS PLAN AND ELEVATION

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-215
REV.	SHEET NO. 97 OF 203
SCALE	AS SHOWN

VDOT PDF:allfig
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 2/8/2023
 b02_R02A_B215_CPpe3.dgn
 Sheet Model



- NOTES:
1. FOR CL OF PIER STATIONS, SEE GENERAL PLAN AND ELEVATION SHEETS.
 2. PEDESTALS NOT SHOWN FOR CLARITY. TOP OF PIER CAP SHALL BE AT THE SAME ELEVATION FOR ALL RIVER PIERS AND PEDESTALS USED, WHERE NECESSARY, TO MEET REQUIRED BEARING ELEVATIONS.
 3. SEE DWG. B-227 FOR ADDITIONAL AESTHETIC DETAILS.
 4. COORDINATION ON AESTHETICS IS ONGOING.



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	K. MCCULLOCH
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
RIVER PIER PLAN AND ELEVATION



PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-216
REV.	SHEET NO. N/A 98 OF 203
SCALE	AS SHOWN

VDOT PDF:allfig
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B216_RPpe.dgn
 Sheet Model
 2/8/2023


Rev.	Date	Description

SOUTH TO "AF"


NORTH TO "CP VIRGINIA"




EXISTING WMATA BRIDGE PIER (TYP.)




PROPOSED POTOMAC RIVER BICYCLE-PEDESTRIAN BRIDGE PIER (TYP.)



PROPOSED POTOMAC RIVER UNDERGRADE BRIDGE PIER (TYP.)



EXISTING LONG BRIDGE PIER (TYP.)




FOR REFERENCE ONLY

FENDER GENERAL PLAN VIEW
SCALE 1" = 20'-0"

- NOTE:
1. SUPERSTRUCTURE FOR ALL BRIDGES NOT SHOWN FOR CLARITY.
 2. SEE UTILITY DEMOLITION PLANS AND UTILITY RELOCATION PLANS FOR ADDITIONAL INFORMATION REGARDING UTILITIES.
 3. EXISTING STRUCTURES DRAWN BASED ON AVAILABLE RECORD DRAWINGS.

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY S. ZSINKO	
DRAWN BY E. RIDOLFI	
CHECKED BY A. RODZON	
APPROVED BY J. KONRAD	
DATE 2/8/2023	
Rev.	Date
	Description






THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
FENDER GENERAL PLAN

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-217
REV.	SHEET NO. 99 OF 203
SCALE	AS SHOWN

VDOT PDF-plotting
LBPE_Ld_v95.tbl
2/8/2023
Plotted By: eridolfi
b02_R02A_B217_FenderGP.dgn
Sheet Model



FOR REFERENCE ONLY

NOTES:
1. STAINLESS STEEL FASTENER AND WASHER TO BE COUNTERSUNK INTO COMPOSITE LUMBER WALE.

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	S. ZSINKO	
DRAWN BY	E. RIDOLFI	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY


LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER UNDERGRADE BRIDGE
FENDER PLAN, ELEVATION, AND DETAILS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-218
REV.	SHEET NO.
N/A	100 OF 203
SCALE	AS SHOWN


VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B218_FenderPE.dgn
 Sheet Model
 2/8/2023



TYPICAL BRIDGE DRAINAGE DETAIL
SCALE 1/2" = 1'-0"



TYPICAL JOINT DETAIL - PIERS
SCALE 1/2" = 1'-0"



TYPICAL JOINT DETAIL - ABUTMENTS
SCALE 1/2" = 1'-0"

FOR REFERENCE ONLY

- NOTES:
1. EFFLUENT WILL DROP EVERY 20'-0" O.C. ALONG BRIDGE LONGITUDINALLY.
 2. BRIDGE DRAINAGE IS TYPICAL ALONG BRIDGE AND ABOUT C BRIDGE.
 3. A 1% SLOPE WILL BE PROVIDED ABOUT C DRAIN TO DIRECT RUNOFF AT CONCRETE ENCASED CONDUIT.
 4. DOWNSPOUTS ABOVE THE NAVIGATION CHANNEL (SPAN 13) WILL BE FLUSH WITH THE BOTTOM CHORD.

VDOT PDF-plotting
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 002_R02A_B219_Sup5A.dgn
 Sheet Model 2
 2/6/2023

PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	R. CAMPBELL	
DRAWN BY	E. RIDOLFI	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	R. CAMPBELL
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
SUPERSTRUCTURE DETAILS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-219
REV.	SHEET NO.
N/A	101 OF 203
SCALE	AS SHOWN



FOR REFERENCE ONLY

CONCEPTUAL TEMPORARY TRESTLE PLAN VIEW
SCALE 1" = 40'-0"

- LEGEND**
- = TEMPORARY TRESTLE
 - = APPROXIMATE LOCATION OF PROJECT WORK LIMITS
- NOTES:**
- FOR TRESTLE DETAILS, SEE DWG. B-223.
 - FOR SECTION A-A, SEE DWG. B-224.

MATCH LINE - SEE DRAWING B-221

VDOT PDF-attlog
LBPE_id_v95.tbl
2/6/2023
Plotted By: rcampbell
b02_R02A_B220_B221_B222_TP1.dgn
Sheet File (1 of 3)

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	R. CAMPBELL	
DRAWN BY	R. CAMPBELL	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	R. CAMPBELL
DRAWN BY	R. CAMPBELL
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023







THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
TEMPORARY TRESTLE PLANS (1 OF 3)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-220
REV.	SHEET NO. 102 OF 203
SCALE	AS SHOWN



CONCEPTUAL TEMPORARY TRESTLE PLAN VIEW
SCALE 1" = 40'-0"

LEGEND
 = TEMPORARY TRESTLE
 = APPROXIMATE LOCATION OF PROJECT WORK LIMITS
NOTES:
 1. FOR TRESTLE DETAILS SEE DWG. B-223.

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B220_B221_B222_TP1.dgn
 Sheet File (2 of 3)

PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	R. CAMPBELL	
DRAWN BY	R. CAMPBELL	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description

------	------	--


THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 POTOMAC RIVER
 UNDERGRADE BRIDGE
TEMPORARY TRESTLE PLANS (2 OF 3)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-221
REV.	SHEET NO. 103 OF 203
SCALE	AS SHOWN



SOUTH TO "AF"

NORTH TO "CP VIRGINIA"



FOR REFERENCE ONLY

CONCEPTUAL TEMPORARY TRESTLE PLAN VIEW
SCALE 1" = 40'-0"

- LEGEND**
-  = TEMPORARY TRESTLE
 -  = APPROXIMATE LOCATION OF PROJECT WORK LIMITS

NOTES:

- FOR TRESTLE DETAILS, SEE DWG. B-223.

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 002_R02A_B220_B221_B222_TP1.dgn
 Sheet File (3 of 3)
 2/8/2023

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	R. CAMPBELL	
DRAWN BY	R. CAMPBELL	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	R. CAMPBELL
DRAWN BY	R. CAMPBELL
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023









THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY


**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

 SUBDIVISION: RF&P ZONE: CENTRAL
 POTOMAC RIVER UNDERGRADE BRIDGE
 TEMPORARY TRESTLE PLANS (3 OF 3)

PROJECT NO.		VPRA R02A CSXT XXXX
DRAWING NO.		B-222
REV.	SHEET NO.	104 OF 203
N/A	SCALE	AS SHOWN



SECTION A-A
SCALE 1" = 5'-0"



CONCEPTUAL TEMPORARY TRESTLE ELEVATION
(SPAN 7 SHOWN)
SCALE 1" = 5'-0"

NOTES:
1. FOR CONCEPTUAL DETAILS OF TRESTLE OVER MOUNT VERNON TRAIL BOARDWALK, SEE POTOMAC RIVER BIKE-PED BRIDGE PLANS.

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	R. CAMPBELL
DRAWN BY	R. CAMPBELL
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
TEMPORARY TRESTLE DETAILS (1 OF 2)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-223
REV.	SHEET NO. 105 OF 203
SCALE	AS SHOWN

FAA MINIMUM FLIGHT PATH CLEARANCE MIN. 81'-0" ABOVE MEAN SEA LEVEL



CONCEPTUAL TEMPORARY TRESTLE ELEVATION - PIER 11, SPAN 11

LOOKING STA. AHEAD
SCALE 1" = 10'-0"

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	R. CAMPBELL
DRAWN BY	D.DERKS
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
TEMPORARY TRESTLE DETAILS (2 OF 2)


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-224
REV.	SHEET NO. 106 OF 203
SCALE	AS SHOWN




PLAN: DCCR TUNNEL CLEARANCE WITH PROPOSED BRIDGE FOUNDATION



SECTION A - STA. 3044+51.45
SCALE: 1" = 30' (HORIZONTAL)
1" = 15' (VERTICAL)



PLAN: DCCR TUNNEL CLEARANCE WITH CONCEPTUAL TEMPORARY TRESTLE & PROPOSED BIKE-PED BRIDGE



SECTION B - STA. 3044+51.45
SCALE: 1" = 30' (HORIZONTAL)
1" = 15' (VERTICAL)

FOR REFERENCE ONLY

- NOTES:
1. THE DCCR TUNNEL CONSTRUCTION IS NOT PART OF THIS CONTRACT.
 2. THE DC CLEAN RIVERS TUNNEL WILL SLOPE DOWNWARD FROM WEST TO EAST. INVERT ELEVATION WILL VARY.
 3. THE DCCR TUNNEL CONSTRUCTION MAY TAKE PLACE DURING THE TIME OF THE POTOMAC RIVER UNDERGRADE BRIDGE CONSTRUCTION.
 4. FOR POTOMAC RIVER BIKE-PED BRIDGE PLANS, SEE D-SERIES PLANS.

VDOT PDF:alf6g
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 b02_R02A_B225_DCCR.dgn
 Sheet Model
 2/10/2023

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	J.HEWKO	
DRAWN BY	J.HEWKO	
CHECKED BY	A.RODZON	
APPROVED BY	J.KONRAD	
DATE	2/10/2023	
Rev.	Date	Description

DESIGNED BY	J.HEWKO
DRAWN BY	J.HEWKO
CHECKED BY	A.RODZON
APPROVED BY	J.KONRAD
DATE	2/10/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER
UNDERGRADE BRIDGE
DCCR TUNNEL PROFILE AND ELEVATION


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-225
REV.	SHEET NO. 107 OF 203
SCALE	AS SHOWN




VIEW A-A
SCALE 1/2" = 1'-0"



SECTION B-B
SCALE 1/2" = 1'-0"




VIEW C-C
SCALE 1/2" = 1'-0"




SECTION D-D
SCALE 1/2" = 1'-0"



- NOTES:
1. TOP OF PILASTER ELEVATION SHOULD, AT A MINIMUM, MATCH TOP OF THROUGH GIRDER ELEVATION FOR THE HIGHEST GIRDER SUPPORTED ON THE PIER OR ABUTMENT.
 2. THE INFORMATION ON THIS SHEET IS CONSIDERED DIRECTIVE TO THE DESIGN BUILDER.
 3. SEE RENDERING SHEETS FOR DETAILS OF ARCHITECTURAL FINISH.



WALL PIER PILASTER - ELEVATION
(PIER 1 SHOWN, PIER 2 SIMILAR)
SCALE 3/8" = 1'-0"



ABUTMENT A PILASTER - ELEVATION
SCALE 3/8" = 1'-0"



FOR REFERENCE ONLY

<p>PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023</p>		<p>DESIGNED BY R. CAMPBELL</p> <p>DRAWN BY S. RILEY</p> <p>CHECKED BY A. RODZON</p> <p>APPROVED BY J. KONRAD</p> <p>DATE 2/8/2023</p>
Rev.	Date	Description

<p>DESIGNED BY R. CAMPBELL</p> <p>DRAWN BY S. RILEY</p> <p>CHECKED BY A. RODZON</p> <p>APPROVED BY J. KONRAD</p> <p>DATE 2/8/2023</p>



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC


SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER UNDERGRADE BRIDGE
AESTHETIC TREATMENT
DETAILS (1 OF 2)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-226
REV.	SHEET NO. 108 OF 203
SCALE	AS SHOWN


VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: rcampbell
 2/8/2023
 b02_R02A_B226_ATD1.dgn
 Sheet Model V1




VIEW A-A
SCALE 1/2" = 1'-0"



SECTION B-B
SCALE 1/2" = 1'-0"



RIVER PIER ARCHITECTURAL DETAILS - ELEVATION
(PIERS 5 - 26)
SCALE 1/2" = 1'-0"



MULTI-COLUMN PIER ARCHITECTURAL DETAILS - ELEVATION
(PIERS 3 & 4)
SCALE 1/2" = 1'-0"

NOTES:

1. THE BOTTOM OF THE PIER CAP SHOULD BE ROUNDED WITH THE SHOWN RADIUS FOR THE ENTIRE PERIMETER. SEE RENDERINGS IN DATA PACKAGE FOR ADDITIONAL VISUAL CLARIFICATION.
2. THE TOP OF THE PEDESTAL SHALL BE APPROXIMATELY 2'-6" ABOVE FINISHED GRADE.
3. THE INFORMATION ON THIS SHEET IS CONSIDERED DIRECTIVE TO THE DESIGN BUILDER.
4. SEE RENDERING SHEETS FOR DETAILS OF ARCHITECTURAL FINISH.

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	R. CAMPBELL
DRAWN BY	E. RIDOLFI
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER UNDERGRADE BRIDGE
AESTHETIC TREATMENT
DETAILS (2 OF 2)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	B-227
REV.	SHEET NO. 109 OF 203
SCALE	AS SHOWN

GENERAL NOTES

SPECIFICATIONS

EXCEPT AS AMENDED OR SUPPLEMENTED BY THE PROJECT'S SPECIAL PROVISIONS OR DRAWING NOTES, THE FOLLOWING SPECIFICATIONS SHALL GOVERN ALL CONSTRUCTION MATERIALS AND PROCEDURES.

CONSTRUCTION:

DISTRICT OF COLUMBIA DEPARTMENT OF TRANSPORTATION (DDOT) STANDARD SPECIFICATIONS FOR HIGHWAYS AND STRUCTURES, 2013, EXCEPT THAT MEASUREMENTS AND PAYMENT PROVISIONS DO NOT APPLY.

TRAIL DESIGN:

AMERICANS WITH DISABILITIES ACT STANDARDS FOR ACCESSIBLE DESIGN

DDOT DESIGN AND ENGINEERING MANUAL, 2019

DDOT BICYCLE FACILITY DESIGN GUIDE, 2020

AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS (AASHTO) GUIDE FOR THE DEVELOPMENT OF BICYCLE FACILITIES, 2012

ADVANCED NOTICE OF PROPOSED RULEMAKING ON ACCESSIBILITY GUIDELINES FOR SHARED USE PATHS

NATIONAL PARK SERVICE ACTIVE TRANSPORTATION GUIDEBOOK, 2018

BRIDGE DESIGN:

DDOT DESIGN AND ENGINEERING MANUAL, 2019

AASHTO LRFD GUIDE SPECIFICATION FOR THE DESIGN OF PEDESTRIAN BRIDGES, 2009 2ND EDITION WITH 2015 INTERIMS

AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS, 9TH EDITION, 2020

AASHTO STANDARD SPECIFICATIONS FOR STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES, AND TRAFFIC SIGNALS, 6TH EDITION WITH 2022 INTERIM REVISIONS

AASHTO GUIDE SPECIFICATIONS FOR LRFD SEISMIC BRIDGE DESIGN, 2011 2ND EDITION WITH 2015 INTERIMS

INTERNATIONAL BUILDING CODE, 2021

DISTRICT OF COLUMBIA BUILDING CODE, 2017

LIVE LOAD

H-10 TRUCKS

90PSF PEDESTRIAN LOADING (NO ALLOWANCE FOR REDUCTION)

CONSTRUCTION LOADS TO BE DEFINED BY DESIGN-BUILDER

DESIGN LOADS - GENERAL

REFER TO PROJECT BASIS OF DESIGN DOCUMENT

GENERAL

THE CONTRACTOR SHALL PERFORM WORK AT THE SITE ONLY PER APPROVED SITE-SPECIFIC SAFETY WORK PLANS.

THE CONTRACTOR SHALL TAKE THE PROPER PRECAUTIONS TO ASSURE THE STABILITY OF ALL STRUCTURAL ELEMENTS UNTIL THE TOTAL STRUCTURE IS COMPLETE.

THE CONTRACTOR IS RESPONSIBLE FOR THE ENTIRE ERECTION OF THE BRIDGE. THE CONTRACTOR SHALL SUBMIT DRAWINGS SEALED BY AN ENGINEER REGISTERED IN THE DISTRICT OF COLUMBIA EXPERIENCED IN BRIDGE DESIGN, ILLUSTRATING FULLY THE PROPOSED METHOD OF ERECTION. THE DRAWINGS SHALL SHOW DETAILS OF ALL FALSEWORK BENTS, BRACING, GUYS, DEAD-MEN, LIFTING DEVICES AND ATTACHMENTS TO THE BRIDGE MEMBERS, SEQUENCE OF ERECTION, LOCATION OF CRANES, CRANE CAPACITIES, LOCATION OF LIFTING POINTS ON THE BRIDGE MEMBERS AND WEIGHT OF MEMBERS. THE PLAN AND DRAWINGS SHALL BE COMPLETE IN DETAIL FOR ALL ANTICIPATED PHASES AND CONDITIONS DURING ERECTION. CALCULATIONS, SEALED BY AN ENGINEER REGISTERED IN THE DISTRICT OF COLUMBIA EXPERIENCED IN BRIDGE DESIGN, ARE REQUIRED TO DEMONSTRATE THAT ALLOWABLE STRESSES ARE NOT EXCEEDED AND THAT MEMBER CAPACITIES AND FINAL GEOMETRY WILL BE CORRECT. NO ERECTION SHALL BE PERFORMED UNTIL THE PROPOSED ERECTION DRAWINGS HAVE BEEN REVIEWED BY THE ENGINEER AND HAVE WRITTEN APPROVAL BY THE ADMINISTRATION.

DEFINITIONS

TEMPERATURE FOR SETTING JOINTS: 70 DEGREES FAHRENHEIT.

VERTICAL DATUM: NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88).

PLAN DIMENSIONS ARE MEASURED IN FEET AND INCHES. ELEVATIONS ARE GIVEN IN FEET.

MAINTENANCE OF NAVIGATION

DURING CONSTRUCTION, NAVIGATION WITHIN THE CLEARANCES INDICATED ON THE PLANS SHALL BE MAINTAINED AT ALL TIMES, EXCEPT AS THE CONTRACTOR MAY OBTAIN UNITED STATES COAST GUARD PERMISSION FOR TEMPORARY CLOSURE(S). SEE ALSO THE SPECIFICATIONS.

FOUNDATIONS

REFER TO GEOTECHNICAL DATA REPORT FOR EXISTING SUBSURFACE INFORMATION AND FOUNDATION REQUIREMENTS.

CONCRETE

CONCRETE MATERIAL SHALL BE IN ACCORDANCE WITH DDOT SPECIFICATIONS. BRIDGE DECK AND STAIRS SHALL BE CLASS A. ALL OTHER CONCRETE SHALL BE CLASS B.

EXPOSED EDGES OF CONCRETE SHALL BE BEVELED 3/4" x 3/4" UNLESS DIMENSIONED OTHERWISE.

CONSTRUCTION JOINTS, OTHER THAN THOSE SHOWN ON THE PLANS, WILL NOT BE PERMITTED WITHOUT THE PRIOR APPROVAL OF THE ENGINEER.

STRUCTURAL CONCRETE SHALL REACH ITS MINIMUM SPECIFIED DESIGN STRENGTH WITHIN 28 DAYS.

REINFORCEMENT STEEL FOR CONCRETE

REINFORCEMENT STEEL FOR CONCRETE MATERIAL SHALL BE IN ACCORDANCE WITH DDOT SPECIFICATIONS. ALL REINFORCING STEEL SHALL BE AASHTO M31 (ASTM A615, GRADE 60), AND SHALL BE EPOXY COATED.

STRUCTURAL STEEL

STRUCTURAL STEEL MATERIAL SHALL BE IN ACCORDANCE WITH DDOT SPECIFICATIONS. STRUCTURAL STEEL SHALL CONFORM TO AASHTO M277 (ASTM A709) GRADE 50. HSS TUBES USED AS PRIMARY STRUCTURAL MEMBERS SHALL CONFORM TO EITHER ASTM A1085, OR CONFORM TO ASTM A500 WITH AN ADDITIONAL REQUIREMENT TO MEET CHARPY V-NOTCH TESTING IN ACCORDANCE WITH DDOT DEM TABLES.

STRUCTURAL STEEL SHALL BE PAINTED. PAINT SYSTEM SHALL BE IN ACCORDANCE WITH DDOT SPECIFICATIONS. PAINT COLOR SHALL BE DARK BROWN, STANDARD COLOR CHIP NO. 37056 OF FEDERAL STANDARD NO. 595.

HIGH STRENGTH BOLTS SHALL CONFORM TO ASTM F3125 TYPE A325. BOLT THREADS SHALL BE EXCLUDED FROM THE SHEAR PLANES.

CONNECTIONS SHALL BE CLASS-A SLIP CRITICAL JOINTS UNLESS OTHERWISE NOTED OR APPROVED IN FINAL DESIGN.

ANCHOR BOLTS SHALL CONFORM TO ASTM F1554 GRADE 55 AND SHALL BE HOT-DIPPED GALVANIZED.

STRUCTURAL STEEL FABRICATOR(S) SHALL BE CERTIFIED UNDER THE AISC QUALITY CONTROL PROGRAM, CATEGORY CBR-F, MAJOR STEEL BRIDGES.


WELDING DETAILS, PROCEDURES, AND TESTING METHODS SHALL CONFORM TO AWS D1.5, AS MODIFIED OR SUPPLEMENTED BY THE PROJECT SPECIFICATIONS.

FINAL DESIGN

THE DESIGN BUILDER IS RESPONSIBLE FOR THE FINAL DESIGN OF THE BRIDGE, LANDINGS, AND AMENITIES. FINAL DESIGN INCLUDES BRIDGE AND NAVIGATION LIGHTING, WAYFINDING SIGNAGE, STRUCTURAL DESIGN AND DETAILING, AND TASKS REQUIRED TO COMPLETE THE PROJECT GOALS AND SPECIFICATIONS.

ADDITIONAL PROJECT GENERAL NOTES

REFER TO PROJECT GENERAL NOTES AND RAIL STRUCTURE GENERAL NOTES FOR ADDITIONAL NOTES. AS APPLICABLE.



LOCUS MAP
SCALE 1" = 1000'

FOR REFERENCE ONLY

VDOT PDF-plotting
 LBPE_d02_r02a.tbl
 Plotted By: Skeller
 d02_r02a_D001_notes.dgn
 DRAWING NOTES
 2/11/2023

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		DESIGNED BY S. KELLER
		DRAWN BY K. WENTWORTH
		CHECKED BY K. POWERS
		APPROVED BY M. COLGAN
Rev.	Date	Description
	2/11/2023	



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE**
 ARLINGTON, VA TO WASHINGTON, DC

 SUBDIVISION: RF&P ZONE: CENTRAL


**POTOMAC RIVER BIKE-PED
GENERAL NOTES**

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. D-001	
REV. N/A	SHEET NO. 110 OF 203
SCALE AS SHOWN	

SOUTH TO "AF" NORTH TO "CP VIRGINIA"



FOR REFERENCE ONLY



ELEVATION
SCALE: 1" = 20'

ELEVATION KEY
NOT TO SCALE

- NOTES:**
- REFER TO PROFILE SHEETS FOR ELEVATIONS AND GRADES.
 - BEARING LONGITUDINAL FIXITIES NOTED IN ELEVATION AS "E" FOR EXPANSION AND "F" FOR FIXED BEARINGS. FINAL FIXITIES TO BE COORDINATED AND UPDATED AS REQUIRED IN COORDINATION WITH SUPERSTRUCTURE AND PIER FINAL DESIGNS.
 - SOUTH ABUTMENT AND WINGWALLS TO BE LOCATED ENTIRELY ON NPS PROPERTY.

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	S. KELLER	
DRAWN BY	K. WENTWORTH	
CHECKED BY	S. KELLER	
APPROVED BY	M. COLGAN	
DATE	2/11/2023	
Rev.	Date	Description

DESIGNED BY	S. KELLER
DRAWN BY	K. WENTWORTH
CHECKED BY	S. KELLER
APPROVED BY	M. COLGAN
DATE	2/11/2023

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY


**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

**SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
GENERAL PLAN
AND ELEVATION (1 OF 6)**



PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-101
REV.	SHEET NO. 111 OF 203
SCALE	AS SHOWN

VDOT PDF:atfcg
 LBPE_id_v95.tbl
 2/11/2023
 Plotted By: Skeller
 d02_R02A_D201_Plan&Elevation.dgn
 D201_Plan and Elevation - Plan 1 [Sheet]

SOUTH TO "AF" NORTH TO "CP VIRGINIA"



FOR REFERENCE ONLY



- NOTES:**
1. SUPERSTRUCTURES WITH LOW CHORDS BELOW THE 100 YEAR WATER SURFACE ELEVATION SHALL BE DESIGNED FOR APPLICABLE LOADS INCLUDING, BUT NOT LIMITED TO HYDRAULIC, ICE, VESSEL COLLISION, AND DEBRIS, INCLUDING THEIR CONNECTIONS TO THE SUPERSTRUCTURES.
 2. BENCH LOCATIONS AND THIS LANDING AREA SIZE AN MATERIALS ARE IN COORDINATION WITH NPS.
 3. DESIGN-BUILDERS SHALL NOTE ADJACENCY TO WMATA YELLOW LINE BRIDGE AND THE DESIGN-BUILDER'S FOUNDATION SHALL AVOID IMPACTING OR CONFLICTING WITH EXISTING BATTERED PILES.

ELEVATION
SCALE: 1" = 20'

ELEVATION KEY
NOT TO SCALE

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	S. KELLER
DRAWN BY	K. WENTWORTH
CHECKED BY	K. POWERS
APPROVED BY	M. COLGAN
DATE	2/11/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**


SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
GENERAL PLAN
AND ELEVATION (2 OF 6)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-102
REV.	SHEET NO. 112 OF 203
SCALE	AS SHOWN


VDOT PDF-attlog
 LBPE_id_v95.tbl
 2/11/2023
 Plotted By: Skeller
 d02_R02A_D201_Plan&Elevation.dgn
 D202_Plan and Elevation - Plan 2 [Sheet]

Rev.	Date	Description

SOUTH TO "AF" NORTH TO "CP VIRGINIA"




FOR REFERENCE ONLY



- NOTES:**
- SEE POTOMAC RIVER UNDERGRADE RAIL BRIDGE DRAWINGS FOR FENDER DETAILS.
 - DESIGN-BUILDERS SHALL NOTE ADJACENCY TO EXISTING WMATA YELLOW LINE BRIDGE FENDER AND PROPOSED FENDER, AND THE DESIGN-BUILDER'S FOUNDATION SHALL AVOID IMPACTING OR CONFLICTING WITH BOTH FENDER SYSTEMS.

ELEVATION
SCALE: 1" = 20'



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	S. KELLER
DRAWN BY	K. WENTWORTH
CHECKED BY	K. POWERS
APPROVED BY	M. COLGAN
DATE	2/11/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY





LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
GENERAL PLAN AND ELEVATION (3 OF 6)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-103
REV.	SHEET NO. 113 OF 203
SCALE	AS SHOWN

VDOT PDF:alf6g
 LBPE_id_v95.tbl
 2/11/2023
 Plotted By: Skeller
 d02_R02A_D201_Plan&Elevation.dgn
 D203_Plan and Elevation - Plan 3 [Sheet]

Rev.	Date	Description

SOUTH TO "AF" NORTH TO "CP VIRGINIA"



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	S. KELLER
DRAWN BY	K. WENTWORTH
CHECKED BY	K. POWERS
APPROVED BY	M. COLGAN
DATE	2/11/2023

Rev.	Date	Description

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
GENERAL PLAN
AND ELEVATION (4 OF 6)

PROJECT NO. VPRA R02A CSXT XXXX


DRAWING NO. D-104

REV. SHEET NO. N/A 114 OF 203

SCALE AS SHOWN


VDOT PDF-attlog
 LBPE_dtl_v95.tbl
 2/11/2023
 Plotted By: Skeller
 d02_R02A_D201_Plan&Elevation.dgn
 D204_Plan and Elevation - Plan 4 [Sheet]

SOUTH TO "AF" NORTH TO "CP VIRGINIA"




FOR REFERENCE ONLY

PLAN
SCALE: 1" = 20'



ELEVATION
SCALE: 1" = 20'



ELEVATION KEY
NOT TO SCALE

VDOT PDF:rlf6g
 LBPE_id_v95.tbl
 2/11/2023
 Plotted By: Skeller
 d02_R02A_D201_Plan&Elevation.dgn
 D205_Plan and Elevation - Plan 5 [Sheet]

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	S. KELLER	
DRAWN BY	K. WENTWORTH	
CHECKED BY	K. POWERS	
APPROVED BY	M. COLGAN	
DATE	2/11/2023	
Rev.	Date	Description

DESIGNED BY	S. KELLER
DRAWN BY	K. WENTWORTH
CHECKED BY	K. POWERS
APPROVED BY	M. COLGAN
DATE	2/11/2023






THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**


 SUBDIVISION: RF&P ZONE: CENTRAL
**POTOMAC RIVER BIKE-PED BRIDGE
GENERAL PLAN
AND ELEVATION (5 OF 6)**

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-105
REV.	SHEET NO. 115 OF 203
SCALE	N/A
	AS SHOWN



PLAN
SCALE: 1" = 20'

* SPAN 28 LENGTH AND ANGLES AT ITS SUPPORTS ARE MEASURED ALONG WORKING LINE WHICH FOLLOWS CENTERLINE OF THE FLARED STRUCTURE.



ELEVATION
SCALE: 1" = 20'

ELEVATION KEY
NOT TO SCALE

- NOTES:**
- DESIGN-BUILDER SHALL NOTE THE ADJACENCY OF ABUTMENT AND ITS FOUNDATION TO THE EXISTING SEAWALL AND AVOID ANY TEMPORARY OR PERMANENT IMPACTS TO THE EXISTING SEAWALL.
 - DESIGN-BUILDER SHALL NOTE ADJACENCY TO FUTURE DC CLEAN RIVERS TUNNEL AND THE DESIGN-BUILDER'S BRIDGE FOUNDATION SHALL AVOID IMPACTING OR CONFLICTING WITH IT.
 - SEE POTOMAC RIVER UNDERGRADE BRIDGE DRAWINGS FOR SECTION THROUGH FUTURE TUNNEL.


PRELIMINARY ENGINEERING	
DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY	S. KELLER
DRAWN BY	K. WENTWORTH
CHECKED BY	K. POWERS
APPROVED BY	M. COLGAN
DATE	2/11/2023
Rev.	Date
	Description

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY


LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
GENERAL PLAN AND ELEVATION (6 OF 6)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-106
REV.	SHEET NO.
N/A	116 OF 203
SCALE	AS SHOWN

VDOT PDF-plotting
 LBPE_dwg_v95.tbl
 2/11/2023
 Plotted By: SKeller
 d02_R02A_D201_Plan&Elevation.dgn
 D206_Plan and Elevation - Plan 6 [Sheet]



PROFILE
SCALE: 1" = 20' (HORIZONTAL)
1" = 10' (VERTICAL)



FOR REFERENCE ONLY

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

Rev.	Date	Description

DESIGNED BY D. GINGRAS
DRAWN BY D. GLEASON
CHECKED BY
APPROVED BY M. COLGAN
DATE 2/11/2023





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
PROFILE (1 OF 4)

PROJECT NO. VPRA R02A CSXT XXXX
DRAWING NO. D-107
REV. SHEET NO. N/A 117 OF 203
SCALE AS SHOWN

VDOT PDF:alfg
 LBPE_id_v95.tbl
 2/11/2023
 Plotted By: Skeller
 d02_R02A_Profile and Profile.dgn
 Profile Sheet 1



FOR REFERENCE ONLY

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY
D. GINGRAS
DRAWN BY
D. GLEASON
CHECKED BY
APPROVED BY
M. COLGAN
DATE
2/11/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
PROFILE (2 OF 4)

PROJECT NO.
VPRA R02A
CSXT XXXX
DRAWING NO.
D-108
REV.
N/A
SCALE
AS SHOWN


VDOT PDF:alfg
LBPE_dtl_v95.tbl
2/11/2023
Plotted By: Skeller
d02_R02A_Profile and Profile.dgn
Profile Sheet 2

Rev.	Date	Description



FOR REFERENCE ONLY

PROFILE - OHIO DRIVE LANDING (NORTH)
 SCALE: 1" = 20' (HORIZONTAL)
 1" = 10' (VERTICAL)



PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY D. GINGRAS	
DRAWN BY D. GLEASON	
CHECKED BY	
APPROVED BY M. COLGAN	
DATE 2/11/2023	
Rev.	Date
	Description



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 POTOMAC RIVER BIKE-PED BRIDGE PROFILE (3 OF 4)

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. D-109	
REV. N/A	SHEET NO. 119 OF 203
SCALE AS SHOWN	

VDOT PDF:rlf6g
 LBPE_d02_r02a_Profile and Profile.dgn
 2/11/2023
 Plotted By: Skeller
 d02_r02a_Profile and Profile.dgn
 Profile Sheet 3


SOUTH TO "AF" ← NORTH TO "CP VIRGINIA" →

PROFILE - OHIO DRIVE LANDING (SOUTH)
 SCALE: 1" = 20' (HORIZONTAL)
 1" = 10' (VERTICAL)



FOR REFERENCE ONLY

PROFILE - MOUNT VERNON TRAIL RAMP
 SCALE: 1" = 20' (HORIZONTAL)
 1" = 10' (VERTICAL)



PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	D. GINGRAS	
DRAWN BY	D. GLEASON	
CHECKED BY		
APPROVED BY	M. COLGAN	
DATE	2/11/2023	
Rev.	Date	Description




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE PROFILE (4 OF 4)


PROJECT NO.	VPRA R02A CSXT XXXX	
DRAWING NO.	D-110	
REV.	SHEET NO.	120 OF 203
N/A		
SCALE	AS SHOWN	

VDOT PDF:rlf6g
 LBPE_dtl_v95.tbl
 Plotted By: Skeller
 d02_R02A_Profile and Profile.dgn
 Profile Sheet 4
 2/11/2023




BRIDGE TRANSVERSE SECTION - TYPICAL SPANS

SCALE: 3/8" = 1'-0"



BRIDGE TRANSVERSE SECTION - GWMP SPAN (SPAN 2)


SCALE: 3/8" = 1'-0"



BRIDGE TRANSVERSE SECTION - NAVIGATION CHANNEL SPANS (SPANS 12 AND 13)

SCALE: 3/8" = 1'-0"

FOR REFERENCE ONLY




TRANSVERSE SECTION - TYPICAL ON-GRADE APPROACH

SCALE: 3/8" = 1'-0"

NOTE:

1. ALL UNDERDRAIN PIPES TO BE SCHEDULE 40 PERFORATED PVC WITH SMOOTH INTERIOR.



BRIDGE TRANSVERSE SECTION - TAPERED SPANS AT MVT AND OHIO DRIVE SW LANDINGS (MVT RAMP END SPAN AND SPAN 28)

SCALE: 3/8" = 1'-0"

NOTE:

1. SPAN 8 (TOP OF MVT RAMP) IS ANTICIPATED TO BE FRAMED WITH STRINGERS AND CONCRETE DECK, TO BE DESIGNED BY DESIGNED-BUILDER.

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	L. PATRICK
DRAWN BY	L. PATRICK
CHECKED BY	S. KELLER
APPROVED BY	M. COLGAN
DATE	2/11/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
TRANSVERSE SECTIONS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-111
REV.	SHEET NO. 121 OF 203
SCALE	AS SHOWN


VDOT PDF:alf6g
LBPE_id_v95.tbl
2/11/2023
Plotted By: Skeller
d02_R02A_D207_1yp.dgn
TYPICAL

Rev.	Date	Description




PLAN - BRIDGE PIER

SCALE: 1/4" = 1'-0"



LONGITUDINAL SECTION - BRIDGE PIER ELEVATION

SCALE: 1/4" = 1'-0"



TRANSVERSE SECTION - BRIDGE PIER ELEVATION

SCALE: 1/4" = 1'-0"

FOR REFERENCE ONLY

PIER DIMENSIONS

PIER	"X"	"Y"	"T1"	"T2"	"D"	"H"
PIER NO. 1	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	19'-1"
PIER NO. 2	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	20'-5"
PIER NO. 3	20'-9"	16'-0"	2'-6"	2'-6"	5'-0"	18'-6"
PIER NO. 4	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	10'-0"
PIER NO. 5	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	23'-9"
PIER NO. 5 MVT	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	15'-7"
PIER NO. 6	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	12'-10"
PIER NO. 6 MVT	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	10'-4"
PIER NO. 7	41'-7"	5'-6"	2'-6"	2'-6"	5'-0"	13'-7"
PIER NO. 8	41'-7"	5'-6"	2'-6"	2'-6"	5'-0"	13'-10"
PIER NO. 9	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	14'-10"
PIER NO. 10	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	16'-0"
PIER NO. 11	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	17'-2"
PIER NO. 12	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	18'-4"
PIER NO. 13	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	19'-1"
PIER NO. 14	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	19'-11"
PIER NO. 15	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	20'-1"
PIER NO. 16	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	19'-6"
PIER NO. 17	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	18'-11"
PIER NO. 18	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	18'-4"
PIER NO. 19	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	17'-9"
PIER NO. 20	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	17'-2"
PIER NO. 21	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	16'-7"
PIER NO. 22	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	15'-11"
PIER NO. 23	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	15'-5"
PIER NO. 24	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	14'-10"
PIER NO. 25	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	11'-5"
PIER NO. 26	21'-0"	5'-6"	2'-6"	2'-6"	5'-0"	8'-0"
PIER NO. 27	21'-0"	5'-6"	2'-6"	2'-6"	5'-4"	5'-4"
STAIR PIER A	6'-0" DIAM.		2'-6"	0'-0"	3'-0"	18'-6"
STAIR PIER B	6'-0" DIAM.		2'-6"	0'-0"	3'-0"	12'-10"

NOTE:

1. DIMENSIONS ARE PRELIMINARY, TO BE CONFIRMED BY DESIGN-BUILDER.

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	L. PATRICK
DRAWN BY	L. PATRICK
CHECKED BY	S. KELLER
APPROVED BY	M. COLGAN
DATE	2/11/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
PIER DETAILS (1 OF 2)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-112
REV.	SHEET NO. 122 OF 203
SCALE	AS SHOWN



PLAN - BRIDGE PIERS NO. 7 AND 8
SCALE: 1/4" = 1'-0"

NOTE: SEE PIER DETAIL (1 OF 2) FOR DIMENSION TABLE



LONGITUDINAL SECTION - BRIDGE PIER ELEVATION
SCALE: 1/4" = 1'-0"

FOR REFERENCE ONLY

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	L. PATRICK
DRAWN BY	L. PATRICK
CHECKED BY	S. KELLER
APPROVED BY	M. COLGAN
DATE	2/11/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
PIER DETAILS (2 OF 2)


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-113
REV.	SHEET NO. 123 OF 203
SCALE	AS SHOWN

VDOT PDF:allfig
 LBPE_dtl_v95.tbl
 2/11/2023
 Plotted By: SKeller
 d02_R02A_D212_pier_details.dgn
 Pier Details 2 of 2


Rev.	Date	Description



ABUTMENT A ELEVATION
SCALE: 1/2" = 1'-0"



SECTION A-A
SCALE: 1/2" = 1'-0"



ABUTMENT A PLAN
SCALE: 1/2" = 1'-0"

- NOTES:
1. ALL DIMENSIONS ARE PRELIMINARY, TO BE FINALIZED BY DESIGN-BUILDER.
 2. FOOTPRINT OF ABUTMENT AND WINGWALLS SHALL BE WITHIN NPS PROPERTY.

<p>PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023</p>		DESIGNED BY	L. PATRICK
		DRAWN BY	L. PATRICK
		CHECKED BY	S. KELLER
		APPROVED BY	M. COLGAN
		DATE	2/11/2023
Rev.	Date	Description	





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
ABUTMENT DETAILS (1 OF 4)
ABUTMENT A

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-114
REV.	SHEET NO. 124 OF 203
SCALE	AS SHOWN



FOR REFERENCE ONLY



ABUTMENT B PLAN

SCALE: 3/8" = 1'-0"

SECTION A-A

SCALE: 3/8" = 1'-0"

<p>PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023</p>		<p>DESIGNED BY L. PATRICK</p>
		<p>DRAWN BY L. PATRICK</p>
		<p>CHECKED BY S. KELLER</p>
		<p>APPROVED BY M. COLGAN</p>
		<p>DATE 2/11/2023</p>
Rev.	Date	Description

DESIGNED BY	L. PATRICK
DRAWN BY	L. PATRICK
CHECKED BY	S. KELLER
APPROVED BY	M. COLGAN
DATE	2/11/2023






THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
ABUTMENT DETAILS (2 OF 4)
ABUTMENT B

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-115
REV.	SHEET NO. 125 OF 203
SCALE	N/A
	AS SHOWN

VDOT PDF:allfig
 LBPE_dtl_v95.tbl
 2/11/2023
 Plotted By: Skeller
 d02_R02A_abut-details.dgn
 Sheet - Abut Details 3 of 4



FOR REFERENCE ONLY

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	L. PATRICK
DRAWN BY	L. PATRICK
CHECKED BY	S. KELLER
APPROVED BY	M. COLGAN
DATE	2/11/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY





**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
**POTOMAC RIVER BIKE-PED BRIDGE
ABUTMENT DETAILS (3 OF 4)
ABUTMENT C**


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-116
REV.	SHEET NO. 126 OF 203
SCALE	AS SHOWN

VDOT PDF-attlog
 LBPE_id_v95.tbl
 2/11/2023
 Plotted By: SKeller
 d02_R02A_abut-details.dgn
 Sheet - Abut Details 2 of 4

Rev.	Date	Description



FOR REFERENCE ONLY



**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

Rev.	Date	Description

DESIGNED BY	L. PATRICK
DRAWN BY	L. PATRICK
CHECKED BY	S. KELLER
APPROVED BY	M. COLGAN
DATE	2/11/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**


SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
ABUTMENT DETAILS (4 OF 4)
MVT TRAIL STAIRS ABUTMENT

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-117
REV.	SHEET NO. 127 OF 203
SCALE	AS SHOWN

VDOT PDF-attlog
 LBPE_id_v95.tbl
 2/11/2023
 Plotted By: SKeller
 d02_R02A_abut-details.dgn
 Sheet - Abut Details 4 of 4

GUARDRAIL GENERAL NOTES:

1. ALL GUARDRAIL COMPONENTS TO BE GALVANIZED OR STAINLESS STEEL (ALTERNATE BID ITEM 000). GALVANIZED ASSEMBLIES REQUIRING WELDING OR OTHER FABRICATION SHALL BE HOT DIP GALVANIZED AFTER FABRICATION.
2. MESH PANEL FRAME ANGLE IRON AND FLAT BAR CORNERS TO BE MITERED AND JOINED WITH CONTINUOUS WELDS.
3. GRIND ALL WELDS SMOOTH FOR A UNIFORM SMOOTH EXTERIOR APPEARANCE ON ALL SIDES.
4. PROVIDE BREAK IN GUARDRAIL ASSEMBLY WITH DOUBLE POST AT ALL BRIDGE EXPANSION JOINTS, BRIDGE ABUTMENTS, AND OTHER INDEPENDENT STRUCTURAL ASSEMBLIES.
5. DESIGN-BUILDER MAY DETAIL THE GUARDRAIL SO THAT IT ATTACHES DIRECTLY TO THE STEEL TRUSS, AS LONG AS: ALL CODE REQUIREMENTS ARE MET; AND THE RAILING AESTHETICS MATCH AND ARE CONTINUOUS BOTH ON AND OFF THE BRIDGE; AND THE ATTACHMENT DETAILING AND LOADING ARE COORDINATED WITH THE TRUSS DESIGN.



REFER TO OTHER GUARDRAIL SECTIONS FOR ADDITIONAL TYPICAL DIMENSIONS

GUARDRAIL SECTION AT BRIDGE TRUSS

SCALE: 1" = 1'-0"

REFER TO GUARDRAIL SECTION AT BRIDGE TRUSS FOR ADDITIONAL TYPICAL NOTES AND DIMENSIONS

GUARDRAIL SECTION AT BRIDGE RAMP AND STAIR LANDINGS

SCALE: 1" = 1'-0"

REFER TO GUARDRAIL SECTION AT BRIDGE TRUSS FOR ADDITIONAL TYPICAL NOTES AND DIMENSIONS

GUARD SECTION AT STAIR


SCALE: 1" = 1'-0"

REFER TO GUARDRAIL SECTION AT BRIDGE TRUSS FOR ADDITIONAL TYPICAL NOTES AND DIMENSIONS

GUARDRAIL SECTION AT ABUTMENT / RETAINING WALL

SCALE: 1" = 1'-0"


FOR REFERENCE ONLY



REFER TO GUARDRAIL SECTION AT BRIDGE TRUSS FOR ADDITIONAL TYPICAL NOTES AND DIMENSIONS

TYPICAL GUARDRAIL ELEVATION AT BRIDGE TRUSS


SCALE: 3/4" = 1'-0"



REFER TO GUARDRAIL SECTION AT BRIDGE TRUSS FOR ADDITIONAL TYPICAL NOTES AND DIMENSIONS

TYPICAL GUARDRAIL ELEVATION AT RAMP/STAIR LANDINGS AND ABUTMENT/RETAINING WALLS

SCALE: 3/4" = 1'-0"



REFER TO GUARDRAIL SECTION AT BRIDGE TRUSS FOR ADDITIONAL TYPICAL NOTES AND DIMENSIONS

TYPICAL GUARDRAIL ELEVATION AT STAIR

SCALE: 3/4" = 1'-0"

PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	C. MUELLER	
DRAWN BY	K. WENTWORTH	
CHECKED BY	S. KELLER	
APPROVED BY	M. COLGAN	
DATE	2/11/2023	
Rev.	Date	Description

VIRGINIA PASSENGER RAIL AUTHORITY

TRANSFORMING RAIL IN VIRGINIA

CSX


THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE RAILING DETAILS


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-118
REV.	SHEET NO.
N/A	128 OF 203
SCALE	AS SHOWN

VDOT PDF-attlog
 LBPE_id_v95.tbl
 2/11/2023
 Plotted By: Skeller
 d02_R02A_D118_raildetails.dgn
 TYPICAL



MVT STAIRS PLAN VIEW
SCALE: 1/4" = 1'-0"

FOR REFERENCE ONLY



MVT STAIRS LONGTUDINAL SECTION
SCALE: 1/4" = 1'-0"

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	A. ELLIS
DRAWN BY	A. ELLIS
CHECKED BY	S. KELLER
APPROVED BY	M. COLGAN
DATE	2/11/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
MVT STAIR DETAILS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-119
REV.	SHEET NO. 129 OF 203
SCALE	AS SHOWN



FOR REFERENCE ONLY

MVT - PLAN
SCALE 1" = 20'-0"



MVT - Profile
SCALE 1" = 20'-0"

VDOT PDF:alf6g
 LBPE_id_v95.tbl
 2/11/2023
 Plotted By: SKeller
 d01_R02A_D101_des_Trail Plan and Profile.dgn
 AL-MVT-1 - MVT Plan 1-1 [Sheet]

PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	D. GLEASON	
DRAWN BY	D. GLEASON	
CHECKED BY	D. GINGRAS	
APPROVED BY	M. COLGAN	
DATE	2/11/2023	
Rev.	Date	Description



**VIRGINIA
PASSENGER RAIL
AUTHORITY**



**TRANSFORMING
RAIL IN VIRGINIA**




[CSX]

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE**
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 MOUNT VERNON TRAIL "RELOCATION"
 MVT PLAN AND PROFILE

PROJECT NO.		VPRA R02A CSXT XXXX
DRAWING NO.		D-201
REV.	SHEET NO.	130 OF 203
N/A	SCALE	AS SHOWN



FOR REFERENCE ONLY

MOUNT VERNON TRAIL TYPICAL SECTION

SCALE: 1/2" = 1'-0"

NOTE:
DESIGN-BUILDER IS RESPONSIBLE FOR THE TRAIL PAVEMENT DESIGN AND APPROVAL.

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	D. GLEASON
DRAWN BY	D. GLEASON
CHECKED BY	D. GINGRAS
APPROVED BY	M. COLGAN
DATE	2/11/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**


SUBDIVISION: RF&P ZONE: CENTRAL
MOUNT VERNON TRAIL "RELOCATION"
MVT TYPICAL SECTION

PROJECT NO.		VPRA R02A CSXT XXXX
DRAWING NO.		D-202
REV.	SHEET NO.	
N/A	131 OF 203	
SCALE		AS SHOWN

VDOT PDF:allfig
 LBPE_id_v95.tbl
 Plotted By: SKeller
 d01_R02A_D102_1yp.dgn
 Typ Prop
 2/11/2023



FOR REFERENCE ONLY



TEMPORARY MOUNT VERNON TRAIL NOTE:
 THIS CONCEPT IS FOR INFORMATION ONLY.
 DESIGN-BUILDER IS RESPONSIBLE FOR DESIGNING THE
 TEMPORARY TRAIL AND ALL OF ITS LAYOUT AND
 COMPONENTS.

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	D. GLEASON	
DRAWN BY	D. GLEASON	
CHECKED BY	D. GINGRAS	
APPROVED BY	M. COLGAN	
DATE	2/11/2023	
Rev.	Date	Description






THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE**
 ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
 MOUNT VERNON TRAIL "RELOCATION"
 TEMPORARY MVT PLAN AND PROFILE


PROJECT NO.	VPRA R02A CSXT XXXX	
DRAWING NO.	D-203	
REV.	N/A	SHEET NO. 132 OF 203
SCALE	AS SHOWN	

VDOT PDF:allfig
 LBPE_dtl_v95.tbl
 2/11/2023
 Plotted By: SKeller
 d01_R02A_D101_des_Temp Trail Plan and Profile.dgn
 Temp MVT - Plan 1 [Sheet]




BRIDGE TRANSVERSE SECTION - TYPICAL SPANS

SCALE: 1/2" = 1'-0"



BRIDGE LONGITUDINAL SECTION - APPROACH SPAN

SCALE: 1/2" = 1'-0"



TEMPORARY MOUNT VERNON TRAIL TYPICAL APPROACH SECTION

SCALE: 1/2" = 1'-0"

FOR REFERENCE ONLY

TEMPORARY MOUNT VERNON TRAIL NOTE:
 THIS CONCEPT IS FOR INFORMATION ONLY.
 DESIGN-BUILDER IS RESPONSIBLE FOR DESIGNING THE
 TEMPORARY TRAIL AND ALL OF ITS LAYOUT AND
 COMPONENTS.

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	A. ELLIS
DRAWN BY	D. GLEASON
CHECKED BY	S. KELLER
APPROVED BY	M. COLGAN
DATE	2/11/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 MOUNT VERNON TRAIL "RELOCATION"
 TEMPORARY MVT TYPICAL SECTION

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	D-204
REV.	SHEET NO. 133 OF 203
SCALE	AS SHOWN

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: SKeller
 d01_R02A_D102_1yp.dgn
 Typ Temp
 2/11/2023



FOR REFERENCE ONLY

TEMPORARY MOUNT VERNON TRAIL NOTE:
 THIS CONCEPT IS FOR INFORMATION ONLY.
 DESIGN-BUILDER IS RESPONSIBLE FOR DESIGNING THE
 TEMPORARY TRAIL AND ALL OF ITS LAYOUT AND
 COMPONENTS.

TEMPORARY MOUNT VERNON TRAIL SECTION AT CONSTRUCTION TRESTLE

SCALE 3/8" = 1'-0"

PRELIMINARY ENGINEERING		DESIGNED BY	A. ELLIS
DRAFT 30% SUBMISSION 2/13/2023		DRAWN BY	D. GLEASON
		CHECKED BY	S. KELLER
		APPROVED BY	M. COLGAN
		DATE	2/11/2023
Rev.	Date	Description	



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY





**LONG BRIDGE
 SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
 MOUNT VERNON TRAIL "RELOCATION"
 TEMPORARY MVT SECTION
 AND DETAILS AT TRESTLE

PROJECT NO.		VPRA R02A CSXT XXXX
DRAWING NO.		D-205
REV.	SHEET NO.	134 OF 203
N/A		
SCALE		AS SHOWN

VDOT PDF:alf6g
 LBPE_id_v95.tbl
 Plotted By: SKeller
 d01_R02A_D102_typ_trestle.dgn
 Typ



FOR REFERENCE ONLY

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY
S. NAWEED
DRAWN BY
E. NAVIA
CHECKED BY
B. MCADAMS
APPROVED BY
P. CLARY
DATE
2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
TYPICAL SECTION-PAVEMENT OVERLAY
GEORGE WASHINGTON
MEMORIAL PARKWAY

PROJECT NO.
VPRA R02A
CSXT XXXX
DRAWING NO.
R-001
REV. SHEET NO.
N/A 138 OF 203
SCALE
AS SHOWN

VDOT PDF:alfcig
 LBPE_id_v95.tbl
 Plotted By: enavia
 xR02A_lp_GWMP.dgn
 GWMP Typical
 2/10/2023

Rev.	Date	Description



OHIO DRIVE SW. (WEST)

LOOKING EAST
STA 33+75 TO STA 34+25
N.T.S.

FOR REFERENCE ONLY

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY
S. NAWEED
DRAWN BY
E. NAVIA
CHECKED BY
B. MCADAMS
APPROVED BY
P. CLARY
DATE
2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
TYPICAL SECTION-PAVEMENT OVERLAY
OHIO DRIVE SW (WEST)

PROJECT NO.
VPRA R02A
CSXT XXXX
DRAWING NO.
R-002
REV. SHEET NO.
N/A 139 OF 203
SCALE
AS SHOWN

VDOT PDF:plf6g
 LBPE_id_v95.tbl
 Plotted By: enavia
 xR02A_vp_Ohio Dr.dgn
 South Package
 2/10/2023

Rev.	Date	Description


SOUTH TO "AF"

NORTH TO "CP VIRGINIA"


LEGEND:



PAVEMENT MILLING AND RESURFACING




FULL DEPTH PAVEMENT



FOR REFERENCE ONLY

NOTES:

1. THE PROPOSED PAVEMENT MARKINGS ARE TO MATCH THE EXISTING PAVEMENT MARKINGS.
2. THE EXISTING MEDIAN MATERIALS THAT ARE DISTURBED ARE TO BE REPLACED IN KIND.
3. THE EXISTING GUARDRAIL THAT IS IMPACTED SHALL BE REPLACED WITH NEW MASH COMPLIANT GUARDRAIL THAT HAS SIMILAR OR IMPROVED CRASH AND AESTHETICS CHARACTERISTICS THAT ARE AVAILABLE AT THE TIME OF CONSTRUCTION.
4. THE EXISTING MATERIALS THAT ARE DISTURBED BY TEMPORARY WIDENING AND TEMPORARY PAVEMENT SHALL BE REPLACED IN KIND.
5. THE DESIGN BUILDER (SOUTH CONTRACT) AND THE PROGRESSIVE DESIGN BUILDER (NORTH CONTRACT) SHALL COORDINATE WITH THE NPS ON REPAVING, RECONSTRUCTION PAVEMENT, AND RELATED INFRASTRUCTURE TEMPORARILY IMPACTED BY CONSTRUCTION WITHIN THE GWMP, WEST POTOMAC PARK AND EAST POTOMAC PARK (INCLUDING PARKING LOT B AND C AND OHIO DR SW) TO INCLUDE AS A REQUIREMENT IN THE NPS SPECIAL USE PERMIT.



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	S. NAWEED
DRAWN BY	E. NAVIA
CHECKED BY	B. MCADAMS
APPROVED BY	P. CLARY
DATE	2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
GENERAL PLAN
GEORGE WASHINGTON
MEMORIAL PARKWAY (1 OF 3)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	R-003
REV.	SHEET NO. N/A 140 OF 203
SCALE	AS SHOWN

VDOT PDF:afllcg
LBPE_id_v95.tbl
2/10/2023
Plotted By: enavia
xR02A_RD_GWMP_01.dgn
GWMP_1_SHEET

SOUTH TO "AF"

NORTH TO "CP VIRGINIA"





FOR REFERENCE ONLY

NOTES:

1. THE PROPOSED PAVEMENT MARKINGS ARE TO MATCH THE EXISTING PAVEMENT MARKINGS.
2. THE EXISTING MEDIAN MATERIALS ARE DISTURBED ARE TO BE REPLACED IN KIND.
3. THE EXISTING GUARDRAIL THAT IS IMPACTED SHALL BE REPLACED WITH NEW MASH COMPLIANT GUARDRAIL THAT HAS SIMILAR OR IMPROVED CRASH AND AESTHETICS CHARACTERISTICS THAT ARE AVAILABLE AT THE TIME OF CONSTRUCTION.
4. THE EXISTING MATERIALS THAT ARE DISTURBED BY TEMPORARY WIDENING AND TEMPORARY PAVEMENT SHALL BE REPLACED IN KIND .
5. THE DESIGN BUILDER (SOUTH CONTRACT) AND THE PROGRESSIVE DESIGN BUILDER (NORTH CONTRACT) SHALL COORDINATE WITH THE NPS ON REPAVING, RECONSTRUCTION PAVEMENT, AND RELATED INFRASTRUCTURE TEMPORARILY IMPACTED BY CONSTRUCTION WITHIN THE GWMP, WEST POTOMAC PARK AND EAST POTOMAC PARK (INCLUDING PARKING LOT B AND C AND OHIO DR SW) TO INCLUDE AS A REQUIREMENT IN THE NPS SPECIAL USE PERMIT.

LEGEND:



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	S. NAWEED
DRAWN BY	E. NAVIA
CHECKED BY	B. MCADAMS
APPROVED BY	P. CLARY
DATE	2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
GENERAL PLAN
GEORGE WASHINGTON
MEMORIAL PARKWAY (2 OF 3)


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	R-004
REV.	SHEET NO. N/A 141 OF 203
SCALE	AS SHOWN

VDOT PDF:alfcig
 LBPE_id_v95.tbl
 Plotted By: enavia
 xR02A_RD_GWMP_02.dgn
 GWMP_2
 2/10/2023

Rev.	Date	Description

SOUTH TO "AF"


NORTH TO "CP VIRGINIA"




NOTES:

1. THE PROPOSED PAVEMENT MARKINGS ARE TO MATCH THE EXISTING PAVEMENT MARKINGS.
2. THE EXISTING MEDIAN MATERIALS ARE DISTURBED ARE TO BE REPLACED IN KIND.
3. THE EXISTING GUARDRAIL THAT IS IMPACTED SHALL BE REPLACED WITH NEW MASH COMPLIANT GUARDRAIL THAT HAS SIMILAR OR IMPROVED CRASH AND AESTHETICS CHARACTERISTICS THAT ARE AVAILABLE AT THE TIME OF CONSTRUCTION.
4. THE EXISTING MATERIALS THAT ARE DISTURBED BY TEMPORARY WIDENING AND TEMPORARY PAVEMENT SHALL BE REPLACED IN KIND .
5. THE DESIGN BUILDER (SOUTH CONTRACT) AND THE PROGRESSIVE DESIGN BUILDER (NORTH CONTRACT) SHALL COORDINATE WITH THE NPS ON REPAVING, RECONSTRUCTION PAVEMENT, AND RELATED INFRASTRUCTURE TEMPORARILY IMPACTED BY CONSTRUCTION WITHIN THE GWMP, WEST POTOMAC PARK AND EAST POTOMAC PARK (INCLUDING PARKING LOT B AND C AND OHIO DR SW) TO INCLUDE AS A REQUIREMENT IN THE NPS SPECIAL USE PERMIT.


LEGEND:



PAVEMENT MILLING AND RESURFACING



FULL DEPTH PAVEMENT



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	S. NAWEED
DRAWN BY	E. NAVIA
CHECKED BY	B. MCADAMS
APPROVED BY	P. CLARY
DATE	2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
GENERAL PLAN
GEORGE WASHINGTON
MEMORIAL PARKWAY (3 OF 3)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	R-005
REV.	SHEET NO. N/A 142 OF 203
SCALE	AS SHOWN

VDOT PDF:alfcig
LBPE_id_v95.tbl
2/10/2023
Plotted By: enavia
X:R02A_RD_GWMP_03.dgn
GWMP3 SHEET

SOUTH TO "AF"

NORTH TO "CP VIRGINIA"




FOR REFERENCE ONLY


NOTES

1. THE PROPOSED PAVEMENT MARKINGS ARE TO MATCH THE EXISTING PAVEMENT MARKINGS
2. PARKING LOT B IS THE SOUTH PACKAGE CONSTRUCTION STAGING AREA. THIS AREA IS TO BE RESTORED TO THE EXISTING CONDITION WITH THE PAVEMENT INTENDED TO BE REPLACED IN KIND.
3. PARKING LOT B IS TO BE MILLED AND OVERLAYED 2" DEPTH.
4. THE SOUTH PACKAGE INCLUDES THE FULL DEPTH PAVEMENT WORK ALONG OHIO DRIVE ADJACENT TO THE PEDESTRIAN BIKE BRIDGE AND PARKING LOT B WORK ONLY.
5. THE NORTH PACKAGE INCLUDES THE PAVEMENT MILLING AND RESURFACING WORK ALONG OHIO DRIVE, THE SIDEWALK IMPROVEMENTS, AND PARKING LOT C ONLY.
6. RE-STRIPED ALL PAVEMENT MARKINGS IN ALL AREAS AFTER RESURFACING WORK IS COMPLETED.
7. THE DESIGN BUILDER (SOUTH CONTRACT) AND THE PROGRESSIVE DESIGN BUILDER (NORTH CONTRACT) SHALL COORDINATE WITH THE NPS ON REPAVING, RECONSTRUCTION PAVEMENT, AND RELATED INFRASTRUCTURE TEMPORARILY IMPACTED BY CONSTRUCTION WITHIN THE GWMP, WEST POTOMAC PARK AND EAST POTOMAC PARK (INCLUDING PARKING LOT B AND C AND OHIO DR SW) TO INCLUDE AS A REQUIREMENT IN THE NPS SPECIAL USE PERMIT.


LEGEND:




PAVEMENT MILLING



FULL DEPTH PAVEMENT



4" CONCRETE SIDEWALK



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	S. NAWEED
DRAWN BY	E. NAVIA
CHECKED BY	B. MCADAMS
APPROVED BY	P. CLARY
DATE	2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
GENERAL PLAN
OHIO DRIVE SW (WEST)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	R-006
REV.	SHEET NO. N/A 143 OF 203
SCALE	AS SHOWN

VDOT PDF:plc/g
 LBPE_id_v95.tbl
 2/10/2023
 Plotted By: enavia
 xR02A_RD_Ohio Dr. S_01.dgn
 South Contract

THE FOLLOWING MAINTENANCE OF TRAFFIC NOTES SHALL BE APPLICABLE TO GEORGE WASHINGTON MEMORIAL PARKWAY

APPLICABILITY OF THE MANUAL

- ALL TRAFFIC CONTROL SHALL CONFORM TO PART VI OF THE 2009 EDITION MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD), AND THE LATEST EDITION, INCLUDING REVISIONS, OF THE VDOT WORK AREA PROTECTION MANUAL.

TRAINING

- THE CONTRACTOR SHALL MAKE CERTAIN THAT THE PERSON (S) RESPONSIBLE FOR THE IMPLEMENTATION OF THE TRAFFIC CONTROL PLAN HAS SUCCESSFULLY COMPLETED TRAINING IN TEMPORARY TRAFFIC CONTROL.

OSHA REQUIREMENTS

- ALL FIELD PERSONNEL SHALL WEAR SAFETY VEST. HARD HATS AND OTHER REQUIRED PERSONAL PROTECTION EQUIPMENT REQUIRED BY THE OCCUPATION SAFETY AND HEALTH ADMINISTRATION (OSHA).

TRAFFIC CONTROL DEVICES

- ALL TRAFFIC CONTROL DEVICES SHOULD COMPLY WITH NCHRP 350 CRASH TESTING STANDARDS OR THE AASHTO MANUAL FOR ASSESSING HARDWARE (MASH) CRITERIA.
- ADVANCE WARNING SIGNS FOR CONVENTIONAL ROAD SHALL BE 36"x36" BLACK/ORANGE, HIGH PERFORMANCE, WIDE ANGLE, RETRO-REFLECTIVE SHEETING. ROLL-UP SIGNS ARE APPROVED. HOWEVER, SIGN SHEETING SHALL BE FLUORESCENT ORANGE AND SOLID, NOT MESH. USE SIGNS WITH THE DIMENSIONS: 48"x48" ONLY FOR FREEWAY OR EXPRESSWAY. ADVANCE WARNING SIGNS FOR LOCAL - RESIDENTIAL STREETS SHALL NOT BE LESS THAN 30"x30" (THE LARGER SIGNS MAY BE USED WHEREVER NECESSARY FOR GREATER LEGIBILITY OR EMPHASIS).
- SIGNS SHOULD BE PROPERLY MAINTAINED FOR CLEANLINESS, VISIBILITY, STABILITY, AND CORRECT POSITIONING. SIGN POSITIONING AT THE WORK SITE MAY BE MINIMALLY ADJUSTED BY PUBLIC SPACE INSPECTORS BASED ON SITE CONDITIONS. SIGNS THAT HAVE LOST SIGNIFICANT LEGIBILITY SHOULD BE PROMPTLY REPLACED.
- WORK ZONE TRAFFIC CONTROL SIGNS AND SIGN SUPPORTS SHOULD NOT BECOME OBSTACLES FOR ALL ROADWAY USERS: PEDESTRIANS, BICYCLISTS, AND VEHICLES.
- SIGN SUPPORTS SHOULD BE LOCATED SO AS TO ACCOMMODATE PEDESTRIANS AND BICYCLISTS IN AREAS DESIGNATED FOR THEIR USE. A MINIMUM LATERAL WIDTH OF 5 FEET SHOULD BE MAINTAINED FOR PEDESTRIAN PATHWAYS.
- CONTRACTOR SHALL USE AND ADJUST SPRING - LOADED SIGN STANDS, DUAL SPRING WIND RESISTANT SIGN STANDS, CONSTRUCTION SIGN STANDS WITHOUT SPRINGS, OR PORTABLE WOODEN SIGN SUPPORTS SO THE MOTORISTS CAN SEE AND READ THE SIGNS. THE SIGN STANDS SHOULD COMPLY WITH NCHRP 350 CRASH TESTING STANDARDS AND SHOULD HAVE MARKINGS OF COMPLIANCE ON THE STANDS. NEITHER PORTABLE NOR PERMANENT SIGN SUPPORTS SHOULD BE LOCATED ON SIDEWALKS - PEDESTRIAN ACCESS ROADS (PAR) BICYCLE FACILITIES, OR AREAS DESIGNATED FOR PEDESTRIAN OR BICYCLE TRAFFIC.
- PORTABLE WOODEN SIGN SUPPORTS CONSISTENT WITH THE DESIGN ON THEIR STANDARD SHEET DO NOT NEED TO BE CERTIFIED AS BEING CRASH TESTED IN ACCORDANCE WITH NCHRP - 350. THE SUPPORTS ARE TYPICALLY SANDBAGGED. (REF. NATIONAL WORK ZONE SAFETY INFORMATION CLEARINGHOUSE. STATE NEW YORK; NEW JERSEY. AS THE CITY ENVIRONMENT, NEW YORK USES ALL SORTS OF TEMPORARY SIGN SUPPORTS).
- USE WOOD MEMBERS WITH A MAXIMUM 16 (SQUARE INCH) CROSS SECTION FOR BASE CONSTRUCTION 8 (SQUARE INCH) CROSS SECTION FOR UPRIGHTS AND BRACES. THE AXLE, FRAME, SUPPORT ASSEMBLY AND OTHER STRUCTURAL MEMBERS SHOULD NOT EXCEED THE DIMENSIONS OF THE PORTABLE SIGN SUPPORT ASSEMBLY. A SINGLE SANDBAG WEIGHING 50lb. IS THE STANDARD BALLAST DEVICE FOR WOOD SIGN SUPPORT. FOR FULL BALLAST USE A MINIMUM OF 2 SANDBAGS PER PORTABLE SIGN SUPPORT.
- ALL TEMPORARY SIGNS SHALL BE PLACED IN APPROPRIATE PLACES, BE ADEQUATE FOR EXISTING STREET CONDITIONS, INCLUDING SIGN DIMENSIONS, AND BE STABLE AND FIRMLY INSTALLED (THE SMALL SIZE OF WARNING SIGNS MAY BE USED WHEREVER NECESSARY FOR PROVIDING ADEQUATE AND SAFE ACCESS FOR PEDESTRIANS WITHIN PUBLIC SPACE).
- THE TEMPORARY SIGNS AND MARKINGS PLACED ADJACENT TO THE WORK ZONE SHALL BE CONSISTENT AND VISIBLE AT ALL TIMES. THE FULL VIEW OF ADVANCE WORK ZONE WARNING SIGNS SHALL BE PROVIDED. SIGNS SHALL BE CLEAR OF OBSTRUCTION ON APPROACH TO WORK ZONE.
- NO HOMEMADE CONSTRUCTION, REGULATORY, OR GUIDE SIGNS SHALL BE ALLOWED.
- DAMAGED, DIRTY, OR DEFACED DEVICES, INCLUDING SIGNS, CHANNELIZERS, AND TRAFFIC CONTROL EQUIPMENT ARE NOT APPROVED AND SHALL NOT BE USED.
- ALL TRAFFIC CONTROL DEVICES NOT IN USE SHALL BE REMOVED FROM THE PUBLIC SPACE. ALL REGULATORY SIGNS IN CONFLICT WITH TEMPORARY TRAFFIC PATTERNS MUST BE COVERED SECURELY TO AVOID MISINFORMATION.
- SIGN SPACING SHALL BE ADJUSTED TO AVOID CONFLICT WITH THE EXISTING PERMANENT SIGNAGE AND PAVEMENT MARKINGS.
- THE CONTRACTOR IS REQUIRED TO COORDINATE PROPOSED WORK ZONE SIGNAGE TO ADJACENT CONSTRUCTION WORK ZONE PROJECT TO AVOID CONFUSING MESSAGES, AND SIGNAGE DUPLICATION.
- THE CONTRACTOR SHALL COORDINATE HIS MOT/TCP WITH OTHER CONTRACTORS, AND UTILITY COMPANIES WORKING IN THE SAME GENERAL LOCATION TO MAINTAIN CONTINUITY OF TRAFFIC FLOW AND MINIMIZE CONGESTION.
- THE UTILITY COMPANIES SHALL BE RESPONSIBLE FOR PRODUCTION OF A TRAFFIC CONTROL PLAN FOR THE INSTALLATION OF UTILITIES AND COORDINATING ITS INSTALLATIONS WITH CONTRACTOR'S MOT/TMP.
- THE MINIMUM HEIGHT, MEASURED VERTICALLY FROM THE BOTTOM OF THE SIGN TO THE SIDEWALK, LOCATED IN BUSINESS, COMMERCIAL, OR RESIDENTIAL AREAS WHERE PARKING OR PEDESTRIAN MOVEMENTS ARE LIKELY TO OCCUR, OF SIGNS INSTALLED ABOVE SIDEWALKS SHALL BE 7 FEET.

FLAGGING

- ALL FLAGGERS MUST BE CERTIFIED AND HAVE THEIR CERTIFICATION CARD IN THEIR POSSESSION WHEN FLAGGING. THEY SHALL BE EQUIPPED WITH SAFETY VESTS, HARD HATS, HAND SIGNALING DEVICES, AND ELECTRONIC DEVICES FOR COMMUNICATION.
- ALL FLAGGING OPERATIONS SHALL BE USE A "STOP"/"SLOW" PADDLE OF 24 INCHES IN DIAMETER MOUNTED ON A 6 FT. POLE WITH 6-INCH SERIES "C" LETTERS.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO CONDUCT FLAGGING OPERATION TO CONTROL PEDESTRIAN TRAFFIC IN SAFETY MANNER WHEN CONSTRUCTING VEHICLES ARE ENTERING - EXITING THE CONSTRUCTION SITE. IF A SAFE ACCOMMODATION FOR PEDESTRIANS OR BICYCLISTS MUST BE CLOSED INTERMITTENTLY DURING OFF-PEAK HOURS DUE TO CONFLICTS WITH CONSTRUCTION ACTIVITIES OR CONSTRUCTION VEHICLES THE MOT/TMP SHALL REQUIRED THAT:

- FLAGGERS BE POSTED AT EACH END OF THE CLOSED PEDESTRIAN OR BICYCLE ROUTE FOR THE ENTIRE DURATION OF TIME THE INTERMITTENT CLOSURE IS IN PLACE.
- THE SAFE AND REASONABLE FLOW OF PEDESTRIAN AND BICYCLE TRAFFIC BE MAINTAINED IN PREFERENCE TO CONSTRUCTION ACTIVITIES AND THE FLOW OF CONSTRUCTION VEHICLES.

LANE CLOSURE

- CONTRACTORS SHALL NOT CLOSE MORE THAN ONE LANE OF TRAFFIC IN ONE DIRECTION UNLESS OTHERWISE APPROVED.

STREET CLOSURE

- TYPE III BARRICADES SHALL BE USED FOR ROAD CLOSURES. ADEQUATE ROAD CLOSURE AND DETOUR SIGNAGE SHALL BE INSTALLED TO GIVE MOTORIST GUIDANCE.
- THE CONTRACTOR IS REQUIRED TO NOTIFY FIRE AND /OR POLICE DEPARTMENTS OF APPROVED ROAD AND ALLEY CLOSURES. PERMITS WITH THEIR APPROVAL MUST BE ON SITE WITH ALL OTHER PERMITS.
- TRENCHES SHALL BE BACKFILLED OR STEEL - PLATED. STEEL PLATES SHALL HAVE ASPHALTIC CONCRETE BERM ON ALL EDGES (HOT MIX ASPHALT OR HIGH PERFORMANCE COLD MIX). ALL DIRT, DUST AND DEBRIS SHALL BE REMOVED FROM STREET. THE STREET SHALL BE IN DRIVABLE CONDITION AT ALL TIMES.
- STEEL PROTECTION PLATES SHALL BE USED BY CONTRACTOR TO PROTECT OPEN EXCAVATED AREA. ALL OPEN TRENCHES OR HOLES IN THE PUBLIC SPACE WHICH ARE NOT BACKFILLED AND COMPACTED BY THE END OF EACH WORK DAY SHALL BE PLATED.
- THE STEEL PLATE SHALL EXTEND NO LESS THAN 18 INCHES BEYOND THE EDGE OF THE TRENCH ON ALL SIDES. STEEL PLATES SHALL BE ATTACHED TO THE ROADWAY BY A MINIMUM OF 6 SPIKES; 4 SPIKES PREDRILLED INTO THE CORNERS OF THE PLATES AND 1 SPIKE PREDRILLED INTO EACH SIDE PARALLEL TO THE TRENCH. SPIKES SHALL BE DRILLED A MINIMUM OF 3 INCHES INTO THE HARD PAVEMENT.
- A NON-SKID SURFACE TREATMENT SHALL BE APPLIED TO THE ENTIRE SURFACE AREA OF THE STEEL PLATE IN CASES WHERE THE PLATE IS WITHIN DESIGNATED BICYCLE PATH OR A PLATE IS PLACED AT AN INTERSECTION OR WITHIN 75 FEET OF A TRAFFIC SIGNAL OR STOP SIGN/STOP LINE.
- CONTRACTORS SHALL INSTALL "STEEL PLATE AHEAD" SIGNS WHENEVER PLATES HAVE BEEN INSTALLED.
- ALL LEADING ENDS OF THE TEMPORARY CONCRETE BARRIERS EXPOSED TO ON-COMING TRAFFIC SHALL BE PROTECTED WITH PORTABLE IMPACT QUADGUARD TRAFFIC ATTENUATOR. ALL ATTENUATORS. ALL ATTENUATORS SHALL HAVE OBJECT MARKERS.

TEMPORARY PAVEMENT MARKING

- TEMPORARY REFLECTIVE PAVEMENTS TAPE OF THE APPROVED TYPE SHALL BE USED TO DESIGNATE TRAFFIC LANES. THE COLORS OF TEMPORARY PAVEMENTS MARKINGS SHALL FOLLOW THE SAME STANDARD AS PERMANENT MARKINGS. ALL MARKERS SHALL BE WHITE, EXCEPT FOR THE LEFT EDGE OF THE EFFECTIVE ROADWAY, WHICH SHALL BE YELLOW.

TIME OF WORK

- DAYTIME WORK HOURS ARE BETWEEN 9:30AM-3:30PM OR AS APPROVED. (DON'T PERFORM WORK DURING PEAK TRAFFIC VOLUMES)
- NIGHTTIME WORK HOURS ARE BETWEEN 7:30PM-4:30AM OR AS APPROVED. (DON'T PERFORM WORK DURING PEAK TRAFFIC VOLUMES)

MATERIAL AND EQUIPMENT

- ALL CONSTRUCTION VEHICLES OPERATING IN AND AROUND THE WORK ZONE SHALL OPERATE STROBE OR REVOLVING LIGHTS AT ALL TIMES. THESE LIGHTS SHOULD BE MOUNTED IN SUCH A MANNER THAT THEY ARE VISIBLE 360 DEGREES.
- CONTRACTOR SHALL MAINTAIN ACCESS TO ALL DRIVEWAYS GARAGES, ALLEYS AND LOADING DOCKS AT ALL TIMES. AS WELL AS ACCESS TO ALL BUSINESSES.
- CONTRACTOR SHALL NOT BLOCK FIRE HYDRANT,BUS STOP.

CHANGEABLE MESSAGE SIGNS

- PORTABLE CHANGEABLE MESSAGE SIGNS (PCMS) MAY BE REQUIRED TO GIVE THE MOTORING PUBLIC ADVANCE NOTIFICATION OF ROAD CONDITIONS. ROADWORK, AND/OR EVENTS. ARROW BOARDS MAY ALSO BE REQUIRED IN WORK ZONES TO AID IN LANE CLOSURES AND, WHERE WORK REQUIRES, TRUCK MOUNTED ATTENUATOR (TMA) CAN BE REQUIRED AS WORK DICTATES.

LAW ENFORCEMENT

- CONTRACTOR SHALL HAVE, AT ALL TIMES, COPIES OF THEIR TCP'S AND PERMI ON SITE AND AVAILABLE FOR THE INSPECTOR'S REVIEW. ANY PROJECT/CONTRACTOR FAILING TO HAVE APPROVED PERMITS AND TMP (S) ON SITE, OR ANY CONTRACTOR FAILING TO FOLLOW THE APPROVED PLAN AND TMP, WILL BE SUBJECT TO FINES AND POSSIBLE IMMEDIATE SUSPENSION OF WORK.
- CONTRACTOR MAY BE REQUIRED TO HIRE POLICE FOR WORK-ZONE ENFORCEMENT.
- ANY KIND OF STRUCTURAL DAMAGE, PROPERTY DAMAGE, WHICH OCCURS DUE TO THE CONSTRUCTION ACTIVITY ON PUBLIC SPACE AND/OR PRIVATE PROPERTY IT WILL BE THE RESPONSIBILITY OF THE CONTRACTOR - PERMIT HOLDER WHICH CAUSED THE DAMAGE.

NIGHT TIME WORK

- DURING NIGHT TIME HOURS, THE WORK SITE SHALL BE MADE SAFE FOR TRAFFIC. WARNING SHALL BE PROVIDED, BY INSTALLING ELECTRONICALLY ILLUMINATED TRAFFIC CONTROL DEVICES SUCH AS FLASHING ARROW PANELS AND WARNING LIGHTS. THESE DEVICES SHOULD BE USED IN CONJUNCTION WITH OTHER TRAFFIC CONTROL DEVICES AND THEIR FLASHING SEQUENCE AND LIGHT INTENSITY SHALL MEET THE REQUIREMENTS CITED IN THE MUTCD. ALL TRAFFIC. CONTROL DEVICES MUST BE REFLECTORIZED DURING NIGHT TIME HOURS.
- FREQUENT NIGHT TIME INSPECTIONS ARE TO BE MADE TO ENSURE THAT THE TRAFFIC DEVICES HAVE THE PROPER REFLECTIVITY OR LIGHTING SO THEY ARE VISIBLE AND MEANINGFUL TO THE TRAVELING PUBLIC.

WORK COORDINATION

- THE CONTRACTOR SHALL COORDINATE HIS MAINTENANCE OF TRAFFIC WORK WITH OTHER CONTRACTORS AND UTILITY COMPANIES WORKING IN THE SAME GENERAL CONTINUITY OF TRAFFIC FLOW AND MINIMIZE CONGESTION.
- THE CONTRACTOR SHALL GIVE-72 HOURS PRIOR NOTICE TO VDOT WHEN MAKING A CHANGE IN TRAFFIC FLOW PATTERNS.

FOR REFERENCE ONLY

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		DESIGNED BY S. NAWEED
		DRAWN BY E.NAVIA
		CHECKED BY B. MCADAMS
		APPROVED BY P. CLARY
		DATE 2/10/2023
Rev.	Date	Description





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL

**MAINTENANCE OF TRAFFIC
NOTES**

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. MOT-001	
REV. N/A	SHEET NO. 144 OF 203
SCALE AS SHOWN	

VDOT PDF.plt/cg
 LBPE_id_v95.tbl
 Plotted By: enavia
 MOT Note South.dgn
 note.1 VDOT MOT plot sheet
 2/10/2023



FOR REFERENCE ONLY

NOTE:
TEMPORARY AGGREGATE AND PAVEMENT MATERIALS
SHOULD BE COMPLIANT WITH NPS STANDARDS

VDOT PDF:plc1g
 LBPE_id_v95.tbl
 2/10/2023
 Plotted By: enavia
 R02A_1yp_GWMP.dgn
 GWMP TYP sheet

PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	S. NAWEED	
DRAWN BY	E. NAVIA	
CHECKED BY	B. MCADAMS	
APPROVED BY	P. CLARY	
DATE	2/10/2023	
Rev.	Date	Description

DESIGNED BY	S. NAWEED
DRAWN BY	E. NAVIA
CHECKED BY	B. MCADAMS
APPROVED BY	P. CLARY
DATE	2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 MAINTENANCE OF TRAFFIC
 GEORGE WASHINGTON
 MEMORIAL PARKWAY (1 OF 4)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	MOT-002
REV.	SHEET NO.
N/A	145 OF 203
SCALE	AS SHOWN

SOUTH TO "AF"

NORTH TO "CP VIRGINIA"

NOTE:
ERADICATE EXISTING PAVEMENT MARKINGS
THAT IS IN CONFLICT WITH TEMPORARY PAVEMENT MARKING


LEGEND:



4' ROADWAY WIDENING




WORK ZONE




TEMP. TRAFFIC BARRIER



IMPACT ATTENUATOR



FOR REFERENCE ONLY



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY
S. NAWEED

DRAWN BY
E. NAVIA

CHECKED BY
B. MCADAMS

APPROVED BY
P. CLARY

DATE
2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
MAINTENANCE OF TRAFFIC
GEORGE WASHINGTON
MEMORIAL PARKWAY (2 OF 4)

PROJECT NO.
VPRA R02A
CSXT XXXX

DRAWING NO.
MOT-003

REV. SHEET NO.
N/A 146 OF 203

SCALE
AS SHOWN

VDOT PDF:plc1g
 LBPE_id_v95.tbl
 2/10/2023
 Plotted By: enavia
 R02A_GWMP_01.dgn
 GWMP MOT SHEET





Rev.	Date	Description


SOUTH TO "AF"

NORTH TO "CP VIRGINIA"


NOTE:
ERADICATE ALL EXISTING PAVEMENT MARKING
THAT IS IN CONFLICT WITH TEMPORARY PAVEMENT MARKING

LEGEND:

-  4' ROADWAY WIDENING
-  WORK ZONE
-  TEMP. TRAFFIC BARRIER
-  IMPACT ATTENUATOR



FOR REFERENCE ONLY



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY
S. NAWEED

DRAWN BY
E. NAVIA

CHECKED BY
B. MCADAMS

APPROVED BY
P. CLARY

DATE
2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
MAINTENANCE OF TRAFFIC
GEORGE WASHINGTON
MEMORIAL PARKWAY (3 OF 4)

PROJECT NO.
VPRA R02A
CSXT XXXX

DRAWING NO.
MOT-004

REV. SHEET NO.
N/A 147 OF 203

SCALE
AS SHOWN





VDOT PDF:plc1g
 LBPE_id_v95.tbl
 2/10/2023
 Plotted By: enavia
 TR02A_GWMPF_02.dgn
 gwmp2.plt.sheet

Rev.	Date	Description


SOUTH TO "AF"

NORTH TO "CP VIRGINIA"


LEGEND:

-  ROADWAY WIDENING
-  WORK ZONE
-  TEMP. TRAFFIC BARRIER
-  IMPACT ATTENUATOR

NOTE:
ERADICATE ALL EXISTING PAVEMENT MARKING THAT IS IN CONFLICT WITH TEMPORARY PAVEMENT MARKING



FOR REFERENCE ONLY



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY
S. NAWEED

DRAWN BY
E. NAVIA

CHECKED BY
B. MCADAMS

APPROVED BY
P. CLARY

DATE
2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL

MAINTENANCE OF TRAFFIC
GEORGE WASHINGTON
MEMORIAL PARKWAY (4 OF 4)

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. MOT-005	
REV. N/A	SHEET NO. 148 OF 203
SCALE AS SHOWN	

VDOT PDF:plc1g
 LBPE_id_v95.tbl
 Plotted By: enavia
 R02A_GWMP_03.dgn
 gwmp3.plt.sheet
 2/10/2023

Rev.	Date	Description

THE FOLLOWING MAINTENANCE OF TRAFFIC NOTES SHALL BE APPLICABLE TO OHIO DRIVE SW, I-395, AND MAINE AVENUE SW

APPLICABILITY OF THE MANUAL

- ALL TRAFFIC CONTROL SHALL CONFORM TO PART VI OF THE 2009 EDITION MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD), DC TEMPORARY TRAFFIC CONTROL MANUAL, GUIDELINES AND STANDARDS - 2006 EDITION, DDOT DESIGN AND ENGINEERING MANUAL - DC DEPARTMENT OF TRANSPORTATION, IPMD. ADHERE TO DDOT STANDARD SPECIFICATION FOR HIGHWAYS AND STRUCTURES (GOLD BOOK) 2013. REFERENCE SECTION 104.02 MAINTENANCE OF TRAFFIC, 603. GUARDRAILS AND GUARDRAIL TERMINALS (603.01 - 603.09), 610 TRAFFIC BARRIERS (610.01 - 610.03), 612. TRAFFIC CONTROL (612.01 - 612.21), 616. TRAFFIC SIGNING (616.01 - 616.08), 717. IMPACT ATTENUATORS (617.01 - 617.03), 207 TRENCH EXCAVATION AND BACKFILL (207.01 - 207.07), AND 215. EXCAVATIONS AND RESTORATIONS/ UTILITY LINES/ (215.01 - 215.09)

TRAINING

- THE CONTRACTOR SHALL MAKE CERTAIN THAT THE PERSON (S) RESPONSIBLE FOR THE IMPLEMENTATION OF THE TRAFFIC CONTROL PLAN HAS SUCCESSFULLY COMPLETED TRAINING IN TEMPORARY TRAFFIC CONTROL AND HIS OR HER NAME AND QUALIFICATIONS SHALL BE SUBMITTED PRIOR TO WORK COMMENCING. ACCEPTED CERTIFYING ORGANIZATIONS ARE ATSSA, MDOT, VDOT OR EQUIVALENT.

OSHA REQUIREMENTS

- ALL FIELD PERSONNEL SHALL WEAR SAFETY VEST. HARD HATS AND OTHER REQUIRED PERSONAL PROTECTION EQUIPMENT REQUIRED BY THE OCCUPATION SAFETY AND HEALTH ADMINISTRATION (OSHA).

TRAFFIC CONTROL DEVICES

- ALL TRAFFIC CONTROL DEVICES SHOULD COMPLY WITH NCHRP 350 CRASH TESTING STANDARDS OR THE AASHTO MANUAL FOR ASSESSING HARDWARE (MASH) CRITERIA, AND SHOULD HAVE MARKINGS OF COMPLIANCE ON THE STANDARDS.
- 36" REFLECTIVE CONES ARE REQUIRED FOR MAINTENANCE OF TRAFFIC (MOT). TRAFFIC CONES ARE USED FOR DAYTIME WORK ONLY. 36" - MINIMUM REFLECTIVE DRUMS SHALL BE USED FOR TAPERS ON FREEWAY SYSTEM OR WHEN INDICATED BY DDOT. ALL TRAFFIC SAFETY DRUMS USED FOR THE MAINTENANCE OF TRAFFIC SHALL BE OF A LOW DENSITY MATERIAL. BALLAST SHALL NOT BE PLACED ON TOP OF DRUM.
- ADVANCE WARNING SIGNS FOR CONVENTIONAL ROAD SHALL BE 36"x36" BLACK/ORANGE, HIGH PERFORMANCE, WIDE ANGLE, RETRO-REFLECTIVE SHEETING. ROLL-UP SIGNS ARE APPROVED. HOWEVER, SIGN SHEETING SHALL BE FLUORESCENT ORANGE AND SOLID, NOT MESH. USE SIGNS WITH THE DIMENSIONS: 48"x48" ONLY FOR FREEWAY OR EXPRESSWAY. ADVANCE WARNING SIGNS FOR LOCAL - RESIDENTIAL STREETS SHALL NOT BE LESS THAN 30"x30" (THE LARGER SIGNS MAY BE USED WHEREVER NECESSARY FOR GREATER LEGIBILITY OR EMPHASIS).
- SIGNS SHOULD BE PROPERLY MAINTAINED FOR CLEANLINESS, VISIBILITY, STABILITY, AND CORRECT POSITIONING. SIGN POSITIONING AT THE WORK SITE MAY BE MINIMALLY ADJUSTED BY PUBLIC SPACE INSPECTORS BASED ON SITE CONDITIONS. SIGNS THAT HAVE LOST SIGNIFICANT LEGIBILITY SHOULD BE PROMPTLY REPLACED.
- WORK ZONE TRAFFIC CONTROL SIGNS AND SIGN SUPPORTS SHOULD NOT BECOME OBSTACLES FOR ALL ROADWAY USERS: PEDESTRIANS, BICYCLISTS, AND VEHICLES.
- SIGN SUPPORTS SHOULD BE LOCATED SO AS TO ACCOMMODATE PEDESTRIANS AND BICYCLISTS IN AREAS DESIGNATED FOR THEIR USE. A MINIMUM LATERAL WIDTH OF 5 FEET SHOULD BE MAINTAINED FOR PEDESTRIAN PATHWAYS.
- CONTRACTOR SHALL USE AND ADJUST SPRING - LOADED SIGN STANDS, DUAL SPRING WIND RESISTANT SIGN STANDS, CONSTRUCTION SIGN STANDS WITHOUT SPRINGS, OR PORTABLE WOODEN SIGN SUPPORTS SO THE MOTORISTS CAN SEE AND READ THE SIGNS. THE SIGN STANDS SHOULD COMPLY WITH NCHRP 350 CRASH TESTING STANDARDS AND SHOULD HAVE MARKINGS OF COMPLIANCE ON THE STANDS. NEITHER PORTABLE NOR PERMANENT SIGN SUPPORTS SHOULD BE LOCATED ON SIDEWALKS - PEDESTRIAN ACCESS ROADS (PAR) BICYCLE FACILITIES, OR AREAS DESIGNATED FOR PEDESTRIAN OR BICYCLE TRAFFIC.
- PORTABLE WOODEN SIGN SUPPORTS CONSISTENT WITH THE DESIGN ON THEIR STANDARD SHEET DO NOT NEED TO BE CERTIFIED AS BEING CRASH TESTED IN ACCORDANCE WITH NCHRP - 350. THE SUPPORTS ARE TYPICALLY SANDBAGGED. (REF. NATIONAL WORK ZONE SAFETY INFORMATION CLEARINGHOUSE. STATE NEW YORK; NEW JERSEY, AS THE CITY ENVIRONMENT, NEW YORK USES ALL SORTS OF TEMPORARY SIGN SUPPORTS).
- USE WOOD MEMBERS WITH A MAXIMUM 16 (SQUARE INCH) CROSS SECTION FOR BASE CONSTRUCTION 8 (SQUARE INCH) CROSS SECTION FOR UPRIGHTS AND BRACES. THE AXLE, FRAME, SUPPORT ASSEMBLY AND OTHER STRUCTURAL MEMBERS SHOULD NOT EXCEED THE DIMENSIONS OF THE PORTABLE SIGN SUPPORT ASSEMBLY. A SINGLE SANDBAG WEIGHING 50lb. IS THE STANDARD BALLAST DEVICE FOR WOOD SIGN SUPPORT. FOR FULL BALLAST USE A MINIMUM OF 2 SANDBAGS PER PORTABLE SIGN SUPPORT.
- ALL TEMPORARY SIGNS SHALL BE PLACED IN APPROPRIATE PLACES, BE ADEQUATE FOR EXISTING STREET CONDITIONS, INCLUDING SIGN DIMENSIONS, AND BE STABLE AND FIRMLY INSTALLED (THE SMALL SIZE OF WARNING SIGNS MAY BE USED WHEREVER NECESSARY FOR PROVIDING ADEQUATE AND SAFE ACCESS FOR PEDESTRIANS WITHIN PUBLIC SPACE).
- THE TEMPORARY SIGNS AND MARKINGS PLACED ADJACENT TO THE WORK ZONE SHALL BE CONSISTENT AND VISIBLE AT ALL TIMES. THE FULL VIEW OF ADVANCE WORK ZONE WARNING SIGNS SHALL BE PROVIDED. SIGNS SHALL BE CLEAR OF OBSTRUCTION ON APPROACH TO WORK ZONE.
- NO HOMEMADE CONSTRUCTION, REGULATORY, OR GUIDE SIGNS SHALL BE ALLOWED.
- DAMAGED, DIRTY, OR DEFACED DEVICES, INCLUDING SIGNS, CHANNELIZERS, AND TRAFFIC CONTROL EQUIPMENT ARE NOT APPROVED AND SHALL NOT BE USED.
- ALL TRAFFIC CONTROL DEVICES NOT IN USE SHALL BE REMOVED FROM THE PUBLIC SPACE OR AS DIRECTED BY DDOT. WHEN APPROVED BY DDOT ALL REGULATORY SIGNS MUST BE COVERED SECURELY TO AVOID MISINFORMATION.
- SIGN SPACING SHALL BE ADJUSTED TO AVOID CONFLICT WITH THE EXISTING PERMANENT SIGNAGE AND PAVEMENT MARKINGS.
- IF ANY TEMPORARY PROHIBITING REGULATORY SIGNS ARE PROPOSED BY CONTRACTOR, SUCH AS "NO RIGHT TURN", "NO LEFT TURN", WHETHER SYMBOLIC OR TEXT MESSAGE, THE CONTRACTOR SHALL BE RESPONSIBLE TO PROVIDE ADVANCE COORDINATION WITH TRAFFIC OPERATION ADMINISTRATION (TOA) TO ENSURE THAT THE ADEQUATE TRAFFIC MOVEMENTS ARE PROVIDED IN THE VICINITY OF CONSTRUCTION SITE.
- THE CONTRACTOR IS REQUIRED TO COORDINATE PROPOSED WORK ZONE SIGNAGE TO ADJACENT CONSTRUCTION WORK ZONE PROJECT TO AVOID CONFUSING MESSAGES, AND SIGNAGE DUPLICATION.
- THE CONTRACTOR SHALL COORDINATE HIS MOT/TCP WITH OTHER CONTRACTORS, AND UTILITY COMPANIES WORKING IN THE SAME GENERAL LOCATION TO MAINTAIN CONTINUITY OF TRAFFIC FLOW AND MINIMIZE CONGESTION.
- THE UTILITY COMPANIES SHALL BE RESPONSIBLE FOR PRODUCTIONS A TRAFFIC CONTROL PLAN FOR THE INSTALLATION OF UTILITIES AND COORDINATING ITS INSTALLATIONS WITH DDOT/ PUBLIC SPACE REGULATION ADMINISTRATION, AND THE GENERAL CONTRACTOR'S MOT/TCP.
- THE MINIMUM HEIGHT, MEASURED VERTICALLY FROM THE BOTTOM OF THE SIGN TO THE SIDEWALK, LOCATED IN BUSINESS, COMMERCIAL, OR RESIDENTIAL AREAS WHERE PARKING OR PEDESTRIAN MOVEMENTS ARE LIKELY TO OCCUR, OF SIGNS INSTALLED ABOVE SIDEWALKS SHALL BE 7 FEET.

- FOR SIGNS TO BE USED IN WORK ZONES, ALL OF THE ABOVE REQUIREMENTS MUST BE MET TO THE SATISFACTION OF THE DDOT TRAFFIC ENGINEER.

FLASHING ARROW PANEL

- PROPOSED LOCATIONS ARE TO BE VERIFIED FOR VISIBILITY AND SIGHT DISTANCE. ARROW PANEL SHOULD BE DELINEATED WITH RETRO-REFLECTIVE TEMPORARY TRAFFIC CONTROL DEVICES, OR WHEN WITHIN THE CLEAR ZONE SHIELDED WITH A BARRIER OR CRASH CUSHION. WHEN AN ARROW PANEL IS NOT BEING USED, IT SHOULD BE REMOVED; IF NOT REMOVED, IT SHOULD BE SHIELDED; OR IF PREVIOUS TWO OPTIONS ARE NOT FEASIBLE, IT SHOULD BE DELINEATED WITH RETRO-REFLECTIVE TEMPORARY TRAFFIC CONTROL DEVICES. FLASHING ARROW PANELS MAY BE DEEMED NECESSARY ON OTHER ROADWAYS.

FLAGGING

- CONTRACTOR SHALL PROVIDE FLAGGING OPERATIONS FOR CONDITIONS DEEMED NECESSARY BY SELF OR DDOT. ALL FLAGGERS MUST BE CERTIFIED AND HAVE THEIR CERTIFICATION CARD IN THEIR POSSESSION WHEN FLAGGING. THEY SHALL BE EQUIPPED WITH SAFETY VESTS, HARD HATS, HAND SIGNALING DEVICES, AND ELECTRONIC DEVICES FOR COMMUNICATION.

- ALL FLAGGING OPERATIONS SHALL BE USE A "STOP"/"SLOW" PADDLE OF 24 INCHES IN DIAMETER MOUNTED ON A 6 FT. POLE WITH 6-INCH SERIES "C" LETTERS.

- THE CONTRACTOR SHALL BE RESPONSIBLE TO CONDUCT FLAGGING OPERATION TO CONTROL PEDESTRIAN TRAFFIC IN SAFETY MANNER WHEN CONSTRUCTING VEHICLES ARE ENTERING - EXITING THE CONSTRUCTION SITE. IF A SAFE ACCOMMODATION FOR PEDESTRIANS OR BICYCLISTS MUST BE CLOSED INTERMITTENTLY DURING OFF-PEAK HOURS DUE TO CONFLICTS WITH CONSTRUCTION ACTIVITIES OR CONSTRUCTION VEHICLES THE MOT/TCP SHALL REQUIRED THAT:
 - FLAGGERS BE POSTED AT EACH END OF THE CLOSED PEDESTRIAN OR BICYCLE ROUTE FOR THE ENTIRE DURATION OF TIME THE INTERMITTENT CLOSURE IS IN PLACE.
 - THE SAFE AND REASONABLE FLOW OF PEDESTRIAN AND BICYCLE TRAFFIC BE MAINTAINED IN PREFERENCE TO CONSTRUCTION ACTIVITIES AND THE FLOW OF CONSTRUCTION VEHICLES.

- FLAGGERS BE POSTED AT EACH END OF THE CLOSED PEDESTRIAN OR BICYCLE ROUTE FOR THE ENTIRE DURATION OF TIME THE INTERMITTENT CLOSURE IS IN PLACE.
- THE SAFE AND REASONABLE FLOW OF PEDESTRIAN AND BICYCLE TRAFFIC BE MAINTAINED IN PREFERENCE TO CONSTRUCTION ACTIVITIES AND THE FLOW OF CONSTRUCTION VEHICLES.

LANE CLOSURE

- CONTRACTORS SHALL NOT CLOSE MORE THAN ONE LANE OF TRAFFIC IN ONE DIRECTION UNLESS OTHERWISE APPROVED.

STREET CLOSURE

- TYPE III BARRICADES SHALL BE USED FOR ROAD CLOSURES. ADEQUATE ROAD CLOSURE AND DETOUR SIGNAGE SHALL BE INSTALLED TO GIVE MOTORIST GUIDANCE. DETOUR DIRECTION SIGNS MUST BE ACCOMPANIED BY MESSAGE SIGNS THAT INDICATE DETOUR STREET NAME. DO NOT USE ABBREVIATIONS ON MESSAGE SIGNS.
- THE CONTRACTOR IS REQUIRED TO NOTIFY FIRE AND /OR POLICE DEPARTMENTS OF APPROVED ROAD AND ALLEY CLOSURES. PERMITS WITH THEIR APPROVAL MUST BE ON SITE WITH ALL OTHER PERMITS.
- ALL EXCAVATION OPERATIONS SHALL COMPLY WITH DISTRICT DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR HIGHWAYS AND STRUCTURES SECTIONS 207,606, AND 612.
- TRENCHES SHALL BE BACKFILLED OR STEEL - PLATED. STEEL PLATES SHALL HAVE ASPHALTIC CONCRETE BERM ON ALL EDGES (HOT MIX ASPHALT OR HIGH PERFORMANCE COLD MIX). ALL DIRT, DUST AND DEBRIS SHALL BE REMOVED FROM STREET. THE STREET SHALL BE IN DRIVABLE CONDITION AT ALL TIMES.
- STEEL PROTECTION PLATES SHALL BE USED BY CONTRACTOR TO PROTECT OPEN EXCAVATED AREA. ALL OPEN TRENCHES OR HOLES IN THE PUBLIC SPACE WHICH ARE NOT BACKFILLED AND COMPACTED BY THE END OF EACH WORK DAY SHALL BE PLATED.
- THE STEEL PLATE SHALL EXTEND NO LESS THAN 18 INCHES BEYOND THE EDGE OF THE TRENCH ON ALL SIDES. STEEL PLATES SHALL BE ATTACHED TO THE ROADWAY BY A MINIMUM OF 6 SPIKES; 4 SPIKES PREDRILLED INTO THE CORNERS OF THE PLATES AND 1 SPIKE PREDRILLED INTO EACH SIDE PARALLEL TO THE TRENCH. SPIKES SHALL BE DRILLED A MINIMUM OF 3 INCHES INTO THE HARD PAVEMENT.
- A NON-SKID SURFACE TREATMENT SHALL BE APPLIED TO THE ENTIRE SURFACE AREA OF THE STEEL PLATE IN CASES WHERE THE PLATE IS WITHIN DESIGNATED BICYCLE PATH OR A PLATE IS PLACED AT AN INTERSECTION OR WITHIN 75 FEET OF A TRAFFIC SIGNAL OR STOP SIGN/STOP LINE.
- CONTRACTORS SHALL INSTALL "STEEL PLATE AHEAD" SIGNS WHENEVER PLATES HAVE BEEN INSTALLED.
- ALL LEADING ENDS OF THE TEMPORARY CONCRETE BARRIERS EXPOSED TO ON-COMING TRAFFIC SHALL BE PROTECTED WITH PORTABLE IMPACT QUADGUARD TRAFFIC ATTENUATOR. ALL ATTENUATORS. ALL ATTENUATORS SHALL HAVE OBJECT MARKERS.

TEMPORARY PAVEMENT MARKING

- TEMPORARY REFLECTIVE PAVEMENTS TAPE OF THE APPROVED TYPE SHALL BE USED TO DESIGNATE TRAFFIC LANES. THE COLORS OF TEMPORARY PAVEMENTS MARKINGS SHALL FOLLOW THE SAME STANDARD AS PERMANENT MARKINGS. ALL MARKERS SHALL BE WHITE, EXCEPT FOR THE LEFT EDGE OF THE EFFECTIVE ROADWAY, WHICH SHALL BE YELLOW.

TIME OF WORK

- DAYTIME WORK HOURS ARE BETWEEN 9:30AM-3:30PM OR AS APPROVED. (DON'T PERFORM WORK DURING PEAK TRAFFIC VOLUMES)
- NIGHTTIME WORK HOURS ARE BETWEEN 7:30PM-4:30AM OR AS APPROVED. (DON'T PERFORM WORK DURING PEAK TRAFFIC VOLUMES)
- ANY CONSTRUCTION IN RESIDENTIAL AND OR HOTEL ZONES REQUIRES A DAYTIME WORK HOURS PERMIT UNLESS OTHERWISE APPROVED BY DDOT.

PARKING


- PARKING IS TO BE PROHIBITED IN THE WORK AREA. PARKING IS TO BE RESTRICTED - 72 HOURS IN ADVANCE UNLESS THERE IS AN EMERGENCY.
- ANY WORK THAT REQUIRES TEMPORARY NO-PARKING RESTRICTIONS FOR A CONTRACTOR TO PERFORM THEIR WORK SHALL REIMBURSE THE DISTRICT OF COLUMBIA ALL LOST REVENUE FOR ALL SPACES OCCUPIED IF THE NO PARKING ZONE AFFECTS PARKING METERS DURING THE LIFE OF THE WORK (DDOT/TOA TELEPHONE NUMBER IS (202-671-2020)
- IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO RECORD METER NUMBERS AFFECTED BY THEIR WORK AND REPORT THOSE METERS OCCUPIED TO PARKING SERVICES.

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	S. NAWEED	
DRAWN BY	E.NAVIA	
CHECKED BY	B. MCADAMS	
APPROVED BY	P. CLARY	
DATE	2/10/2023	
Rev.	Date	Description





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL

**MAINTENANCE OF TRAFFIC
NOTES (1 OF 3)**

PROJECT NO.		VPRA R02A CSXT XXXX
DRAWING NO.		MOT-006
REV.	SHEET NO.	
N/A	149 OF 203	
SCALE		AS SHOWN

VDOT PDF.plt/cg
 LBPE_id_v95.tbl
 2/10/2023
 Plotted By: enavia
 MOT Note South.dgn
 note.1 DDOT MOT plot sheet

THE FOLLOWING MAINTENANCE OF TRAFFIC NOTES SHALL BE APPLICABLE TO OHIO DRIVE SW, I-395, AND MAINE AVENUE SW

HANDICAPPED ACCOMMODATIONS

- 46. ALL CONTRACTORS SHALL MAINTAIN PEDESTRIAN CROSSWALKS AND WALKWAYS WHETHER PAVED OR UNPAVED UNLESS OTHERWISE INDICATED ON THE PLANS AND APPROVED BY DDOT. TEMPORARY WHEELCHAIR RAMPS SHALL ALSO BE INSTALLED AND MAINTAINED BY THE CONTRACTOR OR AS DEEMED NECESSARY BY DDOT. COMPLIANCE TO THE AMERICAN DISABILITIES ACT (ADA) IS REQUIRED. CONTRACTORS INVOLVED IN WORK ON SIDEWALKS AND RAMPS, BE IT NEW CONSTRUCTION OR RENOVATION, NEED TO HAVE THE APPROPRIATE SIGNAGE PRESENT OFFERING SAFE AND COMPLIANT ALTERNATIVE ROUTES FOR THE DISABLED AND PEDESTRIAN TRAFFIC.
- 47. MOT/TCP MUST BE ADA COMPLIANT. CONTRACTORS SHALL INSTALL TEMPORARY ADA CURB RAMP FOR WORK ZONE PROJECTS WITHIN R.O.W TO PROVIDE ACCESS FOR WHEELCHAIR USERS. STROLLERS, ETC. PEDESTRIAN ACCESS ROUTE (PAR) IS THE CONTINUOUS AND UNOBSTRUCTED WALKWAY WITHIN THE R.O.W. (PUBLIC SPACE)
- 48. PEDESTRIAN ACCESS ROUTE (PAR) MUST BE FREE OF OBSTRUCTIONS AND SURFACE HAZARDS, SUCH AS CONSTRUCTION EQUIPMENT, CONSTRUCTION MATERIALS, DEBRIS, MUD, HOLES, PUDDLES, AND LOOSE GRAVEL AT ALL TIMES.
- 49. IF THE TEMPORARY TRAFFIC CONTROL ZONE (TTC) AFFECTS THE MOVEMENT OF PEDESTRIANS, ADEQUATE PEDESTRIAN ACCESS AND WALKWAYS SHALL BE PROVIDED. IF THE TTC ZONE AFFECTS AN ACCESSIBLE AND DETECTABLE PEDESTRIAN FACILITY, THE ACCESSIBILITY, AND DETECTABILITY SHALL BE MAINTAINED ALONG THE ALTERNATE PEDESTRIAN ROUTE.

MATERIAL AND EQUIPMENT

- 50. A CONTRACTOR WITH VEHICLES AND EQUIPMENT IN PUBLIC SPACE REQUIRES A PERMIT. ANY CONTRACTOR WHO WISH TO LEAVE EQUIPMENT OVERNIGHT IN PUBLIC SPACE ARE SUBJECT TO REIMBURSING THE CITY FOR THE SPACE BEING OCCUPIED, AND MUST HAVE A PERMIT ALLOWING OVERNIGHT STORAGE ON CITY STREETS OR IN CITY SPACE. ALL ITEMS PERMITTED TO BE STORED OVERNIGHT ON CITY STREETS OR IN CITY SPACE MUST BE SECURED AND MUST GIVE CONSIDERATION TO PUBLIC SAFETY. IN THE EVENT OF AN EMERGENCY, THE CITY RESERVES THE RIGHT TO REMOVE ALL ITEMS THAT ARE PERMITTED BY ANY MEANS NECESSARY. EMERGENCY CONTACT INFORMATION SHOULD BE PROVIDED TO DDOT WITH 24-HOUR ACCESS IN THE EVENT SUCH AN EMERGENCY OCCURS.
- 51. ALL CONSTRUCTION VEHICLES OPERATING IN AND AROUND THE WORK ZONE SHALL OPERATE STROBE OR REVOLVING LIGHTS AT ALL TIMES. THESE LIGHTS SHOULD BE MOUNTED IN SUCH A MANNER THAT THEY ARE VISIBLE 360 DEGREES.
- 52. CONTRACTOR SHALL MAINTAIN ACCESS TO ALL DRIVEWAYS GARAGES, ALLEYS AND LOADING DOCKS AT ALL TIMES. AS WELL AS ACCESS TO ALL BUSINESSES.
- 53. CONTRACTOR SHALL NOT BLOCK FIRE HYDRANT, BUS STOP, RESIDENTIAL RPP PARKING SPACES, PARKING METERS (WITHOUT PAYMENT) AND UTILITY STRUCTURES.

CHANGEABLE MESSAGE SIGNS

- 54. PORTABLE CHANGEABLE MESSAGE SIGNS (PCMS) MAY BE REQUIRED TO GIVE THE MOTORING PUBLIC ADVANCE NOTIFICATION OF ROAD CONDITIONS, ROADWORK, AND/OR EVENTS. ARROW BOARDS MAY ALSO BE REQUIRED IN WORK ZONES TO AID IN LANE CLOSURES AND, WHERE WORK REQUIRES, TRUCK MOUNTED ATTENUATOR (TMA) CAN BE REQUIRED AS WORK DICTATES.

SAFE ACCOMMODATION FOR PEDESTRIANS AND BICYCLISTS

- 55. CONTRACTOR SHALL CONSIDER PEDESTRIANS AND BICYCLISTS SAFETY ACCOMMODATION VERY SERIOUSLY INCLUDING THE FOLLOWING:
 - a) ROUTING PRIORITY; PROVIDED THAT CLOSING A SIDEWALK AND ROUTING PEDESTRIANS TO THE SIDEWALK ON THE OPPOSITE SIDE OF THE STREET SHALL ONLY BE APPROVED AS A LAST RESORT FOR THE DURATION OF TIME NEEDED TO ASSURE PEDESTRIAN SAFETY IN THE ABSENCE OF OTHER PRACTICABLE ROUTING OPTIONS; HERE CONTRACTOR'S DECISION MUST BE BASED ALSO ON MULTIFUNCTIONAL ANALYSIS OF DIFFERENT VARIABLES SUCH AS : FUNCTIONAL CLASSIFICATION OF ROAD UNDER CONSTRUCTION, FUNCTIONAL CLASSIFICATION OF SIDE STREETS, AND ADJACENT STREETS TO THE CONSTRUCTION, STREET GEOMETRY AND R.O.W, TRAFFIC AND PARKING OPERATIONS, BIKE LANE PRESENTS, BUS ROUTES, DURATION OF CONSTRUCTION, WORK ZONE ACTUAL LOCATION AND COORDINATION WITH OTHER ONGOING CONSTRUCTION PROJECTS WITHIN VICINITY OF ACTUAL WZ, THE LENGTH OF BLOCK, FAR-SIDE AND NEAR-SIDE SIGNALIZED INTERSECTIONS PRESENTS, ETC.
 - b) CONTRACTOR MUST CONSIDER SIDEWALK CLOSURE AS A REASONABLE OPTION ONLY FOR SOME SPECIFIC PHASES OF CONSTRUCTION INCLUDING THE FOLLOWING:
 - 1. DEMOLITION/RAZE OF BUILDING /STRUCTURE PHASE OF CONSTRUCTION;
 - 2. FACADE DEMOLITION;
 - 3. RECONSTRUCTION OR REHABILITATION OF SIDEWALK;
 - 4. MOBILE CRANE OPERATION WITHIN R.O.W.;
 - 5. UTILITY WORK , OR OTHER ACTIVE WORK WITHIN SIDEWALK ZONE INCLUDING EMERGENCY, AND EXCAVATION.
 - c) ACCORDING TO SAFE ACCOMMODATION FOR PEDESTRIANS AND BICYCLISTS (24 DCMR § 3315 THE MOT/TCP DESIGNER - DEVELOPER IS REQUIRED TO PRIORITIZE THE SAFE ACCOMMODATION FOR BICYCLISTS INCLUDING THE FOLLOWING:
 - 1. CLOSING A PARKING LANE AND KEEPING THE ADJACENT BICYCLE LANE OPEN;
 - 2. SHIFTING THE BICYCLE LANE TO A LOCATION ON THE SAME ROADWAY TO BYPASS THE WORK ZONE, AND IF NECESSARY, SHIFTING AND NARROWING THE ADJACENT MOTOR VEHICLE TRAFFIC LANES; PROVIDED THE ADJACENT MOTOR VEHICLE TRAVEL LANES SHALL BE MAINTAINED AT NO LESS THAN TEN FEET (10FT) WIDE.
 - 3. CLOSING THE ADJACENT MOTOR VEHICLE TRAVEL LANE TO PROVIDE SPACE FOR BICYCLE LANE. PROVIDE THAT A MINIMUM OF ONE (1) MOTOR VEHICLE TRAVEL LANE SHALL REMAIN IN THE SAME DIRECTION OF TRAVEL.
 - 4. MERGING THE BICYCLE LANE AND THE ADJACENT TRAVEL LANE INTO A SHARED TRAVEL LANE ADJACENT TO THE WORK ZONE. INSTALLING SHARROW LANE PAVEMENT MARKINGS IN THE SHARED TRAVEL LANE AND INSTALLING WORK ZONE SIGNAGE DIRECTING BICYCLISTS TO MERGE INTO THE SHARED TRAVEL LANE. PROVIDED THE SHARED TRAVEL LANE SHALL BE MAINTAINED AT NO LESS THAN 13 (FT) WIDE; AND
 - 5. AS A LAST RESORT, DETOURING BICYCLISTS ONTO AN ADJACENT ROADWAY, IN WHICH CASE THE DETOUR ROUTE SHALL REPLICATE, AS CLOSELY AS PRACTICABLE, THE LEVEL OF SAFETY FOUND ON THE BICYCLE ROUTE BEING BLOCKED.
 - 6. SIGNAGE SHALL ADEQUATELY WARN BICYCLISTS AND MOTORISTS ALIKE OF ANY LANE SHIFT OR SHARED LANE CONDITIONS. SIGNAGE INTENDED ONLY FOR BICYCLISTS SHALL DISPLAY THE WORD "BICYCLES" , OR THE BICYCLE SYMBOL AND CLEARLY MARK THE ALTERNATE TEMPORARY ROUTE.
 - d) BICYCLE LANES, PARKING LANES AND TRAVEL LANES MUST BE FREE OF OBSTRUCTIONS AND SURFACE HAZARDS, SUCH AS CONSTRUCTION EQUIPMENT, CONSTRUCTION MATERIALS, DEBRIS, HOLES, MUD LOSSES GRAVEL, MILLED SURFACES AND UNEVEN PAVEMENT AT ALL TIMES.

PEDESTRIAN CONTROL AND PROTECTION WALKWAYS

- 56. ALL TEMPORARY TRAFFIC CONTROL PLAN SHALL BE DESIGNED IN ACCORDANCE WITH THE MOST RECENT ADA REGULATIONS AND THE REQUIREMENTS OF ACTUAL WORK ZONE STANDARDS.
- 57. THE CONTROL OF ROAD USERS- MOTORISTS, BICYCLISTS PEDESTRIANS, INCLUDING PERSONS WITH DISABILITIES IN ACCORDANCE WITH THE AMERICAN WITH DISABILITIES ACT (ADA), AND WORKERS THROUGH A TEMPORARY TRAFFIC CONTROL ZONE SHALL BE ESSENTIAL PART OF HIGHWAY CONSTRUCTION, UTILITY WORK , MAINTENANCE OPERATIONS, AND THE MANAGEMENT OF TRAFFIC INCIDENTS.
- 58. CONTRACTORS SHALL INSTALL COVERED WALKWAYS AT LOCATIONS THAT DDOT DEEMS NECESSARY. CONTRACTOR MAY ALSO BE REQUIRED TO DEVELOP PROTECTED PEDESTRIAN PATHS AROUND THE WORK AREA THAT MAY PLACE PEDESTRIAN TRAFFIC IN THE ROADWAY TEMPORARILY. IN THIS SITUATION CONCRETE BARRIERS OR WATER FILLED BARRIERS WITH STEEL RIBBING WILL BE REQUIRED FOR DDOT APPROVAL.

WORK ZONE SPEED LIMITS

- 59. WHEN REQUIRED BY DDOT, THE CONTRACTOR MAY BE REQUIRED TO LOWER THE POSTED SPEED LIMIT IN THE WORK ZONE DURING THE LIFE OF THE PROJECT. ALL CHANGES TO REGULATORY SIGNS WILL BE INDICATED TO THE PUBLIC WITH THE ADDITION OF TWO ORANGE WORK ZONE FLAGS, AND WHEN REQUIRED BY DDOT, A TYPE B LIGHT MAY BE NECESSARY.
- 60. "END CONSTRUCTION" AND "ROAD WORK AHEAD" SIGNS WILL BE REQUIRED AT THE ENDS OF THE WORK ZONE; THIS INCLUDES ANY STREETS AFFECTED THAT WILL LEAD INTO OR OUT OF THE WORK AREA.

LAW ENFORCEMENT

- 61. CONTRACTOR SHALL HAVE, AT ALL TIMES, COPIES OF THEIR TCP'S AND PERMIT ON SITE AND AVAILABLE FOR THE INSPECTOR'S REVIEW. UNLESS OTHERWISE AUTHORIZED BY DDOT, ANY PROJECT/CONTRACTOR FAILING TO HAVE APPROVED PERMITS AND TCP (S) ON SITE, OR ANY CONTRACTOR FAILING TO FOLLOW THE APPROVED PLAN AND TCP, WILL BE SUBJECT TO FINES AND POSSIBLE IMMEDIATE SUSPENSION OF WORK.
- 62. CONTRACTORS FAILING TO USE APPROVED DEVICES REQUIRED OR REQUESTED BY DDOT WILL BE SUBJECT TO POSSIBLE FINES OR IMMEDIATE SUSPENSION OF WORK.
- 63. THE CONTRACTOR SHALL RESPONSIBLE FOR ESTABLISHING A QUEUEING AREA THAT WILL SATISFY DDOT/PSRA SAFETY AND EFFICIENCY REQUIREMENTS. CONSTRUCTION VEHICLE QUEUEING IS NOT ALLOWED IN ANY PUBLIC STREET AND ALLEY.
- 64. CONTRACTOR MAY BE REQUIRED TO HIRE POLICE FOR PARKING AND WORK ZONE ENFORCEMENT.
- 65. ANY KIND OF STRUCTURAL DAMAGE, PROPERTY DAMAGE, WHICH OCCURS DUE TO THE CONSTRUCTION ACTIVITY ON PUBLIC SPACE AND/OR PRIVATE PROPERTY IT WILL BE THE RESPONSIBILITY OF THE CONTRACTOR - PERMIT HOLDER WHICH CAUSED THE DAMAGE.
- 66. ANY PERSON WHO POSTS AN UNAUTHORIZED SIGN OR REMOVES AN AUTHORIZED SIGN IS SUBJECT TO A FINE OF \$100.00 OR MORE PER DAY FOR EACH DAY THAT ANY UNAUTHORIZED SIGN THAT REMAINS INSTALLED OR REMOVED DURING ITS AUTHORIZED POSTING PLUS DDOT'S COSTS FOR REMOVING THE UNLAWFUL SIGN REISSUING AN AUTHORIZED SIGN.
- 67. THE CONTRACTOR SHALL PROVIDE , ERECT, MAINTAIN AND REMOVE ALL BARRICADES, WARNING SIGNS, DELINEATORS, AND FLOGGERS IN ACCORDANCE WITH THE MUTCD- 2009, DDOT STANDARD SPECIFICATION FOR HIGHWAYS AND STRUCTURES, SECTION 612-TRAFFIC CONTROL, AND CURRENT MOT/TCP INSPECTION CRITERIA DOCUMENT. FAILURE BY THE CONTRACTOR TO OPEN TRAFFIC LANES WHEN REQUIRED AND TO MAINTAIN DESIGNATED LANES OPEN TO TRAFFIC SHALL BE SUBJECT TO \$1,000.00 FINE PER HOUR/PER OCCURRENCE.

NIGHT TIME WORK

- 68. DURING NIGHT TIME HOURS, THE WORK SITE SHALL BE MADE SAFE FOR TRAFFIC. WARNING SHALL BE PROVIDED, BY INSTALLING ELECTRONICALLY ILLUMINATED TRAFFIC CONTROL DEICES SUCH AS FLASHING ARROW PANELS AND WARNING LIGHTS. THESE DEVICES SHOULD BE USED IN CONJUNCTION WITH OTHER TRAFFIC CONTROL DEVICES AND THEIR FLASHING SEQUENCE AND LIGHT INTENSITY SHALL MEET THEREQUIREMENTS CITED IN THE MUTCD. ALL TRAFFIC. CONTROL DEVICES MUST BE REFLECTORIZED DURING NIGHT TIME HOURS.
- 69. FREQUENT NIGHT TIME INSPECTIONS ARE TO BE MAKE TO ENSURE THAT THE TRAFFIC DEVICES HAVE THE PROPER REFLECTIVITY OR LIGHTING SO THEY ARE VISIBLE AND MEANINGFUL TO THE TRAVELING PUBLIC.
- 70. THE CONTRACTOR SHALL OBTAIN A DSRA NOISE PERMIT FOR RESIDENTIAL WEEKEND AND NIGHT-TIME WORK.





WORK COORDINATION

- 71. THE CONTRACTOR SHALL COORDINATE HIS MAINTENANCE OF TRAFFIC WORK WITH OTHER CONTRACTORS AND UTILITY COMPANIES WORKING IN THE SAME GENERAL LOCATION TO MINIMIZE WORK ZONE LOCATION CONFLICTS, TO MAINTAIN CONTINUITY OF TRAFFIC FLOW AND MINIMIZE CONGESTION.
- 72. THE CONTRACTOR SHALL GIVE-72 HOURS PRIOR NOTICE TO THE DDOT WHEN MAKING A CHANGE IN TRAFFIC FLOW PATTERNS.
- 73. THE CONTRACTOR SHALL COORDINATE HIS MAINTENANCE OF TRAFFIC WORK WITH DDOT/TOA/SIGNAL DIVISION, DIVISION FOR SIGNAL TIMING MODIFICATIONS BEFORE BEGINNING WORK AT ANY SIGNALIZED INTERSECTION.
- 74. THE CONTRACTOR SHALL COORDINATE HIS MAINTENANCE OF TRAFFIC WORK WITH DDOT/TOA/SIGNAL DIVISION, AND SAFETY TEAM FOR THE PLACEMENT OF TEMPORARY STOP SIGNS BEFORE BEGINNING WORK AT ANY SIGNALIZED INTERSECTION.
- 75. CONTRACTOR SHALL NOTIFY APPROPRIATE ANC CHAIRPERSON AND RESIDENTS AND/OR MERCHANTS IN WRITING; OF PLANNED WORK/TCP THREE WEEKS PRIOR TO STARTING DATE. THE CONTRACTOR WILL BE REQUIRED TO FURNISH DDOT WITH ALL LETTERS AND RESPONSES IN WRITING CONCERNING THEIR PROJECT. THIS DOES NOT APPLY TO CRANES THAT ARE USED FOR DURATION OF 1-2 DAYS.

TREE PROTECTION

- 76. THE CONTRACTOR SHALL PROVIDE PROTECTION FOR EXISTING TREES WITHIN THEPROJECT LIMITS DURING CONSTRUCTION. WORK SHALL INCLUDE PROTECTION BY FENCING OF ALL TREES. TREE PROTECTION FENCING SHALL CONSIST OF 6 FOOT TALL CHAIN LINK FENCE MATERIAL. FENCING SHALL PROTECT AN AREA NO SMALLER THAN 9FT x 4FT. (GOLD BOOK, REF. SECTION 608.07).
- 77. ALL TREE AND ROOT PROTECTION MEASURES AND EXCAVATION OPERATIONS SHALL COMPLY WITH THE 2013 DDOT STANDARD SPECIFICATIONS FOR HIGHWAYS AND STRUCTURES (GOLD BOOK- REF. SECTION 207.03,608.07 AND 608.08)

FOR REFERENCE ONLY

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		DESIGNED BY S. NAWEED	  	THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY		LONG BRIDGE SOUTH PACKAGE ARLINGTON, VA TO WASHINGTON, DC		PROJECT NO. VPRA R02A CSXT XXXX
		DRAWN BY E.NAVIA				DRAWING NO. MOT-007		
		CHECKED BY B. MCADAMS				REV. SHEET NO. N/A 150 OF 203		
		APPROVED BY P. CLARY				SCALE		
		DATE 2/10/2023				AS SHOWN		
Rev.	Date	Description						

VDOT PDF.plt/cg
 LBPE_id_v95.tbl
 2/10/2023
 Plotted By: enavia
 MOT Note South.dgn
 note.2 DDOT MOT plot sheet

THE FOLLOWING MAINTENANCE OF TRAFFIC NOTES SHALL BE APPLICABLE TO LOCATIONS AS NOTED

78. THE DESIGN BUILDER (SOUTH PACKAGE) AND PROGRESSIVE DESIGN BUILDER (NORTH PACKAGE) SHALL

- A. COORDINATE WITH TRANSIT OPERATORS (WMATA, DC CIRCULATOR, ARLINGTON TRANSIT, OMNIRIDE, LOUDOUN COUNTY TRANSIT (MARTZ)) TO ENABLE ADJUSTMENTS AS NECESSARY TO MINIMIZE IMPACTS TO BUS ROUTES.
- B. COORDINATE WITH VIRGINIA DEPARTMENT OF TRANSPORTATION (VDOT), ARLINGTON COUNTY, DDOT, AND NPS ON THEIR DEVELOPMENT OF A PROJECT-WIDE TRAFFIC MANAGEMENT PLAN.
- C. COORDINATE WITH PARK OWNERS, INCLUDING ARLINGTON COUNTY AND NPS, ON TRAFFIC CONTROL STRATEGIES TO MINIMIZE TRAFFIC DISRUPTIONS AND MAINTAIN VEHICULAR, PEDESTRIAN, AND BICYCLE MOBILITY ON ROADWAYS DURING CONSTRUCTION.
- D. COORDINATE WITH FEDERAL, STATE, AND LOCAL LAW ENFORCEMENT AND SAFETY AGENCIES TO ENSURE ACCESS AND MINIMIZE DELAYS FOR EMERGENCY RESPONSE DURING CONSTRUCTION.
- E. DEVELOP, WITH APPROVAL FROM AGENCIES (VDOT, ARLINGTON COUNTY, DDOT, NPS) THAT HAVE JURISDICTION OVER APPLICABLE ROADWAYS, A PROJECT-WIDE TRAFFIC MANAGEMENT PLAN (TMP) THAT INCLUDES TEMPORARY TRAFFIC CONTROL PLANS, ANALYSIS OF TRAFFIC OPERATIONS, AND A PUBLIC OUTREACH CAMPAIGN.
- F. DEVELOP MAINTENANCE OF TRAFFIC PLANS FOR APPROVAL BY NPS TO ENSURE CONTINUED THROUGH AND RAMP ACCESS ALONG THE GWMP AS THE BRIDGES, EMBANKMENTS, AND RETAINING WALLS ARE CONSTRUCTED.
- G. LIMIT GWMP LANE CLOSURES TO OFF-PEAK HOURS TO EXTENT PRACTICABLE TO REDUCE IMPACT TO MOTORISTS. (SOUTH CONTRACT ONLY)
- H. LIMIT CROSSING OF GWMP BY CONSTRUCTION VEHICLES TO HOURS TO BE STIPULATED IN THE NPS SPECIAL USE PERMIT SECURED BY THE DESIGN BUILDER. (SOUTH CONTRACT ONLY)
- I. MAINTAIN TWO LANES OF TRAFFIC ON GWMP AT ALL TIMES DURING PEAK DAYTIME HOURS. (SOUTH CONTRACT ONLY)
- J. DEVELOP MAINTENANCE OF TRAFFIC PLAN FOR I-395 THAT INCLUDES STRATEGIES FOR DRIVER DIVERSION AND STRATEGIES TO ENCOURAGE USE OF NON-MOTORIZED MODES; IDENTIFIES AND CLEARLY SIGNS POTENTIAL DETOUR ROUTES; AND DEVELOPS DRIVER-AWARENESS CAMPAIGNS REGARDING PROBABLE SEVERE CONGESTION FOR THE DURATION OF THE CONSTRUCTION PERIOD. (NORTH CONTRACT ONLY)
- K. DEVELOP MAINTENANCE OF TRAFFIC PLAN FOR MAINE AVENUE SW THAT INCLUDES STRATEGIES FOR DRIVER DIVERSION AND STRATEGIES TO ENCOURAGE USE OF NON-MOTORIZED MODES; IDENTIFIES AND PROVIDES CLEAR SIGNS FOR POTENTIAL DETOUR ROUTES; AND DEVELOPS DRIVER-AWARENESS CAMPAIGNS REGARDING PROBABLE SEVERE CONGESTION FOR THE DURATION OF CONSTRUCTION PERIOD.
- L. MAINTAIN VISITOR ACCESS TO PARKLAND AND TRAILS DURING CONSTRUCTION; ALL INTERMITTENT CLOSURES AND TRAFFIC CONTROL PLANS WOULD BE INCLUDED IN THE TMP SUBMITTED TO NPS FOR REVIEW AND APPROVAL PRIOR TO IMPLEMENTATION.

FOR REFERENCE ONLY

VDOT PDF:plf16g
 LBPE_id_v95.tbl
 Plotted By: enavia
 MOT Note South.dgn
 note.3 DDOT MOT plot sheet
 2/10/2023

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023	
	DESIGNED BY S. NAWEED
	DRAWN BY E. NAVIA
	CHECKED BY B. MCADAMS
	APPROVED BY P. CLARY
	DATE 2/10/2023
Rev.	Date
	Description



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**


 SUBDIVISION: RF&P ZONE: CENTRAL

**MAINTENANCE OF TRAFFIC
NOTES (3 OF 3)**

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. MOT-008	
REV. N/A	SHEET NO. 151 OF 203
SCALE AS SHOWN	



FOR REFERENCE ONLY



NOTE: TEMPORARY TRAFFIC SIGNAL FOR
ALTERNATING ONE-WAY TRAFFIC TO BE DEPLOYED

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY
S. NAWEED

DRAWN BY
E. NAVIA

CHECKED BY
B. MCADAMS

APPROVED BY
P. CLARY

DATE
2/10/2023



THESE PLANS ARE
UNFINISHED AND
UNAPPROVED
AND ARE NOT
TO BE USED FOR
ANY TYPE OF
CONSTRUCTION
OR THE
ACQUISITION OF
RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC

SUBDIVISION: RF&P ZONE: CENTRAL
MAINTENANCE OF TRAFFIC
OHIO DRIVE SW
(WEST) (1 OF 2)

PROJECT NO.
VPRA R02A
CSXT XXXX

DRAWING NO.
MOT-009

REV. SHEET NO.
N/A 152 OF 203

SCALE
AS SHOWN

VDOT PDF:plc1g
 LBPE_id_v95.tbl
 2/10/2023
 Plotted By: enavia
 R02A_yp_s_Ohio Dr.dgn
 OHIO DR WEST TYP PLOT SHEET


Rev.	Date	Description

SOUTH TO "AF"
↓

NORTH TO "CP VIRGINIA"
↑





NOTES:


1. IT IS ANTICIPATED THAT THE SOUTH AND NORTH CONTRACTS WILL REQUIRE THIS MOT LAYOUT DURING CONSTRUCTION.
2. PARKING LOT C IS ASSIGNED TO THE NORTH CONTRACT FOR CONSTRUCTION STAGING.
3. PARKING LOT B IS ASSIGNED TO THE SOUTH CONTRACT FOR CONSTRUCTION STAGING.
4. THE SOUTH CONTRACT IS ANTICIPATED TO DEPLOY THIS MOT INITIALLY AND LEAVE IN PLACE FOR 4 YEARS OR WHEN THEIR WORK IS COMPLETED IN THIS AREA.
5. THE SOUTH CONTRACT CONTRACTOR SHALL COORDINATE WITH THE NORTH CONTRACT CONTRACTOR ON THE LOCATION OF THE TEMPORARY PARKING LOT C DRIVEWAY.
6. THE NORTH CONTRACT SHALL DEPLOY THE SAME MOT, IF NECESSARY, FOLLOWING THE REMOVAL OF THE MOT BY THE SOUTH CONTRACT.
7. IF THE NORTH CONTRACT CONTRACTOR DESIRES TO DEPLOY A DIFFERENT MOT PLAN, THEY SHALL DEVELOP THAT PLAN FOR REVIEW, APPROVAL, AND DEPLOYMENT



FOR REFERENCE ONLY

LEGEND:

-  4' ROADWAY WIDENING
-  WORK ZONE
-  TEMP. TRAFFIC BARRIER
-  IMPACT ATTENUATOR



**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	S. NAWEED
DRAWN BY	E. NAVIA
CHECKED BY	B. MCADAMS
APPROVED BY	P. CLARY
DATE	2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**
SUBDIVISION: RF&P ZONE: CENTRAL
MAINTENANCE OF TRAFFIC
OHIO DRIVE SW (WEST) (2 OF 2)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	MOT-010
REV.	SHEET NO. 153 OF 203
SCALE	AS SHOWN

VDOT PDF:plc/g
 LBPE_id_v95.tbl
 2/10/2023
 Plotted By: enavia
 R02A_S_Ohio Dr_01.dgn
 ohio dr sw west plot sheet

Rev.	Date	Description



**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

Rev.	Date	Description

DESIGNED BY
S. NAWEED

DRAWN BY
E. NAVIA

CHECKED BY
B. MCADAMS

APPROVED BY
P. CLARY

DATE
2/10/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
MAINTENANCE OF TRAFFIC
POTOMAC RIVER

PROJECT NO.
VPRA R02A
CSXT XXXX

DRAWING NO.
MOT-011

REV. SHEET NO.
N/A 154 OF 203

SCALE
AS SHOWN

VDOT PDF.plt
 LBPE_id_v95.tbl
 2/10/2023
 Plotted By: enavia
 R02A_PotomacRiver_01.dgn
 Potomac River Sheet

PLANIMETRIC LEGEND

	BENCHMARK
	TRAFFIC SIGN AND POST
	RAILROAD MILE MARKER
	SINGLE OR DOUBLE PARKING METER(S)
	LIGHT POLE
	TRAFFIC SIGNAL POLE
	FLOW ARROW (STREAMS & RIVERS)
	RAILROAD ELECTRIC POLE
	RAILROAD SIGNAL POLE
	RAILROAD SWITCH
	TREE
	VEGETATION LINE
	ARLINGTON COUNTY PROPERTY LINE
	PROPERTY LINE
	CURB ONLY
	CURB AND GUTTER
	EASEMENT LINE
	FENCE LINE
	100-YEAR FLOODPLAIN
	GUARDRAIL
	RAILROAD
	RETAINING WALL
	SIDEWALKS
	MAJOR CONTOUR
	MINOR CONTOUR
	PIPE CULVERTS
	OBSCURE AREAS

UTILITY LEGEND

	FIRE HYDRANT
	WATER METER
	WATER VALVE
	WATER MANHOLE
	SANITARY SEWER MANHOLE
	PROPOSED SANITARY SEWER MANHOLE
	STORM SEWER INLET
	STORM DRAINAGE INLET
	PROPOSED STORM DRAINAGE INLET
	PROPOSED RIPRAP INLET PROTECTION
	PROPOSED HEADWALL
	PROPOSED RISER STRUCTURE
	CATCH BASIN
	PROPOSED CATCH BASIN
	STORM DRAINAGE MANHOLE
	PROPOSED STORM DRAINAGE MANHOLE
	PROPOSED STORM DRAINAGE DOWNSPOUT
	GAS VALVE
	GAS MANHOLE
	TRAFFIC CONTROL MANHOLE
	TELEPHONE MANHOLE
	PROPOSED TELEPHONE MANHOLE
	PROPOSED FIBER OPTIC COMMUNICATION MANHOLE
	ELECTRIC PEDESTAL
	ELECTRIC MANHOLE
	UNKNOWN CLEANOUT
	UNKNOWN MANHOLE
	END OF INFORMATION (ALL UTILITIES)
	LIGHT POLE
	DOUBLE PARKING METERS
	WATER MAIN
	PROPOSED WATER MAIN
	SANITARY SEWER MAIN
	PROPOSED SANITARY SEWER MAIN
	GAS MAIN
	PROPOSED GAS MAIN
	FIBER OPTIC LINE
	PROPOSED FIBER OPTIC LINE
	TELEPHONE LINE
	PROPOSED TELEPHONE LINE
	ELECTRIC LINE
	COMBINED ELECTRIC AND TELEPHONE LINE
	PROPOSED STORM PIPE
	PROPOSED DITCH

UTILITY RELOCATION NOTES

- UTILITY RELOCATIONS SHOWN WITHIN THESE PLANS ARE ALL CONCEPTUAL IN NATURE. ALIGNMENTS HAVE BEEN PROVIDED AS POSSIBLE UTILITY ROUTING CORRIDORS AND STORMWATER MANAGEMENT FACILITIES ARE PRELIMINARY. UTILITY OWNER INPUT HAS NOT BEEN GIVEN ON THESE ALIGNMENTS AND ADDITIONAL DISCUSSIONS ARE REQUIRED.
- DUE TO PROXIMITY OF LIVE UNDERGROUND UTILITY LINES, VHB IS NOT RESPONSIBLE FOR ANY DAMAGE OR INJURY SUSTAINED DURING CONSTRUCTION BY ANY PERSONS, VEHICLES, OR EQUIPMENT USED ON, OR ADJACENT TO, THE PROJECT SITE.
- BEFORE CONDUCTING ANY WORK IN PUBLIC SPACE, THE CONTRACTOR SHALL CALL "MISS UTILITY" AT 1-800-257-7777 AT LEAST 48 HOURS PRIOR TO ANY EXCAVATION OR CONSTRUCTION.
- CLEAR ACCESS TO ALL EXISTING FIRE HYDRANTS, STANDPIPES, AND BUILDING SIAMESE CONNECTIONS SHALL BE MAINTAINED AT ALL TIMES.

WMATA FACILITY PROTECTION NOTES

- EXISTING WMATA FACILITIES SHALL BE PROPERLY PROTECTED DURING CONSTRUCTION AGAINST ANY DUST OR DEBRIS INTRUSION.
- CLEAR ACCESS TO ALL EXISTING FIRE WMATA FIRE DEPARTMENT CONNECTIONS AND STANDPIPES SHALL BE MAINTAINED AT ALL TIMES.
- THE CONTRACTOR SHALL TAKE PRECAUTIONS NOT TO DAMAGE THE EXISTING FACILITIES WHEN CONDUCTING ADJACENT DEMOLITION AND/OR EXCAVATION OPERATIONS.

FOR REFERENCE ONLY

<p>PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023</p>		<p>DESIGNED BY M. BRUNO</p> <p>DRAWN BY S. HUANG</p> <p>CHECKED BY J. LONG</p> <p>APPROVED BY J. LONG</p> <p>DATE 1/30/2023</p>
Rev.	Date	Description





THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

 SUBDIVISION: RF&P ZONE: CENTRAL

**UTILITY RELOCATION
NOTES/SYMBOLS**

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. URP-001	
REV. N/A	SHEET NO. 155 OF 203
SCALE AS SHOWN	

VDOT PDF:rlf6g
 LBPE_id_v95.tbl
 Plotted By: mbruno
 cR02A_URP-000.dgn
 URP-001S
 1/30/2023

UTILITY RELOCATION TABLES

UTILITY RELOCATION TABLE		
RELOCATION IDENTIFICATION / SHEET NUMBER	UTILITY OWNER	DESCRIPTION OF REQUIRED RELOCATION
UR 1-1	CSXT AND OTHERS	RELOCATION OF EXISTING RAILROAD ELECTRIC, AND TELECOMMUNICATIONS DUCTBANKS AND MANHOLES
UR 2-1	CSXT AND OTHERS	RELOCATION OF EXISTING RAILROAD ELECTRIC, AND TELECOMMUNICATIONS DUCTBANKS AND MANHOLES
UR 3-1	CSXT AND OTHERS	RELOCATION OF EXISTING RAILROAD ELECTRIC, AND TELECOMMUNICATIONS DUCTBANKS AND MANHOLES
UR 3-2	DOD WASHINGTON HQ SERVICE	EXISTING PENTAGON HEATING PLANT 60-INCH PCCP OUTFALL PIPE TO BE PROTECTED IN PLACE
UR 3-3	PEPCO	EXISTING PEPCO 69KV TRANSMISSION LINES TO BE RELOCATED
UR 3-3	LUMEN	EXISTING FIBER OPTIC LINES IN 6-INCH HDPE CASING PIPE TO BE PROTECTED IN PLACE
UR 4-1	CSXT AND OTHERS	RELOCATION OF EXISTING RAILROAD ELECTRIC, AND TELECOMMUNICATIONS DUCTBANKS AND MANHOLES
UR 4-2	ARLINGTON COUNTY	EXISTING ABANDONED 36-INCH RCP STORM DRAIN PIPE TO BE REMOVED
UR 4-3	ARLINGTON COUNTY	RELOCATE EXISTING STREETLIGHT AND CONDUIT
UR 4-4	DOMINION	EXISTING PRIMARY ELECTRIC FEEDER TO BE PROTECTED IN PLACE
UR 4-5	DOMINION AND NPS	RELOCATE EXISTING STREETLIGHT CONDUIT

UTILITY RELOCATION TABLE		
RELOCATION IDENTIFICATION / SHEET NUMBER	UTILITY OWNER	DESCRIPTION OF REQUIRED RELOCATION
UR 4-6	PEPCO	EXISTING PEPCO 69KV TRANSMISSION LINES TO BE RELOCATED
UR 4-7	CSXT	NEW STORM DRAIN PIPING AND MANHOLES FOR CONNECTION TO TRACK UNDERDRAIN SYSTEM
UR 5-1	CSXT AND OTHERS	RELOCATION OF EXISTING RAILROAD ELECTRIC, AND TELECOMMUNICATIONS DUCTBANKS AND MANHOLES
UR 5-2	PEPCO	EXISTING PEPCO 69KV TRANSMISSION LINES TO BE RELOCATED
UR 5-3	VERIZON	EXISTING 50-PAIR TELEPHONE CABLE TO BE RELOCATED
UR 5-4	CSXT	NEW STORM DRAIN PIPING, MANHOLES, OUTFALL CHANNELS FOR CONNECTION TO TRACK UNDERDRAIN SYSTEM
UR 5-5	CSXT	RELOCATION OF EXISTING STORM DRAIN AND ASSOCIATED CONNECTIONS, MANHOLE STRUCTURES, AND OUTFALL CHANNELS
UR 5-6	CSXT	PORTIONS OF EXISTING ABANDONED SUBMARINE CABLES TO BE REMOVED
UR 6-1	CSXT	PORTIONS OF EXISTING ABANDONED SUBMARINE CABLES TO BE REMOVED
UR 7-1	CSXT	PORTIONS OF EXISTING ABANDONED SUBMARINE CABLES TO BE REMOVED
UR 8-1	CSXT	PORTIONS OF EXISTING ABANDONED SUBMARINE CABLES TO BE REMOVED

UTILITY RELOCATION TABLE		
RELOCATION IDENTIFICATION / SHEET NUMBER	UTILITY OWNER	DESCRIPTION OF REQUIRED RELOCATION
UR 9-1	CSXT	NEW STORM DRAIN PIPING AND MANHOLES FOR CONNECTION TO TRACK UNDERDRAIN SYSTEM
UR 9-2	CSXT	NEW STORM DRAINAGE SYSTEM
UR 9-3	CSXT	NEW JACK AND BORE TUNNEL UNDER EXISTING RAILROAD EMBANKMENT FOR NEW STORM DRAIN PIPING
UR 9-4	NPS	NEW STORM DRAIN PIPING AND MANHOLES FOR CONNECTION TO AND OUTFALL FROM BMP #2
UR 9-5	NPS	NEW STORM DRAIN PIPING AND MANHOLES FOR CONNECTION TO AND OUTFALL FROM BMP #1
UR 9-6	WMATA	RELOCATION OF EXISTING PARKING LOT LIGHTING SYSTEM
UR 9-7	NPS	RELOCATION OF EXISTING WATERLINE
UR 9-8	CSXT	PORTIONS OF EXISTING ABANDONED SUBMARINE CABLES TO BE REMOVED
UR 9-9	DC CLEAN RIVERS	FUTURE POTOMAC RIVER TUNNEL TO BE PROTECTED IN PLACE
UR 9-10	NPS	RELOCATION OF EXISTING NPS STREETLIGHT CONDUIT
UR 9-11	DOD WASHINGTON HQ SERVICE	EXISTING DOD FIBER OPTIC LINE TO BE PROTECTED IN PLACE

FOR REFERENCE ONLY

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	M. BRUNO
DRAWN BY	S. HUANG
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL**

UTILITY RELOCATION TABLES

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	URP-002
REV.	SHEET NO. 156 OF 203
SCALE	AS SHOWN

SOUTH TO "AF"

NORTH TO "CP VIRGINIA"

NOTE:
1. CONTRACTOR TO COORDINATE WITH ALL ADJACENT PROJECTS INCLUDING BUT NOT LIMITED TO THE ALEXANDRIA FOURTH TRACK AND THE VRE L'ENFANT PROJECT.

TM 34-024-350
COUNTY BOARD OF
ARLINGTON COUNTY, VIRGINIA
DB 4464, PG 1845

EXISTING RAILROAD CORRIDOR;
DB 2492, PG 1364 & DB 2948, PG. 1712

BEGIN PROJECT LIMITS MP 109.76

EXISTING TRACK 4
EXISTING TRACK 3

4000+00
3000+00

SIGNAL BRIDGE

UR 1-1

PROPOSED TRACK 4
PROPOSED TRACK 3

FOR REFERENCE ONLY


ASPHALT CROSSOVER

EXISTING TRACK 2
EXISTING TRACK 1

EXISTING RAILROAD CORRIDOR;
DB 2492, PG 1364 & DB 2948, PG. 1712

TM 34-024-349
COUNTY BOARD OF
ARLINGTON COUNTY, VIRGINIA
PARCEL 17
POTOMAC YARD NORTH
DB 3754, PG 1825

ARLINGTON COUNTY
PROPERTY LINE



MATCHLINE - SEE DRAWING URP-004

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	M. BRUNO
DRAWN BY	S. HUANG
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/30/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
UTILITY RELOCATION PLAN
(1 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	URP-003
REV.	SHEET NO. 157 OF 203
SCALE	AS SHOWN


VDOT PDF:allieg
LBPE_id_v95.tbl
1/30/2023
Plotted By: mbruno
uR02A_v95_urp.dgn
urp-002S [Sheet]

TM 34-024-035
N/F COUNTY BOARD OF
ARLINGTON COUNTY, VIRGINIA
DB 4464, PG 1845


TM 34-024-349
COUNTY BOARD OF
ARLINGTON COUNTY, VIRGINIA
PARCEL 17
POTOMAC YARD NORTH
DB 3754, PG 1825

MATCHLINE - SEE DRAWING URP-003

MATCHLINE - SEE DRAWING URP-005



FOR REFERENCE ONLY



PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY M. BRUNO	DRAWN BY S. HUANG
CHECKED BY J. LONG	APPROVED BY J. LONG
DATE 1/26/2023	
Rev.	Date
	Description

DESIGNED BY M. BRUNO
DRAWN BY S. HUANG
CHECKED BY J. LONG
APPROVED BY J. LONG
DATE 1/26/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
UTILITY RELOCATION PLAN
(2 OF 9)


PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. URP-004	
REV. N/A	SHEET NO. 158 OF 203
SCALE AS SHOWN	

VDOT PDF:rlf6g
LBPE_id_v95.tbl
1/26/2023
Plotted By: shuang
ur02A_dwg_urp.dgn
urp-003S [Sheet]



FOR REFERENCE ONLY

TM 34-024-349
 COUNTY BOARD OF
 ARLINGTON COUNTY, VIRGINIA
 PARCEL 17
 POTOMAC YARD NORTH
 DB 3754, PG 1825



PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	M. BRUNO	
DRAWN BY	S. HUANG	
CHECKED BY	J. LONG	
APPROVED BY	J. LONG	
DATE	1/26/2023	
Rev.	Date	Description

DESIGNED BY	M. BRUNO
DRAWN BY	S. HUANG
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
UTILITY RELOCATION PLAN
(3 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX	
DRAWING NO.	URP-005	
REV.	N/A	SHEET NO. 159 OF 203
SCALE	AS SHOWN	

VDOT PDF:allfig
 LBPE_id_v95.tbl
 1/26/2023
 Plotted By: shuang
 uR02A_dwg_urp.dgn
 urp-004S (Sheet)




NOTE:
 1. CONTRACTOR TO COORDINATE WITH ALL ADJACENT PROJECTS INCLUDING BUT NOT LIMITED TO THE ALEXANDRIA FOURTH TRACK AND THE VRE L'ENFANT PROJECT.

MATCHLINE - SEE DRAWING UR-P-005

MATCHLINE - SEE DRAWING UR-P-007

TM 34-024-349
 COUNTY BOARD OF
 ARLINGTON COUNTY, VIRGINIA
 PARCEL 17
 POTOMAC YARD NORTH
 DB 3754, PG 1825

FOR REFERENCE ONLY



VDOT PDF-att16g
 LBPE_id_v95.tbl
 1/30/2023
 Plotted By: mbruno
 ur02A_des_urp.dgn
 urp-005S [Sheet]

PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	M. BRUNO	
DRAWN BY	S. HUANG	
CHECKED BY	J. LONG	
APPROVED BY	J. LONG	
DATE	1/30/2023	
Rev.	Date	Description

DESIGNED BY	M. BRUNO
DRAWN BY	S. HUANG
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/30/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 UTILITY RELOCATION PLAN
 (4 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	URP-006
REV.	SHEET NO. 160 OF 203
SCALE	AS SHOWN




SOUTH TO "AF"

NORTH TO "CP VIRGINIA"

MATCHLINE - SEE DRAWING URP-006

MATCHLINE - SEE DRAWING URP-008

FOR REFERENCE ONLY



VDOT PDF:atf6g
 LBPE_id_v95.tbl
 1/26/2023
 Plotted By: shuang
 urp02A_dwg_urp.dgn
 urp-006S [Sheet]

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	M. BRUNO	
DRAWN BY	S. HUANG	
CHECKED BY	J. LONG	
APPROVED BY	J. LONG	
DATE	1/26/2023	
Rev.	Date	Description

DESIGNED BY	M. BRUNO
DRAWN BY	S. HUANG
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE**
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
**UTILITY RELOCATION PLAN
(5 OF 9)**

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	URP-007
REV.	SHEET NO. 161 OF 203
SCALE	N/A
	AS SHOWN



**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY
M. BRUNO
DRAWN BY
S. HUANG
CHECKED BY
J. LONG
APPROVED BY
J. LONG
DATE
1/26/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY





**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**
SUBDIVISION: RF&P ZONE: CENTRAL
UTILITY RELOCATION PLAN
(6 OF 9)

PROJECT NO.
VPRA R02A
CSXT XXXX
DRAWING NO.
URP-008
REV. SHEET NO.
N/A 162 OF 203
SCALE
AS SHOWN

VDOT PDF:rlf6g
 LBPE_id_v95.tbl
 1/26/2023
 Plotted By: shuang
 ur02A_v95_urp.dgn
 urp-007S [Sheet]

SOUTH TO "AF"

NORTH TO "CP VIRGINIA"



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	M. BRUNO
DRAWN BY	S. HUANG
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
UTILITY RELOCATION PLAN
(7 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	URP-009
REV.	SHEET NO. N/A 163 OF 203
SCALE	AS SHOWN

VDOT PDF:rlf6g
 LBPE_id_v95.tbl
 Plotted By: shuang
 ur02A_v95_urp.dgn
 urp-008S [Sheet]



FOR REFERENCE ONLY

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023	
DESIGNED BY M. BRUNO	DRAWN BY S. HUANG
CHECKED BY J. LONG	APPROVED BY J. LONG
DATE 1/26/2023	
Rev.	Date
	Description

DESIGNED BY M. BRUNO
DRAWN BY S. HUANG
CHECKED BY J. LONG
APPROVED BY J. LONG
DATE 1/26/2023







THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
UTILITY RELOCATION PLAN
(8 OF 9)

PROJECT NO. VPRA R02A CSXT XXXX	
DRAWING NO. URP-010	
REV. N/A	SHEET NO. 164 OF 203
SCALE AS SHOWN	

VDOT PDF:rlf6g
 LBPE_id_v95.tbl
 Plotted By: shuang
 ur02A_v95_urp.dgn
 urp-009S [Sheet]
 1/26/2023



**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

Rev.	Date	Description

DESIGNED BY
M. BRUNO

DRAWN BY
S. HUANG

CHECKED BY
J. LONG

APPROVED BY
J. LONG

DATE
1/26/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
UTILITY RELOCATION PLAN
(9 OF 9)

PROJECT NO.
VPRA R02A
CSXT XXXX

DRAWING NO.
URP-011

REV. SHEET NO.
N/A 165 OF 203

SCALE
AS SHOWN

VDOT PDF:alfefg
 LBPE_id_v95.tbl
 Plotted By: shuang
 ur02A_dwg_urp.dgn
 urp-010S [Sheet]

LONG BRIDGE REGULATORY LIMIT OF DISTURBANCE FOR SWM SUMMARY TABLE			
	COLOR	REGULATORY LOD AREA (SF)	REGULATORY LOD AREA (ACRES)
RAILROAD LAND (VIRGINIA)		104,242	2.39
NPS GWMP		42,008	0.96
ARLINGTON COUNTY		9,792	0.21
VIRGINIA TOTAL		156,042	3.58
AREA OVER WATER BODIES		83,804	1.92
RAILROAD LAND (DC)		227,679	5.23
NPS NAMA		79,933	1.84
BMP AREA		25,319	0.58
DDOT PROW		23,519	0.54
PRIVATE PROPERTY		7,741	0.18
DISTRICT OF COLUMBIA TOTAL		147,995	10.28

THESE TOTALS ARE PROVIDED FOR THE ENTIRE PROJECT AND ENCOMPASSES THE SOUTH AND NORTH PACKAGES. THE SOUTH PACKAGE FALLS UNDER BOTH VIRGINIA DEQ AND DOEE JURISDICTION FOR STORMWATER OBLIGATION. THE NORTH PACKAGE IS LOCATED ONLY WITHIN DOEE JURISDICTION FOR STORMWATER OBLIGATION. OUT OF CONTRACT INFORMATION IS PROVIDED FOR ADDITIONAL INFORMATION.

SWM LIMIT OF DISTURBANCE NARRATIVE

1. THE LIMIT OF DISTURBANCE SHOWN ON THIS PLAN IS FOR THE DETERMINATION OF THE PERMANENT STORMWATER MANAGEMENT REQUIREMENTS FOR THE PROJECT.
2. LAND DISTURBANCE ACTIVITIES RELATED TO NEW UTILITY CONSTRUCTION AND TRENCHING ACTIVITIES NOT INCLUDED IN STORMWATER MANAGEMENT OBLIGATION.
3. LAND DISTURBANCE ACTIVITIES RELATED TO TEMPORARY MAINTENANCE OF TRAFFIC ACTIVITIES NOT INCLUDED IN STORMWATER MANAGEMENT OBLIGATION.
4. LAND DISTURBANCE ACTIVITIES RELATED TO TEMPORARY CONSTRUCTION ACCESS ACTIVITIES NOT INCLUDED IN STORMWATER MANAGEMENT OBLIGATION.
5. LAND DISTURBANCE ACTIVITIES RELATED TO TEMPORARY STAGING AREA ACTIVITIES NOT INCLUDED IN STORMWATER MANAGEMENT OBLIGATION.
6. LAND DISTURBANCE ACTIVITIES RELATED TO UTILITY RELOCATION ACTIVITIES NOT INCLUDED IN STORMWATER MANAGEMENT OBLIGATION.
7. LAND DISTURBANCE ACTIVITIES RELATED TO TREE PLANTING ACTIVITIES NOT INCLUDED IN STORMWATER MANAGEMENT OBLIGATION.
8. LIMIT OF DISTURBANCE WAS ASSUMED TO BE 5' OFFSET OF ALL STRUCTURES BESIDES RAIL. PROPOSED RAIL OFFSETS ASSUMED TO BE 20' FROM CENTER OF PROPOSED TRACK.
9. THE STORMWATER OBLIGATION IS BASED SOLELY UPON THE LOD SHOWN IN THESE SHEETS.
10. AREAS OVER WATER BODIES ARE NOT INCLUDED IN THE STORMWATER OBLIGATION AS DISCUSSED DURING DOEE MEETINGS.
11. BALLAST AREAS ARE CONSIDERED IMPERVIOUS IN THE DISTRICT OF COLUMBIA AND PERVIOUS IN THE COMMONWEALTH OF VIRGINIA.

DRAINAGE DIVIDE NARRATIVE

1. CONTOURS HAVE BEEN TAKEN FROM A VARIETY OF AVAILABLE RESOURCES THROUGHOUT THE PROJECT CORRIDOR AND DIFFER BY LOCATION.
2. CONTOURS AND DRAINAGE DIVIDES IN VIRGINIA WERE TAKEN FROM PUBLICLY AVAILABLE GIS INFORMATION.
3. CONTOURS WITHIN THE EAST POTOMAC PARK ISLAND WERE TAKEN FROM NPS TOPOGRAPHY MAPPING.
4. CONTOURS EAST OF THE WASHINGTON CHANNEL WERE OBTAINED THROUGH HISTORICAL RECORDS.
5. RAILROAD DRAINAGE DIVIDES WERE SET BASED ON THE BRIDGE ALIGNMENT HIGH AND LOW POINTS.
6. OUTER LIMITS OF THE RAILROAD DRAINAGE DIVIDE WERE SET BY THE PROPOSED RETAINING WALL LOCATIONS.

OUTFALL NARRATIVES

COMMONWEALTH OF VIRGINIA OUTFALLS

1. DRAINAGE AREA 1 OUTFALL IS THE POTOMAC RIVER FROM THE VIRGINIA SHORELINE. THE DRAINAGE AREA CONSISTS OF THE VIRGINIA LAND IN AND AROUND GWMP.
2. DRAINAGE AREA 2 OUTFALL IS THE LOCATED WITHIN THE LIMITS OF THE RAIL ALIGNMENT TOWARDS THE WEST END OF THE PROJECT CORRIDOR. THE DRAINAGE AREA CONSISTS OF THE RAIL BRIDGES AND ALIGNMENTS IN AND AROUND GWMP WITHIN VIRGINIA.

DISTRICT OF COLUMBIA OUTFALLS

3. DRAINAGE AREA 3 OUTFALL IS THE POTOMAC RIVER FROM THE DISTRICT OF COLUMBIA SHORELINE. THE DRAINAGE AREA CONSISTS OF A LARGE AMOUNT OF I-395, NPS PARKING LOT B, AND A PORTION OF 14TH STREET.
4. DRAINAGE AREA 4 OUTFALL IS WITHIN THE LIMITS OF THE WMATA YELLOW LINE PORTAL.
5. DRAINAGE AREA 5 OUTFALL IS THE POTOMAC RIVER FROM THE DISTRICT OF COLUMBIA SHORELINE. THE DRAINAGE AREA CONSISTS NPS PARKING LOT C.
6. DRAINAGE AREA 6 OUTFALL IS THE POTOMAC RIVER FROM THE DISTRICT OF COLUMBIA SHORELINE. THE DRAINAGE AREA CONSISTS OF THE LIMIT OF THE RAIL ALIGNMENTS IN THE DISTRICT OF COLUMBIA UNTIL THE DRAINAGE DIVIDE LOCATED ABOVE THE NPS HEADQUARTERS.
7. DRAINAGE AREA 7 OUTFALL IS THE POTOMAC RIVER FROM THE DISTRICT OF COLUMBIA SHORELINE. THE DRAINAGE AREA CONSISTS OF NPS BUILDINGS LOCATED SOUTH OF THE EXISTING LONG BRIDGE RAIL ALIGNMENT.
8. DRAINAGE AREA 8 OUTFALL IS THE WASHINGTON CHANNEL FROM THE EAST POTOMAC PARK SHORELINE. THE DRAINAGE AREA CONSISTS OF I-395, NPS LAND, AND THE I-295 SB RAMP TO OHIO DRIVE.
9. DRAINAGE AREA 9 OUTFALL IS DRAINAGE INFRASTRUCTURE LOCATED WITHIN 14TH STREET. THE DRAINAGE AREA CONSISTS OF 14TH STREET AND AREA NORTH OF THE PROPOSED RAIL ALIGNMENT.
10. DRAINAGE AREA 10 OUTFALL IS THE WASHINGTON CHANNEL FROM THE EAST POTOMAC PARK SHORELINE. THE DRAINAGE AREA CONSISTS OF THE I-295 SB RAMP TO OHIO DRIVE AND NPS LAND.
11. DRAINAGE AREA 11 OUTFALL IS THE WASHINGTON CHANNEL FROM THE EAST POTOMAC PARK SHORELINE. THE DRAINAGE AREA CONSISTS OF I-295 SB RAMP TO OHIO DRIVE, OHIO DRIVE, AND NPS LAND.
12. DRAINAGE AREA 12 OUTFALL IS THE LOCATED WITHIN THE LIMITS OF THE RAIL ALIGNMENT TOWARDS THE MARYLAND OVERBUILD. THE DRAINAGE AREA CONSISTS OF THE LIMIT OF THE RAIL ALIGNMENTS IN THE DISTRICT OF COLUMBIA EAST OF THE DRAINAGE DIVIDE LOCATED ABOVE THE NPS HEADQUARTERS.
13. DRAINAGE AREA 13 OUTFALL IS AN INLET STRUCTURE LOCATED WITHIN MAINE AVENUE. THE DRAINAGE AREA CONSISTS OF THE 14TH STREET OFF RAMP TO MAINE AVENUE.
14. DRAINAGE AREA 14 OUTFALL IS THE WASHINGTON CHANNEL FROM MAINE AVENUE AND THE WASHINGTON MARINA. THE DRAINAGE AREA CONSISTS OF A PORTION OF THE WASHINGTON MARINA.
15. DRAINAGE AREA 15 OUTFALL IS THE WASHINGTON CHANNEL FROM MAINE AVENUE. THE DRAINAGE AREA CONSISTS OF MAINE AVENUE AND WASHINGTON MARINA.

LONG BRIDGE STORMWATER MANAGEMENT SUMMARY TABLE

DOEE STORMWATER RETENTION VOLUME REQUIRED (CF)	DOEE ADDITIONAL VOLUME FOR CURVE NUMBER REDUCTION BACK TO MEADOW CONDITIONS (CF)	VIRGINIA DEQ QUALITY (CF)	VIRGINIA DEQ QUANTITY (CF)	TOTAL ONSITE STORAGE VOLUME REQUIRED (CF)
30,289	39,711	3,986	SEE NOTE 3	73,986

1. SEE STORMWATER COMPUTATION WORKSHEETS FOR FULL ANALYSIS.
2. DOEE OBLIGATION INCLUDES BOTH QUALITY AND QUANTITY.
3. VIRGINIA DEQ REQUIRES STORMWATER MANAGEMENT FOR LIMIT OF DISTURBANCE GREATER THAN 1 ACRE. DUE TO SITE CONSTRAINTS A BMP FACILITY WASN'T IDENTIFIED AT THIS TIME AND QUANTITY CONTROL WAS NOT INCLUDED IN VIRGINIA.

SWM OBLIGATION NARRATIVE

1. THE STORMWATER OBLIGATION IS BASED SOLELY UPON THE REGULATORY LOD SHOWN IN THESE SHEETS.
2. THIS SUMMARY DOES NOT INCLUDE ANY REDUCTIONS FOR MEP CONSIDERATIONS.
3. AREAS OVER WATER BODIES ARE NOT INCLUDED IN THE STORMWATER OBLIGATION AS DISCUSSED DURING DOEE MEETINGS.
4. THE LONG BRIDGE PROJECT IS EXEMPT FROM THE ANACOSTIA WATERFRONT DEVELOPMENT ZONE (AWDZ) AS DISCUSSED DURING DOEE MEETINGS.
5. BALLAST AREAS ARE CONSIDERED IMPERVIOUS IN THE DISTRICT OF COLUMBIA AND PERVIOUS IN THE COMMONWEALTH OF VIRGINIA.

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	M. BRUNO
DRAWN BY	M. BRUNO
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/30/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER MANAGEMENT
SUMMARY AND NOTES

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	SW-001
REV.	SHEET NO. 166 OF 203
SCALE	N/A
	AS SHOWN

SOUTH TO "AF"

NORTH TO "CP VIRGINIA"



TM 34-024-350
COUNTY BOARD OF
ARLINGTON COUNTY, VIRGINIA
DB 4464, PG 1845

EXISTING RAILROAD CORRIDOR;
DB 2492, PG 1364 & DB 2948, PG. 1712

BEGIN PROJECT LIMITS MP 109.76

EXISTING TRACK 4

EXISTING TRACK 3

LOD

LOD

LOD

4000+00

3000+00

SIGNAL
BRIDGE

CL PROPOSED TRACK 4

CL PROPOSED TRACK 3

MATCHLINE - SEE DRAWING SW-003

FOR REFERENCE ONLY

ASPHALT
CROSSOVER

EXISTING TRACK 2

EXISTING TRACK 1

EXISTING RAILROAD CORRIDOR;
DB 2492, PG 1364 & DB 2948, PG. 1712


TM 34-024-349
COUNTY BOARD OF
ARLINGTON COUNTY, VIRGINIA
PARCEL 17
POTOMAC YARD NORTH
DB 3754, PG 1825

ARLINGTON COUNTY
PROPERTY LINE

LEGEND

— LOD — REGULATORY LOD AREA

 RAILROAD LAND (VIRGINIA)



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	M. BRUNO
DRAWN BY	M. BRUNO
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER MANAGEMENT LIMIT
OF DISTURBANCE (1 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	SW-002
REV.	SHEET NO. 167 OF 203
SCALE	AS SHOWN

VDOT PDF:alfefg
LBPE_id_v95.tbl
1/26/2023
Plotted By: mbruno
swmR02A_dee_lod.dgn
sw-002S [Sheet]

SOUTH TO "AF" NORTH TO "CP VIRGINIA"

TM 34-024-035
N/F COUNTY BOARD OF
ARLINGTON COUNTY, VIRGINIA
DB 4464, PG 1845



FOR REFERENCE ONLY


TM 34-024-349
COUNTY BOARD OF
ARLINGTON COUNTY, VIRGINIA
PARCEL 17
POTOMAC YARD NORTH
DB 3754, PG 1825

EXISTING RAILROAD CORRIDOR;
DB 2492, PG 1364 & DB 2948, PG. 1712

ARLINGTON COUNTY
PROPERTY LINE

LEGEND

- LOD — REGULATORY LOD AREA
- RAILROAD LAND (VIRGINIA)



PRELIMINARY ENGINEERING		
DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	M. BRUNO	
DRAWN BY	M. BRUNO	
CHECKED BY	J. LONG	
APPROVED BY	J. LONG	
DATE	1/26/2023	
Rev.	Date	Description

DESIGNED BY	M. BRUNO
DRAWN BY	M. BRUNO
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (2 OF 9)

PROJECT NO.		VPRA R02A CSXT XXXX
DRAWING NO.		SW-003
REV.	SHEET NO.	168 OF 203
N/A		
SCALE	AS SHOWN	

VDOT PDF-attf6g
 LBPE_ld_v95.tbl
 1/26/2023
 Plotted By: mbruno
 swnr02A_des_ld.dgn
 sw-003S [Sheet]



SOUTH TO "AF"

NORTH TO "CP VIRGINIA"

EX 20' PERMANENT PIPELINE ESMT D.B. 3609, PG. 2635

EXISTING RAILROAD CORRIDOR; DB 2492, PG 1364 & DB 2948, PG. 1712

ARLINGTON COUNTY PROPERTY LINE

RETAINING WALL

MATCHLINE - SEE DRAWING SW-003

MATCHLINE - SEE DRAWING SW-005

FOR REFERENCE ONLY

ELECTRIC PULL BOX

MOUNTED ELECTRIC PULL BOX

PROPOSED TRACK 4

PROPOSED TRACK 3

ELECTRIC PULL BOX

UTILITY YARD

EXISTING TRACK 3 / PROPOSED TRACK 2

ELECTRIC UTILITY POLES

EXISTING TRACK 2 / PROPOSED TRACK 1

ELECTRIC UTILITY POLES

CSXT METAL CABINET

RAILROAD SWITCH

RAILROAD SWITCH

PENTAGON HEATING PLANT OUTFALL


EXISTING RAILROAD CORRIDOR; DB 2492, PG 1364 & DB 2948, PG. 1712

ARLINGTON COUNTY PROPERTY LINE

TM 34-024-349
COUNTY BOARD OF ARLINGTON COUNTY, VIRGINIA
PARCEL 17
POTOMAC YARD NORTH
DB 3754, PG 1825

LEGEND

- LOD — REGULATORY LOD AREA
- RAILROAD LAND (VIRGINIA)



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	M. BRUNO
DRAWN BY	S. HUANG
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER MANAGEMENT LIMIT OF DISTURBANCE (3 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	SW-004
REV.	SHEET NO. 169 OF 203
SCALE	AS SHOWN

VDOT PDF:alf6g
 LBPE_ld_v95.tbl
 1/26/2023
 Plotted By: mbruno
 swnr02A_dee_ld.dgn
 sw-004S [Sheet]



FOR REFERENCE ONLY

LEGEND

- REGULATORY LOD AREA**
- RAILROAD LAND (VIRGINIA)**
- NPS GWMP**
- ARLINGTON COUNTY**

TM 34-024-349
COUNTY BOARD OF
ARLINGTON COUNTY, VIRGINIA
PARCEL 17
POTOMAC YARD NORTH
 DB 3754, PG 1825

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	M. BRUNO
DRAWN BY	M. BRUNO
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	2/7/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER MANAGEMENT LIMIT
OF DISTURBANCE (4 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	SW-005
REV.	SHEET NO. 170 OF 203
SCALE	N/A
	AS SHOWN

VDOT PDF-att16g
 LBPE_ld_v95.tbl
 Plotted By: mbruno
 swnr02A_dee_ld.dgn
 sw-005S [Sheet]
 2/7/2023



**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	M. BRUNO
DRAWN BY	M. BRUNO
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	2/7/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**
SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER MANAGEMENT LIMIT
OF DISTURBANCE (5 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	SW-006
REV.	SHEET NO. 171 OF 203
SCALE	AS SHOWN

VDOT PDF-attf6g
 LBPE_dtl_v95.tbl
 Plotted By: mbruno
 swnr02A_dee_lod.dgn
 sw-006S [Sheet]
 2/7/2023

Rev.	Date	Description



**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

Rev.	Date	Description

DESIGNED BY
M. BRUNO

DRAWN BY
M. BRUNO

CHECKED BY
J. LONG

APPROVED BY
J. LONG

DATE
1/26/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER MANAGEMENT LIMIT
OF DISTURBANCE (6 OF 9)

PROJECT NO.
VPRA R02A
CSXT XXXX


DRAWING NO.
SW-007

REV. SHEET NO.
N/A 172 OF 203

SCALE
AS SHOWN


VDOT PDF:rlf6g
 LBPE_id_v95.tbl
 Plotted By: mbruno
 swnR02A_dee lod.dgn
 sw-007S [Sheet]
 1/26/2023

SOUTH TO "AF" ← NORTH TO "CP VIRGINIA" →



FOR REFERENCE ONLY

LEGEND
 — LOD — REGULATORY LOD AREA
 AREA OVER WATER BODIES



PRELIMINARY ENGINEERING
 DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	M. BRUNO
DRAWN BY	M. BRUNO
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/26/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
 SOUTH PACKAGE
 ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
 STORMWATER MANAGEMENT LIMIT
 OF DISTURBANCE (7 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	SW-008
REV.	SHEET NO. 173 OF 203
SCALE	AS SHOWN

VDOT PDF:atfcg
 LBPE_ld_v95.tbl
 1/26/2023
 Plotted By: mbruno
 swnr02A_dee_ld.dgn
 sw-008S [Sheet]

Rev.	Date	Description



PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	M. BRUNO	
DRAWN BY	M. BRUNO	
CHECKED BY	J. LONG	
APPROVED BY	J. LONG	
DATE	1/26/2023	
Rev.	Date	Description


THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY

**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER MANAGEMENT LIMIT
OF DISTURBANCE (8 OF 9)

PROJECT NO.	VPRA R02A CSXT XXXX	
DRAWING NO.	SW-009	
REV.	N/A	SHEET NO. 174 OF 203
SCALE	AS SHOWN	

VDOT PDF:rlf6g
 LBPE_ld_v95.tbl
 Plotted By: mbruno
 swmR02A_dee_ld.dgn
 sw-009S [Sheet]
 1/26/2023



**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

Rev.	Date	Description

DESIGNED BY
M. BRUNO

DRAWN BY
M. BRUNO

CHECKED BY
J. LONG

APPROVED BY
J. LONG

DATE
2/7/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER MANAGEMENT LIMIT
OF DISTURBANCE (9 OF 9)

PROJECT NO.
VPRA R02A
CSXT XXXX

DRAWING NO.
SW-010

REV. SHEET NO.
N/A 175 OF 203

SCALE
AS SHOWN

VDOT PDF-attf6g
 LBPE_ld_v95.tbl
 Plotted By: mbruno
 swnr02A_dee_ld.dgn
 sw-010S [Sheet]
 2/7/2023

Project Name: Long Bridge Preliminary Engineering
Date: 2/7/2023
Linear Development Project?: No

CLEAR ALL (Ctrl+Shift+R)

data input cells
constant values
calculation cells
final results

Site Information

Post-Development Project (Treatment Volume and Loads)

Enter Total Disturbed Area (acres) -> 3.58

Check:
BMP Design Specifications List: 2013 Draft Stds & Specs
Linear project? No
Land cover areas entered correctly?
Total disturbed area entered?

Pre-ReDevelopment Land Cover (acres)

Table with 5 columns: A Soils, B Soils, C Soils, D Soils, Totals. Rows include Forest/Open Space, Managed Turf, and Impervious Cover.

Post-Development Land Cover (acres)

Table with 5 columns: A Soils, B Soils, C Soils, D Soils, Totals. Rows include Forest/Open Space, Managed Turf, and Impervious Cover.

Constants

Table with 2 columns: Parameter, Value. Includes Annual Rainfall, Target Rainfall, Total Phosphorus, etc.

Runoff Coefficients (Rv)

Table with 5 columns: A Soils, B Soils, C Soils, D Soils. Rows include Forest/Open Space, Managed Turf, and Impervious Cover.

LAND COVER SUMMARY -- PRE-REDEVELOPMENT

Table with 3 columns: Pre-ReDevelopment, Listed, Adjusted. Rows include Forest/Open Space, Managed Turf, and Impervious Cover.

LAND COVER SUMMARY -- POST DEVELOPMENT

Table with 4 columns: Land Cover Summary-Post (Final), Land Cover Summary-Post (Pre-ReDevelopment & New Impervious), Land Cover Summary-Post (Post-Development New Impervious). Rows include Forest/Open Space, Managed Turf, and Impervious Cover.

Treatment Volume and Nutrient Load

Table with 3 columns: Pre-ReDevelopment, Listed, Adjusted. Rows include Treatment Volume and TP Load.

Treatment Volume and Nutrient Load

Table with 4 columns: Final Post-Development, Post-ReDevelopment, Post-Development, Final Post-Development. Rows include Treatment Volume and TP Load.

Adjusted Land Cover Summary:
Pre-ReDevelopment land cover minus pervious land cover (forest/open space or managed turf) acreage proposed for new impervious cover.
Adjusted total acreage is consistent with Post-ReDevelopment acreage (minus acreage of new impervious cover).
Column 1 shows load reduction requirement for new impervious cover (based on new development load limit, 0.41 lb/acre/year).

Post-Development Requirement for Site Area

TP Load Reduction Required (lb/yr) 0.65

Nitrogen Loads (Informational Purposes Only)

Table with 2 columns: Pre-ReDevelopment TN Load (lb/yr), Final Post-Development TN Load (Post-ReDevelopment & New Impervious) (lb/yr).

Drainage Area A

Drainage Area A Land Cover (acres)

Table with 7 columns: A Soils, B Soils, C Soils, D Soils, Totals, Land Cover Rv. Rows include Forest/Open Space, Managed Turf, and Impervious Cover.

CLEAR BMP AREAS

Total Phosphorus Available for Removal in D.A. A (lb/yr) 2.50
Post Development Treatment Volume in D.A. A (ft³) 3,986

TOTAL IMPERVIOUS COVER TREATED (ac) 0.00 AREA CHECK: OK.
TOTAL MANAGED TURF AREA TREATED (ac) 0.00 AREA CHECK: OK.
TOTAL RUNOFF REDUCTION IN D.A. A (ft³) 0
TOTAL PHOSPHORUS AVAILABLE FOR REMOVAL IN D.A. A (lb/yr) 2.50
TOTAL PHOSPHORUS REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00
TOTAL PHOSPHORUS REMAINING AFTER APPLYING RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 2.50
SEE WATER QUALITY COMPLIANCE TAB FOR SITE COMPLIANCE CALCULATIONS

TOTAL RUNOFF REDUCTION IN D.A. A (ft³) 0
NITROGEN REMOVED WITH RUNOFF REDUCTION PRACTICES IN D.A. A (lb/yr) 0.00
SEE WATER QUALITY COMPLIANCE TAB FOR SITE CALCULATIONS (Information Only)

Site Results (Water Quality Compliance)

Area Checks

Table with 7 columns: D.A. A, D.A. B, D.A. C, D.A. D, D.A. E, AREA CHECK. Rows include FOREST/OPEN SPACE, IMPERVIOUS COVER, IMPERVIOUS COVER TREATED, MANAGED TURF AREA, MANAGED TURF AREA TREATED.

Site Treatment Volume (ft³) 3,986

Runoff Reduction Volume and TP By Drainage Area

Table with 7 columns: D.A. A, D.A. B, D.A. C, D.A. D, D.A. E, TOTAL. Rows include RUNOFF REDUCTION VOLUME ACHIEVED, TP LOAD AVAILABLE FOR REMOVAL, TP LOAD REDUCTION ACHIEVED, TP LOAD REMAINING, NITROGEN LOAD REDUCTION ACHIEVED.

Total Phosphorus

Table with 2 columns: Final Post-Development TP Load (lb/yr), TP Load Reduction Required (lb/yr), TP Load Reduction Achieved (lb/yr), TP Load Remaining (lb/yr).

Total Nitrogen (For Informational Purposes)

Table with 2 columns: POST-DEVELOPMENT LOAD (lb/yr), NITROGEN LOAD REDUCTION ACHIEVED (lb/yr), REMAINING POST-DEVELOPMENT NITROGEN LOAD (lb/yr).

Runoff Volume and Curve Number Calculations

Enter design storm rainfall depths (in):

Table with 3 columns: 1-year storm, 2-year storm, 10-year storm. Values: 2.57, 3.11, 4.78.

Use NOAA Atlas 14 (http://hdsc.nws.noaa.gov/hdsc/pfds/)

*Notes (see below):

- [1] The curve numbers and runoff volumes computed in this spreadsheet for each drainage area are limited in their applicability for determining and demonstrating compliance with water quality requirements. See VRRM User's Guide and Documentation for additional information.
[2] Runoff Volume (RV) for pre- and post-development drainage areas must be in volumetric units (e.g., acre-feet or cubic feet) when using the Energy Balance Equation. Runoff measured in watershed-inches and shown in the spreadsheet as RV(watershed-inch) can only be used in the Energy Balance Equation when the pre- and post-development drainage areas are equal. Otherwise RV(watershed-inch) must be multiplied by the drainage area.
[3] Adjusted CNs are based on runoff reduction volumes as calculated in D.A. tabs. An alternative CN adjustment calculation for Vegetated Roofs is included in BMP specification No. 5.

Drainage Area Curve Numbers and Runoff Depths*

Curve numbers (CN, CNadj) and runoff depths (RV Developed) are computed with and without reduction practices.

Table with 6 columns: Drainage Area A, Area (acres), A Soils, B Soils, C Soils, D Soils. Rows include Forest/Open Space, Managed Turf, and Impervious Cover.

*See Notes above

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY M. BRUNO
DRAWN BY M. BRUNO
CHECKED BY J. LONG
APPROVED BY J. LONG
DATE 1/30/2023



LONG BRIDGE SOUTH PACKAGE ARLINGTON, VA TO WASHINGTON, DC SUBDIVISION: RF&P ZONE: CENTRAL STORMWATER COMPUTATION WORKSHEETS (VIRGINIA DEQ)

PROJECT NO. VPRA R02A CSXT XXXX
DRAWING NO. SW-011
REV. SHEET NO. N/A 176 OF 203
SCALE AS SHOWN

District of Columbia General Retention Compliance Calculator

Site Compliance Calculations

Site Drainage Area 1

Natural Cover (square feet)	0
Compacted Cover (square feet)	61,313
Impervious Cover (square feet)	297,069
BMP (square feet)	5,629
Total Area (square feet)	364,011

SWRv (cubic feet)	30,289
WQTV (cubic feet)	NA

Volume Retained (cubic feet)	42,910
Retention Volume Remaining (cubic feet)	0
Retention Volume Remaining (gallons)	0
At least 50% of SWRv Retained?	Yes
Vehicular Access Areas Volume Addressed?	N/A

District of Columbia General Retention Compliance Calculator

Site Drainage Area 1 Long Bridge Built Conditions

Indicate Post-Development Land Cover For SDA 1	Major Land Disturbing Area (square feet)	Major Substantial Improvement Area (square feet)
Natural Cover	0	
Compacted Cover	61,313	
Impervious Cover	297,069	
Vehicular Access Areas*	25,767	
BMP	5,629	
Drainage Area Total	364,011	0

Land Cover Summary	Major Land Disturbing	Major Substantial Improvement
% Natural Cover	0%	0%
% Compacted Cover	17%	0%
% Impervious Cover	83%	0%
Site Rv	0.83	0.00

Stormwater Retention Volume, SWRv (cubic feet)	30,289
Stormwater Retention Volume, SWRv (gallons)	226,563
Vehicular Access Volume (cubic feet)	1,224

AWDZ Only	
Water Quality Treatment Volume, WQTV (cubic feet)	NA
Water Quality Treatment Volume, WQTV (gallons)	NA

Rv Coefficients	Rv
Natural Cover	0.00
Compacted Cover	0.25
Impervious Cover	0.95

*Vehicular Access areas should be included within the Impervious Cover Category

BMPs

BMP	Pervious Cover Draining to BMP		Impervious Cover Draining to BMP		Vehicular Access Area Draining to BMP		Maximum Retention Volume Received by BMP (cubic feet)	Description of Retention Value	% Retention Value	Maximum Retention Volume Received from Upstream BMPs (cubic feet)	Maximum Retention Volume To BMP (cubic feet)	Surface Area of BMP (square feet)	Storage Volume Provided by BMP (cubic feet)	Retention Value (cubic feet)	Potential Retention Volume Remaining (cubic feet)	Additional Treatment Volume (cubic feet)	Downstream BMP	Vehicular Access Volume Addressed?	
	Area (square feet)	Type of Cover	Area (square feet)	Type of Cover	Area (square feet)	Volume (cubic feet)													
B1.5 Bioretention - Enhanced	0	Natural Cover	297,069	Impervious Cover		0	42,910	Subtract 100% of the Sv - the calculated storage volume for the BMP.	100%		42,910	N/A	70,000	42,910	0	0		N/A	
	61,313	Compacted Cover	5,629	BMP															
Volume Retained On Site (cubic feet)														42,910	Volume Treated (cubic feet)				0

District of Columbia General Retention Compliance Calculator

Channel and Flood Protection Calculations

Target Rainfall Event (in)	2-year storm: 3.20	15-year storm: 5.20	100-year storm: 8.37
SDA 1 (square feet)	364,011		
Storage Volume Provided By BMPs (cf)	70,000		
Storage Volume Provided By BMPs (gallons)	523,600		

Based on the use of stormwater BMPs in the various drainage areas, the spreadsheet calculates an adjusted RV_{Developed} and adjusted Curve Number.

SDA 1				
Land Area	Area (sf)	Soils	Weighted CN	S
Natural Cover	0.0	70	94	0.64
	61313.0	74		
Compacted Cover	302698.0	98		
	98			

	2-year storm	15-year storm	100-year storm
Runoff Volume (in) with no BMPs	2.54	4.50	7.64
Runoff Volume (in) with BMPs	0.23	2.19	5.34
Adjusted CN	54	70	75

District of Columbia General Retention Compliance Calculator

data input cells
calculation cells
constant values

Site Data

Site Name: Long Bridge Preliminary Engineering

Site Information

Is Site an "AWDZ Site"?	No
Is Site Located in the MS4?	No
AWDZ only - Regulatory Rain Event for WQTV (inches)	NA

Indicate Post-Development Land Cover

Cover Type	Disturbed Public Right of Way	Major Land Disturbing	Major Substantial Improvement
	Area (square feet)	Area (square feet)	Area (square feet)
Natural Cover	0	0	0
Compacted Cover	0	61,313	0
Impervious Cover	0	297,069	0
BMP	0	5,629	0
Site Total	0	364,011	0
Retention Standard for SWRv (inches)	0.0	1.2	0.0

Land Cover Summary

Cover Type	Disturbed Public Right of Way	Major Land Disturbing	Major Substantial Improvement
% Natural Cover	0%	0%	0%
% Compacted Cover	0%	17%	0%
% Impervious Cover	0%	83%	0%
Site Rv	0.00	0.83	0.00

Rv Coefficients	
Land Cover Type	Rv
Natural Cover	0.00
Compacted Cover	0.25
Impervious Cover	0.95

SWRv and WQTV Summary

	Disturbed Public Right of Way	Site Development
Stormwater Retention Volume, SWRv (cubic feet)	0	30,289
Stormwater Retention Volume, SWRv (gallons)	0	226,563
Water Quality Treatment Volume, WQTV (cubic feet)	NA	NA
Water Quality Treatment Volume, WQTV (gallons)	NA	NA

Retention Volume Remaining (cubic feet)	0	Volume Remaining to Treat 50% of the SWRv (cubic feet)	0	
Retention Volume Remaining (gallons)	0	Congratulations!! You have exceeded the required SWRv by 94401 gallons which may be able to be used to generate SRCs.	Volume Remaining to Treat 50% of the SWRv (gallons)	0
50% of SWRv Retained?	Yes	Volume Remaining to Treat WQTV (cubic feet)	N/A	
Runoff from Vehicular Access Areas Sufficiently Retained or Treated?	N/A	Volume Remaining to Treat WQTV (gallons)	N/A	
Treatment Required?	No			
Minimum Requirements for Drainage Area Met?	Yes			

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	M. BRUNO
DRAWN BY	M. BRUNO
CHECKED BY	J. LONG
APPROVED BY	J. LONG
DATE	1/30/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
STORMWATER COMPUTATION
WORKSHEETS (DOEE)

PROJECT NO.	VPRA R02A CSXT XXXX		
DRAWING NO.	SW-012		
REV.	N/A	SHEET NO.	177 OF 203
SCALE	AS SHOWN		

NATIONAL MALL AND MEMORIAL PARKS (NAMA)

ROOT PRUNING, STRUCTURAL CRITICAL ROOT ZONE & CRITICAL ROOT ZONE TURF PROTECTION NOTES

- EXACT LOCATION OF ROOT PRUNING TRENCH SHALL BE ESTABLISHED AND MARKED BY CONTRACTOR PRIOR TO COMMENCEMENT.
- UNDERGROUND UTILITIES SHALL BE LOCATED AND MARKED PRIOR TO ROOT PRUNING. ANY SUCH UTILITY CONFLICTS MUST BE ADDRESSED SAFELY BY CONTRACTOR. HAND TOOLS MAY BE REQUIRED TO TRENCH AND PRUNE ROOTS.
- ROOT PRUNING SHALL BE PERFORMED PRIOR TO DIGGING WITHIN THE CRITICAL ROOT ZONE (CRZ) OF ANY TREE. THE CRZ IS DETERMINED BY MEASURING THE TRUNK DIAMETER AT BREAST HEIGHT (DBH; 4.5 FEET ABOVE GRADE) AND MULTIPLYING THAT NUMBER BY 1.5 TO GET THE DISTANCE IN FEET FROM THE TRUNK WHERE THE CRZ SHOULD BE ESTABLISHED. THE ROOTS WITHIN THE CRZ ARE CRUCIAL TO THE TREE'S SURVIVAL. THIS AREA IS OFF LIMITS TO ANY PROJECT ACTIVITY UNLESS FURTHER TREE MAINTENANCE IS EXPECTED. NEVER SHALL MORE THAN 25% OF THE ROOTS IN THE CRZ BE PRUNED UNLESS FURTHER MAINTENANCE IS EXPECTED.
- ROOT PRUNING SHALL BE PERFORMED BY MACHINERY AND/OR EQUIPMENT MADE FOR THE PURPOSE (E.G., A VERMEER ROOT PRUNER; AN AIRSPADE PNEUMATIC GUN AND HANDHELD ROOT CUTTING TOOLS; ETC.). A TRENCHER MACHINE (DITCH WITCH, BACKHOE, ETC.) IS NOT AN ACCEPTABLE ROOT PRUNING DEVICE. ALL PRUNING CUTS SHALL BE MADE CLEANLY AND PERPENDICULAR TO ROOT FORM.
- ROOT PRUNING SHALL BE PERFORMED TO A DEPTH OF 24" BELOW GRADE UNLESS SPECIFIC TECHNICAL REQUIREMENT DETAILS ARE MADE IN A PARTICULAR STATEMENT OF WORK (SOW).
- THE LIMIT OF DISTURBANCE (LOD) SHALL BE ESTABLISHED ON ALL PROJECTS THAT REQUIRE SOIL EXCAVATION. TYPICALLY, ROOT PRUNING WILL OCCUR IN THE LOD WHERE PRZ'S ARE FOUND, HOWEVER, EXCEPTIONS MAY BE MADE.
- AN INTERNATIONAL SOCIETY OF ARBORICULTURE (ISA) CERTIFIED ARBORIST SHALL PERFORM OR OVERSEE THE ROOT PRUNING BEFORE ANY DIGGING BEGINS. THE CONTRACTOR SHALL NOTIFY NATIONAL MALL AND MEMORIAL PARKS (NAMA) 24 HOURS IN ADVANCE SO NAMA'S ISA CERTIFIED ARBORIST(S) AND OR COR MAY OVERSEE ROOT PRUNING OPERATIONS.
- THE COLLECTED EXCAVATED TOPSOIL, A TOPSOIL/COMPOST MIX, OR ANY OTHER NAMA APPROVED TOPSOIL MUST BE PLACED BACK INTO THE EXCAVATED TRENCH WITHIN 1 HOUR OF DISTURBANCE AND WATERED IMMEDIATELY. UPON BACKFILLING TRENCH WITH APPROVED TOPSOIL, 3" DEEP MULCH (STRAW OR WOODCHIPS ARE ACCEPTABLE) SHOULD COVER THE PARAMETERS OF THE TRENCH AND SHOULD BE WATERED ONCE A WEEK FOR 4 WEEKS. AFTER WEEK 5 THE MULCH CAN BE REMOVED, AND NAMA APPROVED GRASS SEED CAN BE PLANTED.
- IT IS ACCEPTABLE TO INSTALL SOIL RETENTION DEVICES SUCH AS SILT FENCE OR SUPER SILT FENCE IN THE ROOT PROTECTION MATS. SUPPORTING POSTS AND FABRICS DO NOT DAMAGE VITAL ROOTS. CONTRACTOR SHALL SUBMIT DRAWINGS SHOWING LOCATION AND INSTALLATION DETAILS FOR APPROVAL. EXCEPTIONS MAY REQUIRE RETENTION DEVICES INSTALLED WITHIN 1' OF TRENCH ON DISTURBED SIDE.
- APPROPRIATE TURF PROTECTION MATS SHALL BE USED TO PROTECT EXISTING SOILS AND THE CRZ/SCRZ OF TREES WITHIN THE LIMITS OF DISTURBANCE. THESE MATS MUST BE MADE FOR THE PURPOSE (E.G., TRAK-MATS, ALTURNAMATS, ETC.) AND MUST BE APPROPRIATELY SIZED FOR THE EXPECTED WEIGHT.
- ALL EQUIPMENT (TRUCKS, TRAILERS, MACHINERY, ETC.) SHALL BE CONVEYED AND STAGED ON SUCH TURF PROTECTION MATS. AT NO TIME SHALL VEHICLES WITH "OVER THE ROAD" TIRES BE IN DIRECT CONTACT WITH SOIL, TURF OR CRZ/PRZ'S. TURF AND FLOATION TIRES AND RUBBER TRACKS MADE FOR TURF PROTECTION PURPOSES ARE ACCEPTABLE, HOWEVER, SUPERFICIAL DAMAGE TO THE TURF AND SOILS ARE THE RESPONSIBILITY OF THE CONTRACTOR AND SHALL BE REPORTED TO THE NAMA POC WITHIN 24 HOURS OF OCCURRENCE.
- EXPENSES ACCRUED TO REMEDIATE DAMAGES THAT OCCUR AS RESULT OF FAILING TO FOLLOW THESE PROTECTIVE MEASURES WILL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- INSTALLATION OF FENCE POST OR POSTS OF THE LIKE WITHIN THE PRZ MUST BE HOLLOW AND HAVE A CLEAN AND UNBLEMISHED RIM IN ORDER TO CLEANLY CUT ROOTS WHEN DRIVEN. EXTRACTION OF TEMPORARY FENCE POSTS MUST BE REMOVED BY LIFTING STRAIGHT UPWARDLY WHILE BEING MINDFUL TO NOT DAMAGE TREE ROOTS.

GEORGE WASHINGTON MEMORIAL PARKWAY (GWMP) ROOT PRUNING, STRUCTURAL CRITICAL ROOT ZONE & CRITICAL ROOT ZONE TURF PROTECTION NOTES

- THE TREE PROTECTION ZONE OF A TREE SHALL BE CONSIDERED THE TREE'S DRIP LINE, OR THE RADIUS, IN FEET, EQUAL TO 1.5 TIMES THE DIAMETER BREAST HEIGHT (DBH) IN INCHES, OF THE TREE, WHICHEVER IS GREATER. WHEN WORK IS ALLOWED WITHIN THE TREE PROTECTION ZONE BY NPS, THE PERMITTEE WILL SUBMIT A TREE AND TREE ROOT PROTECTION PLAN FOR NPS APPROVAL BEFORE ANY WORK STARTS. THIS PLAN MAY INCLUDE, BUT IS NOT LIMITED TO, PHYSICAL PROTECTION, ROOT FERTILIZATION, ROOT AERATION, ROOT PRUNING AND CROWN PRUNING. ALL TREES AND TREE ROOT AREAS WITHIN THE PERMITTEE'S WORK AREA, WHICH IN THE OPINION OF NPS ARE LIABLE TO ACCIDENTAL DAMAGE. IF NPS CONCLUDES THAT DAMAGE HAS OCCURRED TO THE TREE ROOT SYSTEM THE PERMITTEE WILL PERFORM ALL MITIGATION REQUIRED BY NPS.
- THE CONTRACTOR SHALL PRESERVE AND PROTECT ALL EXISTING VEGETATION SUCH AS TREES AND SHRUBS ON OR ADJACENT TO THE SITE, WHICH DOES NOT REASONABLY INTERFERE WITH THE OPERATION AND MAINTENANCE OF THE LONG BRIDGE PROJECT. THE PERMITTEE SHALL BE RESPONSIBLE FOR ALL UNAUTHORIZED CUTTING AND DAMAGE TO TREES AND SHRUBS, INCLUDING DAMAGE RESULTING FROM CARELESS OPERATION OF EQUIPMENT, STOCKPILING OF MATERIAL OR TRACKING OF OTHER SURFACED AREAS BY EQUIPMENT. SUCH DAMAGED AREAS SHALL BE RESTORED OR REPAIRED BY THE PERMITTEE, AS DIRECTED BY THE SUPERINTENDENT OR HIS/HER DESIGNEE, AT NO EXPENSE TO THE GOVERNMENT.
- PRUNING STANDARDS
 - PERMITTEE HAS THE PERMISSION TO CARRY OUT ONLY THOSE ACTIVITIES SPECIFICALLY OUTLINED IN THESE PERMIT CONDITIONS AND THE ATTACHED TREE DETAIL LIST. A COPY OF THE PERMIT AND DETAIL LIST SHALL BE KEPT BY SUPERVISOR'S ON SITE AT ALL TIMES. ANY ADDITIONAL ACTIVITIES BEYOND THE SCOPE OF THE APPROVED ACTIVITY MUST BE REVIEWED AND APPROVED BY THE NATIONAL PARK SERVICE.
 - PRUNING WILL BE IN ACCORDANCE WITH ANSI A300 (PART 1)-2017 PRUNING - AMERICAN NATIONAL STANDARD INSTITUTE FOR TREE CARE OPERATIONS; TREE, SHRUB, AND OTHER WOODY PLANT MANAGEMENT; STANDARD PRACTICES, AS ADOPTED BY THE CURRENT PUBLICATION OF TREE CARE INDUSTRY ASSOCIATION, INC. AND INTERNATIONAL SOCIETY OF ARBORICULTURE.
 - THE NATIONAL PARK SERVICE RECOMMENDS THE PRUNING WORK AND OR BE SUPERVISED BY AN ISA CERTIFIED ARBORIST.
- AS A PART OF REMOVAL OF DEAD TREES UNDER THIS PERMIT, THE PERMITTEE ACCEPTS NATIONAL PARK SERVICE GEORGE WASHINGTON MEMORIAL PARKWAY REQUIREMENTS REMOVING ONLY THE PORTION OF THE TREE HAZARDING THE LONG BRIDGE PROJECT AREA. DEAD TREES WOULD BE CUT BACK ONLY TO PREVENT JEOPARDIZING THE LONG BRIDGE PROJECT AREA. A STUB, SPAR, OR TRUNK SHALL REMAIN STANDING ON ALL DEAD TREES UNLESS A RISK TO THE LONG BRIDGE PROJECT AREA OR OTHER EVIDENT TARGET EXISTS IF LEFT STANDING. IF THE CLIMBER FEELS THE TREE IS UNSAFE TO CLIMB AND NO ACCESS EXISTS FOR BUCKET TRUCK, THE SITE SUPERVISOR SHALL NOTIFY NPS POC OF THE TRUNK REMOVAL.
- ALL DEBRIS GENERATED WILL BE CUT AND SPREAD OUT NOT STACKED OR PILED. ALL DEBRIS SHALL BE LEFT ON SITE NOT REMOVED. THE WORK PERFORMED WITHIN LONG BRIDGE PROJECT AREA WILL BE MANUAL AND NO VEHICLES OR EQUIPMENT WILL BE PERMITTED OFF ROAD.
- THE PERMITTEE SHALL COMPLETE PERMITTED MAINTENANCE ACTIVITIES IN ACCORDANCE WITH THE NPS APPROVED TREE MAINTENANCE PLANS. PERMITTEE SHALL PLAN AND SCHEDULE ALL ASSOCIATED WORK, IMPLEMENT NPS APPROVED PLANS, INCLUDING BUT NOT LIMITED TO TREE PROTECTION, REMOVAL, AND PRUNING. PERMITTEE WILL BE RESPONSIBLE FOR COSTS OF ALL NEW REPLACEMENT PLANTINGS, TO THE SATISFACTION OF THE SUPERINTENDENT OF THE GEORGE WASHINGTON MEMORIAL PARKWAY.
- PRUNING SHALL BE IN ACCORDANCE WITH ANSI A300 (PART 1)-2017 PRUNING - AMERICAN NATIONAL STANDARD INSTITUTE FOR TREE CARE OPERATIONS; TREE, SHRUB, AND OTHER WOODY PLANT MANAGEMENT; STANDARD PRACTICES, AS ADOPTED BY THE CURRENT PUBLICATION OF TREE CARE INDUSTRY ASSOCIATION, INC. AND INTERNATIONAL SOCIETY OF ARBORICULTURE AND PERFORMED AS NEEDED FOR THE ADJOINING NPS ELM TREE THAT IS ADJACENT TO THE TREE BEING REMOVED FROM PRIVATE PROPERTY. THE PRUNING OBJECTIVE AND OTHER PRUNING ON NPS LANDS MUST BE APPROVED BY THE NPS POC WHICH WILL MAKE ON SITE DETERMINATION. THE NATIONAL PARK SERVICE RECOMMENDS THE PRUNING WORK AND OR BE SUPERVISED BY AN ISA CERTIFIED ARBORIST.
- PRUNING OF NPS TREES MUST BE DONE WITH THE PRE-APPROVAL, AND IN THE PRESENCE, OF AN OFFICIAL OF THE NPS. IF TREES NEED CUT BACK TO ALLOW VEHICLE ACCESS, EQUIPMENT ACCESS, OR PROVIDE SIGHTLINE FOR SURVEYING, IT MUST CONFORM TO ANSI A300 (PART 1)-2017 PRUNING - AMERICAN NATIONAL STANDARD INSTITUTE FOR TREE CARE OPERATIONS; TREE, SHRUB, AND OTHER WOODY PLANT MANAGEMENT; STANDARD PRACTICES, AS ADOPTED BY THE CURRENT PUBLICATION OF TREE CARE INDUSTRY ASSOCIATION, INC. AND INTERNATIONAL SOCIETY OF ARBORICULTURE. THE NATIONAL PARK SERVICE RECOMMENDS THE PRUNING WORK AND OR BE SUPERVISED ONSITE BY AN ISA CERTIFIED ARBORIST.
- NATIVE TREES REMOVED ON NPS ADMINISTERED LAND WILL BE REPLACED BY THE PERMITTEE IN ACCORDANCE WITH APPROVED PLANS. IF TREES REMOVED OR SIGNIFICANTLY DAMAGED ARE NOT INCLUDED IN THE PLAN, THE TREES WILL BE REPLACED BY THE PERMITTEE ON A DIAMETER BREAST HEIGHT (DBH) BASIS AND LOCATION(S) DETERMINED BY THE NATURAL RESOURCE MANAGER (NRM) OF THE GEORGE WASHINGTON MEMORIAL PARKWAY. IF NPS MANAGEMENT DETERMINES A SITE NOT SUITABLE FOR REPLANTING, AN ALTERNATE LOCATION MAY BE PRESENTED TO THE PERMITTEE FOR CONSIDERATION TO REPLACE TREE LOSS.
- TREES DAMAGED OR REMOVED WILL BE REPLACED BY THE PERMITTEE ON A DIAMETER BREAST HEIGHT (DBH) INCH FOR INCH BASIS. FOR EXAMPLE, IF A 10-INCH OAK WERE DAMAGED (AS ASSESSED BY ON-SITE NPS OFFICIAL) OR REMOVED DURING CONSTRUCTION, THEN THE PERMITTEE WOULD BE LIABLE FOR THE REPLACEMENT OF TEN INCHES OF TREES (I.E. FIVE 2-INCH TREES OR FOUR 2.5-INCH TREES). THE SPECIES, SIZE, AND PLANTING LOCATION WILL BE DETERMINED BY NPS.
- ONLY TREES PRE-APPROVED BY THE SUPERINTENDENT (OR HIS/HER REPRESENTATIVE), DURING THE (SEPT-DEC 2021) TREE INVENTORY PERFORMED BY SAVATREE MAY BE REMOVED. REMOVALS WILL NOT INCLUDE ANY DIGGING OR ROOT DISTURBANCE. TREES REMOVED OR TREES FOUND SIGNIFICANTLY DAMAGED FROM PERMITTED ACTIVITY WILL BE REPLACED BY THE PERMITTEE IN THE FOLLOWING PLANTING SEASON ON A DIAMETER BREAST HEIGHT (DBH) INCH FOR INCH BASIS. FOR EXAMPLE, IF A 10" INCH DBH OAK WERE REMOVED DURING WORK, THEN THE PERMITTEE WOULD BE LIABLE FOR THE REPLACEMENT OF TEN INCHES OF TREES (I.E. FIVE 2-INCH DIAMETER TREES OR FOUR 2.5-INCH DIAMETER TREES). ANY EXCEPTIONS TO THE REPLACEMENT SIZES MUST BE PRE-APPROVED IN WRITING. THE SPECIES, SIZE, AND PLANTING LOCATION WILL BE DETERMINED BY THE RESOURCE MANAGEMENT DIVISION MANAGER OF THE GEORGE WASHINGTON MEMORIAL PARKWAY AND MAY REQUIRE A SEPARATE PLANTING PLAN TO BE REVIEWED AND APPROVED. IF NPS MANAGEMENT DETERMINES PERMITTED AREA NOT SUITABLE FOR REPLANTING, AN ALTERNATE LOCATION WILL BE PROVIDED TO THE PERMITTEE TO REPLACE TREE LOSS FROM PERMITTED ACTIVITY.
- PERMITTEE HEREBY AGREES TO BE FULLY RESPONSIBLE FOR THE MANAGEMENT, PERFORMANCE, USE AND SAFETY OF ALL OPERATIONS CONDUCTED BY, OR ON BEHALF OF THE PERMITTEE, UPON NPS ADMINISTERED PROPERTY. WORK NOT SPECIFICALLY AUTHORIZED BY THIS PERMIT SHALL NOT BE PERFORMED WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THE SUPERINTENDENT OF THE GEORGE WASHINGTON MEMORIAL PARKWAY. ADDITIONALLY:
 - PERMITTEE SHALL BE RESPONSIBLE FOR PROVISION AND MAINTENANCE OF PROPER SIGNS, BARRICADES, AND FENCES TO SECURE ANY HAZARDOUS WORK AREA(S) TO PROTECT PUBLIC HEALTH.
 - PERMITTEE AGREES IT SHALL REQUIRE THAT ALL WORK BE PERFORMED IN A SAFE AND RESPONSIBLE MANNER AND TO OSHA STANDARDS, TO AVOID ACCIDENTS AND INJURY TO ALL WORKERS, GOVERNMENT EMPLOYEES, AND PARK VISITORS. ALL TREE CARE OPERATIONS SHALL CONFORM TO THE ANSI Z-133 SAFETY STANDARDS FOR TREE CARE OPERATIONS. PERMITTEE AGREES IT SHALL REQUIRE SAFETY MEASURES TO BE INSTALLED AND MAINTAINED WHERE RISKS OR POTENTIAL HAZARDS ARE LIKELY OR EVIDENT.
 - PERMITTEE IS RESPONSIBLE FOR ALL REIMBURSEMENT COSTS FOR ANY DAMAGES TO LAND AND FACILITIES CAUSED BY PERMITTED ACTIVITY. EXAMPLES OF SUCH DAMAGES MIGHT INCLUDE, BUT ARE NOT LIMITED TO, DAMAGES TO DRAINS, SIGNS, CURBING, ROAD SURFACES, VEGETATION, TURF AND HISTORIC STRUCTURES. AUTHORIZATION TO COLLECT DAMAGES IS UNDER THE PARK SYSTEM RESOURCE PROTECTION ACT 54 U.S.C. 100721 - 100725

FOR REFERENCE ONLY


PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023			DESIGNED BY B. CLAY
			DRAWN BY B. CLAY
			CHECKED BY J. FENNELL
			APPROVED BY J. FENNELL
Rev.	Date	Description	DATE 2/9/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY





LONG BRIDGE SOUTH PACKAGE ARLINGTON, VA TO WASHINGTON, DC		PROJECT NO. VPRA R02A CSXT XXXX
SUBDIVISION: RF&P ZONE: CENTRAL		DRAWING NO. LA-001
REV. N/A	SHEET NO. 178 OF 203	
LANDSCAPE GENERAL NOTES		SCALE AS SHOWN




1. ROOT PRUNING SHALL BE DONE WITH A TRENCHER OR VIBRATORY PLOW TO A DEPTH OF 18". ROOTS OVER 1.5" IN DIAMETER SHALL HAVE A CLEAN CUT MADE BY A CLEAN SAW ON THE SURFACE OF THE ROOT, WHICH IS STILL ATTACHED TO THE TREE. DO NOT BREAK OR CHOP. DO NOT PAINT THE CUT ROOT END. IF EXCAVATION IS FOR INSTALLATION OF UNDERGROUND UTILITIES, LEAVE THE ROOT INTACT AND THREAD THE LINES UNDERNEATH.
2. ROOT PRUNING SHALL TAKE PLACE PRIOR TO ANY CLEARING AND GRADING. EXACT LOCATION OF TREE PROTECTION AREAS SHALL BE STAKED OR FLAGGED PRIOR TO TRENCHING AND SHALL BE APPROVED BY NATIONAL PARK SERVICE (NPS) REPRESENTATIVE.
3. ROOT PRUNING SHALL BE CONDUCTED WITH THE SUPERVISION OF AN ISA CERTIFIED ARBORIST.
4. BACKFILL THE ROOT-PRUNING TRENCH WITH APPROVED LOOSE TOPSOIL MIX AND TOP WITH 3-4" BARK MULCH AND MARK LOCATION FOR FUTURE REFERENCE. SILT FENCE MAY BE INSTALLED IN TRENCH PRIOR TO BACKFILLING AS LONG AS THE TRENCH IS NOT OPEN FOR LONGER THAN 48 HOURS WITHOUT WATERING.
5. ROOT PRUNING WORK SHALL NOT BE DONE WHEN MORE THAN THE TOP 1 INCH OF SOIL IS FROZEN. ROOT PRUNING SHALL NOT BE UNDERTAKEN WHEN THE SOIL IS WET AND CONDITIONS ARE MUDDY.
6. THE NPS REPRESENTATIVE SHALL BE NOTIFIED 72 HOURS PRIOR TO TRENCHING AND WHEN ALL ROOT PRUNING AND TREE PROTECTION FENCE INSTALLATION IS COMPLETE.

ROOT PRUNING
SCALE: NONE




TREE PROTECTION FENCING WITHIN CRZ
SCALE: NONE



1. MATTING MATERIAL SHALL BE DOUBLE SIDED GEOCOMPOSITE, GEONET CORE WITH NON-WOVEN COVERING (SUCH AS TENAX TENDRAIN 770/2) OR APPROVED EQUAL.
2. ROOT PROTECTION MAT (RPM) SHALL BE INSTALLED BY CERTIFIED ARBORIST.
3. TO BE USED FOR DESIGNATED TEMPORARY CONSTRUCTION ACCESS AND STOCKPILE AREAS.
4. MATTING SHALL BE PLACED ON 4-6" WOOD CHIP MULCH UNLESS OTHERWISE DIRECTED.
5. FOR HEAVY TRAFFIC AREAS, MATTING SHALL BE COVERED WITH 6-8" WELL GRADED CRUSHED AGGREGATE. ADDITIONAL LAYERS OF GEOTEXTILE MAY BE NEEDED

TEMPORARY ROOT PROTECTION WITHIN CRITICAL ROOT ZONE (CRZ)
SCALE: NONE



1. TRUNK WRAP MATERIAL SHALL BE DOUBLE SIDED GEOCOMPOSITE, GEONET CORE WITH NON-WOVEN COVERING (SUCH AS TENAX TENDRAIN 770/2) OR AN APPROVED EQUAL.
2. WRAP SHALL BE INSTALLED BY A CERTIFIED ARBORIST.
3. WRAP SHALL BE INSTALLED PRIOR TO ANY SITE WORK, CLEARING OR DEMOLITION.
4. WRAP SHALL BE MAINTAINED THROUGHOUT CONSTRUCTION. REMOVE WRAP ONLY WITH APPROVAL AND AFTER ALL SITE WORK HAS BEEN COMPLETED. NATIONAL PARK SERVICE (NPS) REPRESENTATIVE SHALL BE NOTIFIED 72 HOURS PRIOR TO REMOVAL.
5. WRAP SHALL BE REMOVED PROMPTLY AFTER CONSTRUCTION.
6. MAJOR SCAFFOLD LIMBS MAY ALSO REQUIRE THIS PROTECTION AS DIRECTED BY NPS REPRESENTATIVE.
7. WRAP SHALL EXTEND AS HIGH AS ADJACENT MACHINERY THAT IS WORKING ADJACENT TO TREES. PROJECT ARBORIST AND NPS REPRESENTATIVE MAY REQUIRE DOUBLE WRAP OR HEAVY DUTY WRAP IN AREAS OF MAJOR EXCAVATION.

TREE TRUNK AND LIMB PROTECTION WRAP
SCALE: NONE

FOR REFERENCE ONLY

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	B. CLAY
DRAWN BY	B. CLAY
CHECKED BY	J. FENNELL
APPROVED BY	J. FENNELL
DATE	2/9/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL




TREE PROTECTION DETAILS

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	LA-002
REV.	SHEET NO.
N/A	179 OF 203
SCALE	AS SHOWN

SOUTH TO "AF"

NORTH TO "CP VIRGINIA"

LA-100 SERIES: VEGETATION REMOVAL AND PROTECTION PLANS
LA-200 SERIES: VEGETATION RESTORATION PLANS
LA-300 SERIES: EXISTING TREE INVENTORY TABLE
LA-400 SERIES: TREE PLANTING DETAILS AND PLANT SCHEDULE



PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	B. CLAY
DRAWN BY	B. CLAY
CHECKED BY	J. FENNELL
APPROVED BY	J. FENNELL
DATE	2/9/2023




THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY








LONG BRIDGE SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
VEGETATION REMOVAL AND PROTECTION PLAN CONTEXT MAP


PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	LA-003
REV.	N/A
SHEET NO.	180 OF 203
SCALE	AS SHOWN

VDOT PDF-plotting
LBPE_Ld_v95.tbl
Plotted By: Brian Clay
2/9/2023
18R02A_Sheets_South.dgn
\$MODELNAME\$



FOR REFERENCE ONLY

- VEGETATION RESTORATION PLAN LEGEND**
-  PROPOSED CANOPY TREE
 -  PROPOSED FLOWERING TREE
 -  PROPOSED EVERGREEN TREE
 -  EXISTING TREE (PROTECTED OR NO IMPACT)
 -  APPROXIMATE LOCATION OF WORK LIMITS
- NOTE: SEE SHEET LA-401 FOR PLANT SCHEDULE



PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		DESIGNED BY	B. CLAY
		DRAWN BY	B. CLAY
		CHECKED BY	J. FENNELL
		APPROVED BY	J. FENNELL
		DATE	2/9/2023
Rev.	Date	Description	








THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
OVERALL VEGETATION
RESTORATION PLAN CONTEXT MAP

PROJECT NO.		VPRA R02A CSXT XXXX
DRAWING NO.		LA-200
REV.	SHEET NO.	188 OF 203
N/A		
SCALE		AS SHOWN

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: Brian Clay
 2/9/2023
 \\r02b_sheets_South.dgn
 \$MODELNAME\$

EXISTING TREE INVENTORY TABLE

Table with columns: Tree Number, Owner, Proposed Action, Common Name, Botanical Name, DBH (Inches), Condition Rating %, Condition Rating, Number of stems, SCZR, CRZ, Critical Root Zone Radius (ft., 1.5 ft radius/inch DBH), Additional notes, Condition notes.

EXISTING TREE INVENTORY TABLE (CONT.)

Table with columns: Tree Number, Owner, Proposed Action, Common Name, Botanical Name, DBH (Inches), Condition Rating %, Condition Rating, Number of stems, SCZR, CRZ, Critical Root Zone Radius (ft., 1.5 ft radius/inch DBH), Additional notes, Condition notes.

FOR REFERENCE ONLY

VDOT PDF-plotting
LBPE_id_v95.tbl
2/9/2023
Plotted By: Brian Clay
laR02A_Details_1_South.dgn
\$MODELNAME\$

Table with 2 columns: Rev, Date, Description. Row 1: 2/9/2023, Description.

Table with 2 columns: Field, Value. Fields: DESIGNED BY, DRAWN BY, CHECKED BY, APPROVED BY, DATE. Values: B. CLAY, B. CLAY, J. FENNELL, J. FENNELL, 2/9/2023.

Logos for Virginia Passenger Rail Authority, Transforming Rail in Virginia, and CSX.

Michael Baker International logo and text: THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY.

vhb logo.

LONG BRIDGE SOUTH PACKAGE ARLINGTON, VA TO WASHINGTON, DC SUBDIVISION: RF&P ZONE: CENTRAL EXISTING TREE INVENTORY TABLE (1 OF 2)

Table with fields: PROJECT NO. (VPRA R02A CSXT XXXX), DRAWING NO. (LA-300), REV. (N/A), SHEET NO. (196 OF 203), SCALE (AS SHOWN).

EXISTING TREE INVENTORY TABLE (CONT.)

Tree Number	Owner	Proposed Action R-Remove P-Protect N=None, Remains in Place	Common Name	Botanical Name	DBH (inches)	Condition Rating %	Condition Rating	Number of stems	SCRZ		CRZ		Additional notes	Condition notes
									Structural Critical Root Zone (ft)	Critical Root Zone Radius (ft., 1.5 ft radius/mch DBH)	Structural Critical Root Zone (ft)	Critical Root Zone Radius (ft., 1.5 ft radius/mch DBH)		
190010	GWMP	R	American elm	Ulmus Americana	8	10	Poor	1	4	12				Dead tree
190011	GWMP	R	White mulberry	Morus alba	6	65	Fair	1	3	9			Invasive	
190012	GWMP	R	American sycamore	Platanus occidentalis	16	70	Fair	1	8	24			Fair form	
190013	GWMP	R	White mulberry	Morus alba	14	65	Fair	1	7	21			Invasive	
190014	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	6	70	Fair	1	3	9				
190015	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	12	80	Good	1	6	18				
190016	GWMP	R	American sycamore	Platanus occidentalis	10	80	Good	1	5	15				
190017	GWMP	R	American elm	Ulmus Americana	8	70	Fair	1	4	12			Overcrowded	
190018	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	6	80	Good	1	3	9				
190019	GWMP	R	White mulberry	Morus alba	33	10	Poor	1	16.5	49.5			Invasive	Dead/ dying tree
190020	GWMP	R	White mulberry	Morus alba	6	70	Fair	1	3	9			Invasive	
190021	GWMP	R	White mulberry	Morus alba	6	70	Fair	1	3	9			Invasive	
190022	GWMP	R	White mulberry	Morus alba	10	70	Fair	2	5	15			Invasive	
190023	GWMP	R	American sycamore	Platanus occidentalis	26	80	Good	1	13	39				
190024	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	11	80	Good	2	5.5	16.5				
190025	GWMP	R	White mulberry	Morus alba	7	70	Fair	1	3.5	10.5			Invasive	
190026	GWMP	R	White mulberry	Morus alba	15	80	Good	1	7.5	22.5			Invasive	
190027	GWMP	R	White mulberry	Morus alba	12	70	Fair	2	6	18			Invasive	
190028	GWMP	R	White mulberry	Morus alba	6	70	Fair	1	3	9			Invasive	
190029	GWMP	R	White mulberry	Morus alba	20	80	Good	1	10	30			Invasive	
190030	GWMP	R	White mulberry	Morus alba	6	80	Good	1	3	9			Invasive	
190031	GWMP	N	White mulberry	Morus alba	8	70	Fair	1	4	12			Invasive	
190032	GWMP	N	Red oak	Quercus rubra	36	80	Good	1	18	54				Fair form
190033	GWMP	N	Willow oak	Quercus phellos	24	80	Good	1	12	36				Vines becoming established
190034	GWMP	N	American elm	Ulmus Americana	26	80	Good	1	13	39				
190035	GWMP	P	Willow oak	Quercus phellos	26	70	Fair	1	13	39				Numerous dead limbs, and fair foliage density
190036	GWMP	P	Willow oak	Quercus phellos	33	80	Good	1	16.5	49.5				
190037	GWMP												May be a duplicate of TA9-36-33* TREE. No second 30+* tree nearby	
190038	GWMP	N	Japanese zelkova	Zelkova serrata	40	80	Good	1	20	60				
190039	GWMP	N	Eastern white pine	Pinus strobus	18	80	Good	1	9	27				
190041	GWMP	P	Silver maple	Acer saccharinum	25	95	Excellent	1	12.5	37.5				
190042	GWMP	P	American elm	Ulmus Americana	19	80	Good	1	9.5	28.5				
190043	GWMP	P	Eastern white pine	Pinus strobus	22	80	Good	1	11	33				
190044	GWMP	N	Eastern white pine	Pinus strobus	30	10	Poor	1	15	45				Majority of canopy and trunk has been removed, likely due to storm damage. Tree will not recover
190045	GWMP	P	Willow oak	Quercus phellos	28	80	Good	1	14	42				
190046	GWMP	P	Willow oak	Quercus phellos	30	80	Good	1	15	45				
190047	GWMP	N	Willow oak	Quercus phellos	30	80	Good	1	15	45				
190048	GWMP	P	Water oak	Quercus nigra	52	70	Fair	1	26	78				Failure along main trunk, fair form
190049	GWMP	N	Willow oak	Quercus phellos	28	65	Fair	1	14	42				Fair form, previous failures in canopy
190050	GWMP	N	White mulberry	Morus alba	7	65	Fair	1	3.5	10.5			Invasive	Overcrowded
190051	GWMP	N	Amur honeysuckle	Lonicera maackii	10	80	Good	5	5	15				Invasive shrub
190052	GWMP	N	White mulberry	Morus alba	12	65	Fair	1	6	18				Very overcrowded
190053	GWMP	N	American holly	Ilex opaca	9	80	Good	1	4.5	13.5				
190054	GWMP	N	Amur honeysuckle	Lonicera maackii	12	70	Fair	5	6	18				Invasive shrub
190055	GWMP	R	Willow oak	Quercus phellos	40	80	Good	1	20	60				
190056	GWMP	R	Willow oak	Quercus phellos	34	80	Good	1	17	51				
190057	GWMP	R	Silver maple	Acer saccharinum	48	50	Poor	3	24	72				Major tipdieback and decay at root collar
190058	GWMP	R	American sycamore	Platanus occidentalis	12	50	Poor	1	6	18				Major tip dieback
190059	GWMP	P	Redbud	Cercis canadensis	8	70	Fair	1	4	12				Fair form
190060	GWMP	R	Willow oak	Quercus phellos	30	80	Good	1	15	45				
190061	GWMP	R	Willow oak	Quercus phellos	32	70	Fair	1	16	48				Notable tip dieback
190062	GWMP	R	Willow oak	Quercus phellos	28	80	Good	1	14	42				
190063	GWMP	R	Paper mulberry	Broussonetia papyrifera	10	80	Good	1	5	15				
190064	GWMP	R	Paper mulberry	Broussonetia papyrifera	6	80	Good	1	3	9				
190065	GWMP	R	Paper mulberry	Broussonetia papyrifera	6	80	Good	1	3	9				
190066	GWMP	R	Paper mulberry	Broussonetia papyrifera	6	80	Good	1	3	9				
190067	GWMP	R	Paper mulberry	Broussonetia papyrifera	6	80	Good	1	3	9				
190068	GWMP	R	Red oak	Quercus rubra	42	65	Fair	1	21	63				Main lead has died, significant limb tear out in upper canopy
190069	GWMP	R	White mulberry	Morus alba	60	70	Fair	1	30	90				Poison ivy all over trunk. Invasive Fair form, many established vines

EXISTING TREE INVENTORY TABLE (CONT.)

Tree Number	Owner	Proposed Action R-Remove P-Protect N=None, Remains in Place	Common Name	Botanical Name	DBH (inches)	Condition Rating %	Condition Rating	Number of stems	SCRZ		CRZ		Additional notes	Condition notes
									Structural Critical Root Zone (ft)	Critical Root Zone Radius (ft., 1.5 ft radius/mch DBH)	Structural Critical Root Zone (ft)	Critical Root Zone Radius (ft., 1.5 ft radius/mch DBH)		
190070	GWMP	R	Red oak	Quercus rubra	24	65	Fair	1	12	36				Significant tip dieback, will likely continue to deteriorate
190071	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	15	80	Good	3	7.5	22.5				
190072	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	10	80	Good	1	5	15				
190073	GWMP	R	Paper mulberry	Broussonetia papyrifera	7	80	Good	1	3.5	10.5				
190074	GWMP	R	Boxelder	Acer negundo	8	65	Fair	5	4	12				Main lead is dead
190075	GWMP	R	Boxelder	Acer negundo	6	65	Fair	1	3	9				Established vines
190076	GWMP	R	American elm	Ulmus Americana	17	80	Good	2	8.5	25.5				
190077	GWMP	R	Amur honeysuckle	Lonicera maackii	8	80	Good	6	4	12				Invasive shrubs
190078	GWMP	R	Amur honeysuckle	Lonicera maackii	8	80	Good	6	4	12				Invasive shrub
190079	GWMP	R	Boxelder	Acer negundo	24	65	Fair	1	12	36				Multiple failures within canopy, fair foliage density
190080	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	10	50	Poor	1	5	15				Poor form, well established vines
190081	GWMP	R	White mulberry	Morus alba	19	65	Fair	1	9.5	28.5			Invasive	
190082	GWMP	R	Amur honeysuckle	Lonicera maackii	10	80	Fair	6	3	9				Invasive shrub
190083	GWMP	N	Japanese zelkova	Zelkova serrata	41	80	Good	4	20.5	61.5				
190084	GWMP	N	Amur honeysuckle	Lonicera maackii	8	70	Fair	3	4	12				Invasive shrub
200001	GWMP		Paper mulberry	Broussonetia papyrifera	7	80	Good	1	3.5	10.5			No 20" tree visible nearby	
200002	GWMP	R	Paper mulberry	Broussonetia papyrifera	8	80	Good	1	4	12				
200003	GWMP	R	Paper mulberry	Broussonetia papyrifera	6	80	Good	1	3	9				
200004	GWMP	R	Paper mulberry	Broussonetia papyrifera	12	65	Fair	1	6	18				Fair form
200005	GWMP	R	Black locust	Robinia pseudoacacia	12	65	Fair	1	6	18				Fair foliage density and form
200006	GWMP	R	Paper mulberry	Broussonetia papyrifera	9	80	Good	1	4.5	13.5				
200007	GWMP	R	Paper mulberry	Broussonetia papyrifera	8	65	Fair	1	4	12				
200008	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	11	70	Fair	1	3.5	10.5				
200009	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	9	65	Fair	2	4.5	13.5				Significant lean
200010	GWMP	R	Black locust	Robinia pseudoacacia	6	70	Fair	1	3	9				
200011-A	ARL.CO	R	Japanese pagoda tree	Styphnolobium japonicum	7	70	Fair	1	3.5	10.5				
200012-A	ARL.CO	R	American elm	Ulmus Americana	8	80	Good	1	4	12				
200013-A	ARL.CO	R	Paper mulberry	Broussonetia papyrifera	6	10	Poor	1	3	9				Root plate lifted, little to no foliage
200014	GWMP	R	Paper mulberry	Broussonetia papyrifera	8	70	Fair	1	4	12				Fair form
200014-A	ARL.CO	R	American elm	Ulmus Americana	19	70	Fair	1	9.5	28.5				Fair form and foliage density
200015-A	ARL.CO	R	Ailanthus	Ailanthus altissima	8	15	Poor	1	4	12				Root plate lifting and poor foliage
200016-A	ARL.CO	R	American elm	Ulmus Americana	6	65	Fair	1	3	9				Fair form and overcrowded
200018	GWMP	R	American elm	Ulmus Americana	6	65	Fair	1	3	9				
200019-A	ARL.CO	R	American elm	Ulmus Americana	6	65	Fair	1	3	9				
200020-A	ARL.CO	R	Paper mulberry	Broussonetia papyrifera	7	65	Fair	1	3.5	10.5				Multiple wounds on trunk
200021-A	ARL.CO	R	White mulberry	Morus alba	12	65	Fair	1	6	18				Wound running about 10' up trunk from base
200022	RR	R	American elm	Ulmus Americana	12	70	Fair	1	6	18				
200023	RR	R	Ailanthus	Ailanthus altissima	9	70	Fair	1	4.5	13.5				Invasive
200024	RR	R	Japanese pagoda tree	Styphnolobium japonicum	8	30	Poor	1	4	12				
200025	RR	R	American elm	Ulmus Americana	6	70	Fair	1	3	9				
200026	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	11	70	Fair	1	5.5	16.5				
200027	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	6	80	Good	1	3	9				
200028-A	GWMP	R	Paper mulberry	Broussonetia papyrifera	10	80	Good	1	5	15				
200029	RR	R	Paper mulberry	Broussonetia papyrifera	6	30	Poor	1	3	9				Poor form, dying
200030	RR	R	Paper mulberry	Broussonetia papyrifera	7	80	Good	1	3.5	10.5				
200031	RR	R	Ailanthus	Ailanthus altissima	14	65	Fair	3	7	21				Invasive Fair form
200032	RR	R	Ailanthus	Ailanthus altissima	10	80	Good	1	5	15				Invasive
200033	RR	R	Japanese pagoda tree	Styphnolobium japonicum	8	70	Fair	3	4	12				Multistem
200034	RR	R	Ailanthus	Ailanthus altissima	7	70	Fair	1	3.5	10.5				Invasive
200035	RR	R	Ailanthus	Ailanthus altissima	16	80	Good	1	8	24				Invasive
200036	RR	R	Boxelder	Acer negundo	24	65	Fair	2	12	36				Multistem Fair form
200037	RR	R	White mulberry	Morus alba	14	30	Poor	1	7	21				Invasive Fair form
200038	GWMP	R	Boxelder	Acer negundo										

EXISTING TREE INVENTORY TABLE (CONT.)

Tree Number	Owner	Proposed Action R=Remove P=Protect N=None, Remains in Place	Common Name	Botanical Name	DBH (inches)	Condition Rating %	Condition Rating	Number of stems	SCRZ	CRZ	Additional notes	Condition notes
									Structural Critical Root Zone (ft)	Critical Root Zone Radius (ft, 1.5 ft. radius/inch DBH)		
200047	GWMP	R	Japanese pagoda tree	Styphnolobium japonicum	7	65	Fair	1	3.5	10.5		
200048	GWMP	R	White mulberry	Morus alba	12	65	Fair	1	6	18	Invasive	
200049	GWMP	R	White ash	Fraxinus Americana	12	10	Poor	1	6	12		Minimal foliage almost dead, EAB likely killed tree
200050	GWMP	R	Ailanthus	Ailanthus altissima	8	0	Poor	1	4	12	Invasive	Dead tree
200051	GWMP	R	Ailanthus	Ailanthus altissima	17	80	Good	1	8.5	25.5	Invasive	
200052-A	ARL.CO	R	American elm	Ulmus Americana	12	80	Good	1	6	18		
200053-A	ARL.CO	R	Ailanthus	Ailanthus altissima	6	65	Fair	1	3	9	Invasive	
200054	RR	R	American elm	Ulmus Americana	9	80	Good	1	4.5	13.5		
200055-A	ARL.CO	R	American elm	Ulmus Americana	15	65	Fair	1	7.5	22.5		

TREE MITIGATION CALCULATIONS

GWMP

Existing Total All Surveyed Trees	Existing Total: Dead Trees ¹	Number of Condition "Excellent" or "Good" Trees	Ex. Tree Caliper Removed (cal. Inches) ^{2,3}	Mitigation Requirement 1:1 Remove/Replace (cal. Inches) ²	Mitigation Proposed in PWL (cal. Inches) ³	Remaining Mitigation Required Beyond Contract's PWL (as cal. inches) ⁴
188	6	75	1318	1318	258	1060

NAMA - Between Potomac River and Ohio Dr (West)

Existing Total All Surveyed Trees	Existing Total: Dead Trees ¹	Number of Condition "Excellent" or "Good" Trees	Ex. Tree Caliper Removed (cal. Inches) ^{2,3}	Mitigation Requirement 1:1 Remove/Replace (cal. Inches) ²	Mitigation Proposed in PWL (cal. Inches) ³	Remaining Mitigation Required Beyond Contract's PWL (as cal. inches) ⁴
46	4	4	193	193	10	183

Arlington County

Tree ID	Species	Number	Diameter (")	Condition	Species Rating	Total Score	Replacement Trees Required
200011-A	Styphnolobium japonicum	1	7	70	65	3.185	1
200012-A	Ulmus Americana	1	8	80	71	4.544	1
200013-A	Broussonetia papyrifera	1	6	10	34	0.204	0
200015-A	Ulmus Americana	1	19	70	67	8.911	2
200016-A	Ailanthus altissima	1	8	15	30	0.36	0
200017-A	Ulmus Americana	1	6	65	62	2.418	1
200019-A	Ulmus Americana	1	6	65	62	2.418	1
200020-A	Broussonetia papyrifera	1	7	65	56	2.548	1
200021-A	Morus alba	1	12	65	46	3.588	1
200028-A	Broussonetia papyrifera	1	10	80	62	4.96	1
200052-A	Ulmus Americana	1	12	80	70	6.72	2
TOTAL						11	






FOR REFERENCE ONLY

Species Rating Source: Mid-Atlantic Chapter of ISA Species Ratings 2021
 Overall Score = DBH (inch) x species rating x condition
 1-4.9 = one tree
 5-9.9 = two trees
 10-14.9 = three trees
 15-19.9 = four trees
 20-24.5 = five trees
 25+ = six trees


PWL = Project Limit of Work

- 1: Dead trees do not count toward mitigation requirements
- 2: The Project is mitigating adverse effects due to removal of contributing vegetation that would diminish the integrity of design, materials, and feeling intended in each park. The mitigation calculation is in line with the practices that NPS utilizes to remove and treat invasive species and restore the feeling and function of the intended cultural landscape in the parkland.
- 3: Indicates mitigation proposed in South Package contract only (Project Start to STA 3047+30)
- 4: Indicates additional mitigation to be implemented in North Package contract if possible (North of STA 3047+30)

VDOT PDF-11616g
 LBPE_id_v95.tbl
 Plotted By: Brian Cley
 2/9/2023
 InR02A_Details_1_South.dgn
 \$MODELNAME\$


<p>PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023</p>	DESIGNED BY B. CLAY DRAWN BY B. CLAY CHECKED BY J. FENNELL APPROVED BY J. FENNELL DATE 2/9/2023	  		THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY		<p>LONG BRIDGE SOUTH PACKAGE ARLINGTON, VA TO WASHINGTON, DC SUBDIVISION: RF&P ZONE: CENTRAL TREE MITIGATION CALCULATIONS</p>	PROJECT NO. VPRA R02A CSXT XXXX DRAWING NO. LA-302 REV. SHEET NO. N/A 198 OF 203 SCALE AS SHOWN
--	--	---	---	--	---	---	--

1. STAKING AND GUYING MAY ONLY BE IMPLEMENTED WHERE SITE CONDITIONS WARRANT THEIR USE. PLANTED TREES WILL BE ASSESSED INDIVIDUALLY BY NATIONAL PARK SERVICE REPRESENTATIVE. STAKING AND GUYING WILL BE INSTALLED ONLY IF REQUIRED BY NPS REPRESENTATIVE. CONDITIONS WHERE STAKING AND GUYING MAY BE NECESSARY TO ENSURE STABILITY INCLUDE: WINDY LOCATIONS, STEEP SLOPES, WHERE VANDALISM MAY BE A CONCERN
2. STAKES OR GUYS WILL BE INSTALLED USING ACCEPTED ARBORICULTURE PRACTICES. TREES SHALL STAND PLUMB AFTER STAKING
3. INSTALLATION WILL INCLUDE THE REMOVAL OF ALL AND GUYING MATERIAL ONE YEAR AFTER INSTALLATION. ANY HOLES LEFT BY REMOVING STAKING SHALL BE FILLED WITH APPROVED TOPSOIL/BACKFILL MIXTURE.
4. REFER TO DETAILS FOR TREE PLANTING INFORMATION.
5. EXCAVATE ROOT FLARE IF NECESSARY.




DECIDUOUS TREE PLANTING
SCALE: NONE

1. STAKING AND GUYING MAY ONLY BE IMPLEMENTED WHERE SITE CONDITIONS WARRANT THEIR USE. PLANTED TREES WILL BE ASSESSED INDIVIDUALLY BY NATIONAL PARK SERVICE REPRESENTATIVE. STAKING AND GUYING WILL BE INSTALLED ONLY IF REQUIRED BY NPS REPRESENTATIVE. CONDITIONS WHERE STAKING AND GUYING MAY BE NECESSARY TO ENSURE STABILITY INCLUDE: WINDY LOCATIONS, STEEP SLOPES, WHERE VANDALISM MAY BE A CONCERN
2. STAKES OR GUYS WILL BE INSTALLED USING ACCEPTED ARBORICULTURE PRACTICES. TREES SHALL STAND PLUMB AFTER STAKING
3. INSTALLATION WILL INCLUDE THE REMOVAL OF ALL AND GUYING MATERIAL ONE YEAR AFTER INSTALLATION. ANY HOLES LEFT BY REMOVING STAKING SHALL BE FILLED WITH APPROVED TOPSOIL/BACKFILL MIXTURE.
4. REFER TO DETAILS FOR TREE PLANTING INFORMATION.
5. EXCAVATE ROOT FLARE IF NECESSARY.



EVERGREEN TREE PLANTING
SCALE: NONE



1. AT PLANTING PRUNE ONLY CROSSING LIMBS, BROKEN OR DEAD BRANCHES, AND ANY BRANCHES THAT POSE A HAZARD TO PEDESTRIANS per ANSI STANDARD A300. DO NOT PRUNE INTO OLD WOOD ON EVERGREENS.
2. CONTRACTOR SHALL MAXIMIZE EXCAVATED AREA FOR TREE PIT WITHOUT ADVERSELY IMPACTING ADJACENT SITE FEATURES.
3. UNLESS OTHERWISE DIRECTED BY NATIONAL PARK SERVICE (NPS) REPRESENTATIVE, BACKFILL SOIL MIXTURE WILL BE 3/4 EXISTING SOIL CLEANED OF DEBRIS (GRAVEL, ROCKS, STICKS, TRASH, ETC.) AND MIXED WITH 1/4 ORGANIC MATERIAL (COMPOSTED BARK, LEAF MOLD, OR OTHER PLANT DEBRIS PROCESSED TO A POINT OF DECAY AND APPROVED BY THE URBAN FORESTER; PEAT MOSS SHALL NOT BE USED).
4. CONTRACTOR SHALL LEGALLY REMOVE EXCESS SOIL & DEBRIS FROM SITE.
5. TREES PLANTED WITHOUT THE TRUNK FLARE VISIBLE WILL BE REJECTED.
6. TREES MAY ONLY BE STAKED IF REQUIRED BY NPS. REFER TO STAKINGDETAILS.

TREE PLANTING ON SLOPE
SCALE: NONE

FOR REFERENCE ONLY

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		DESIGNED BY B. CLAY
		DRAWN BY B. CLAY
		CHECKED BY J. FENNELL
		APPROVED BY J. FENNELL
		DATE 2/9/2023
Rev.	Date	Description

 	THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY		PROJECT NO. VPRA R02A CSXT XXXX
			DRAWING NO. LA-400
LONG BRIDGE SOUTH PACKAGE ARLINGTON, VA TO WASHINGTON, DC SUBDIVISION: RF&P ZONE: CENTRAL			REV. SHEET NO. N/A 199 OF 203
TREE PLANTING DETAILS			SCALE AS SHOWN

VDOT PDF-attlog
 LBPE_id_v95.tbl
 Plotted By: Brian Cley
 2/9/2023
 14R02A_Details_2_South.dgn
 \$MODELNAME\$

Canopy Trees												
QUANTITY	SYMBOL	BOTANICAL NAME	CULTIVAR	COMMON NAME	SIZE	TYPE	MIN ROOT BALL DEPTH	MIN ROOT BALL DIAMETER	AVG HEIGHT RANGE	SPACING	NOTES	HISTORIC JUSTIFICATION
0	ARU	<i>Acer rubrum</i>	October Glory	Red Maple	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1932, 1969, 1971, 1980 (GWMP CLR)
7	BNI	<i>Betula nigra</i>	Duraheat	River Birch	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1971 (GWMP CLR)
0	COC	<i>Celtis occidentalis</i>		Hackberry	2" caliper	2.2.2	14 3/8 in.	24 in.	8 - 12 ft.	PLAN	Strong central leader, specimen quality, full, b&b	GWMP CLI Recommended Replacement for <i>Broussonetia papyrifera</i> and <i>Morus alba</i>
6	LTU	<i>Liriodendron tulipifera</i>		Tulip Tree	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1969 (GWMP CLR)
4	NSY	<i>Nyssa sylvatica</i>		Black Gum	2" caliper	2.2.2	14 3/8 in.	24 in.	8 - 12 ft.	PLAN	Strong central leader, specimen quality, full, b&b	GWMP CLI Recommended Replacement for <i>Broussonetia papyrifera</i> and <i>Morus alba</i>
4	QPA	<i>Quercus palustris</i>		Pin Oak	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1980 (GWMP CLR)
3	QPH	<i>Quercus phellos</i>		Willow Oak	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1932, 1971, 1974, 1980 (GWMP CLR)
5	POC	<i>Platanus occidentalis</i>		American Sycamore	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1932 (GWMP CLR). Replace with p. occidentalis?
6	TAM	<i>Tilia americana</i>		American Linden	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	GWMP CLI Recommended Replacement for <i>Broussonetia papyrifera</i>
0	UMA	<i>Ulmus americana</i>	Jefferson, Washington, Princeton, Liberty	American Elm	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1932 (GWMP CLR)

Medium Trees												
QUANTITY	SYMBOL	BOTANICAL NAME	CULTIVAR	COMMON NAME	SIZE	TYPE	MIN ROOT BALL DEPTH	MIN ROOT BALL DIAMETER	AVG HEIGHT RANGE	SPACING	NOTES	HISTORIC JUSTIFICATION
0	CCR	<i>Carpinus caroliniana</i>		American Hornbeam	2" caliper	2.4.2	15 5/8 in.	24 in.	n/a	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1932 (GWMP CLR)
34	OVI	<i>Ostrya virginica</i>		Hophornbeam	2" caliper	2.4.2	15 5/8 in.	24 in.	n/a	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1932 (GWMP CLR)
18	SAL	<i>Sassafras albidum</i>		Sassafras	2" caliper	2.2.2	14 3/8 in.	24 in.	8 - 12 ft.	PLAN	Strong central leader, specimen quality, full, b&b	GWMP CLI Recommended Replacement for <i>Broussonetia papyrifera</i> and <i>Morus alba</i>

Flowering Trees												
QUANTITY	SYMBOL	BOTANICAL NAME	CULTIVAR	COMMON NAME	SIZE	TYPE	MIN ROOT BALL DEPTH	MIN ROOT BALL DIAMETER	AVG HEIGHT RANGE	SPACING	NOTES	HISTORIC JUSTIFICATION
12	AAR	<i>Amelanchier arborea</i>		Downy Serviceberry	6-7' ht.	2.5.2	n/a	24 in.	6 - 7 ft.	PLAN	Specimen quality, full, max. 4 trunks, b&b	
3	CCA	<i>Cercis canadensis</i>		Eastern Redbud	2" caliper	2.3.2	15 5/8 in.	24 in.	n/a	PLAN	Specimen quality, full, max. 4 trunks, b&b	Bridges Area Species: 1969, 1974, 1980 (GWMP CLR)
16	CVI	<i>Chionanthus virginicus</i>		White Fringetree	2" caliper	2.3.2	15 5/8 in.	24 in.	n/a	PLAN	Specimen quality, full, max. 4 trunks, b&b	Bridges Area Species: 1932 (GWMP CLR)
3	CFI	<i>Cornus florida</i>		Flowering Dogwood	2" caliper	2.4.2	15 5/8 in.	24 in.	n/a	PLAN	Specimen quality, full, single trunk, b&b	Bridges Area Species: 1932, 79, 31, 8 (GWMP CLR). Recommended Cultivar for Anthracnose?
8	CPH	<i>Crataegus phanopyrum</i>		Washington Hawthorn	2" caliper	2.5.2	n/a	24 in.	6 - 7 ft.	PLAN	Specimen quality, full, single trunk, b&b	Bridges Area Species: 1932, 1969 (GWMP CLR)
0	MFL	<i>Malus floribunda</i>		Japanese Flowering Crabapple	2" caliper	2.5.4	n/a	24 in.	6 - 7 ft.	PLAN	Specimen quality, full, single trunk, b&b	Bridges Area Species: 1980 (GWMP CLR)

Evergreen Trees												
QUANTITY	SYMBOL	BOTANICAL NAME	CULTIVAR	COMMON NAME	SIZE	TYPE	MIN ROOT BALL DEPTH	MIN ROOT BALL DIAMETER	AVG HEIGHT RANGE	SPACING	NOTES	HISTORIC JUSTIFICATION
0	CD	<i>Cedrus deodora</i>		Deodar Cedar	6-8' ht.	4.7.2	15 1/2 in.	26 in.	7 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1932 (GWMP CLR)
0	PN	<i>Pinus nigra</i>		Austrian Pine	6-8' ht.	4.7.2	15 1/2 in.	26 in.	7 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1969 (GWMP CLR)
0	PT	<i>Pinus thunbergii</i>		Japanese Black Pine	6-8' ht.	4.7.2	15 1/2 in.	26 in.	7 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Bridges Area Species: 1974, 1980 (GWMP CLR)

GWMP PLANT SCHEDULE

PLANT PALETTE DERIVED FROM NPS PROVIDED RESOURCES:

2016 GWMP LADY BIRD JOHNSON PARK CLI
MWMH SOUTH OF ALEXANDRIA CLI

GWMP VEGETATION CLR VOLUMES 1 AND 2

HAER VA-42 MVMH
HALS VA-66 MVMH COMMEMORATIVE GROVES

MVMH CLR VOLUMES 1 AND 2

NATIONAL REGISTERS:
73002097 LBJ MEMORIAL GROVE
81000079 MOUNT VERNON MEMORIAL HIGHWAY
95000605 GEORGE WASHINGTON MEMORIAL PARKWAY

Canopy Trees												
QUANTITY	SYMBOL	BOTANICAL NAME	CULTIVAR	COMMON NAME	SIZE	TYPE	MIN ROOT BALL DEPTH	MIN ROOT BALL DIAMETER	AVG HEIGHT RANGE	SPACING	NOTES	HISTORIC JUSTIFICATION
0	ARU	<i>Acer rubrum</i>		Red Maple	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Thomas Jefferson Memorial CLI, p. 25; Potomac Riverfront Section CLR, p. 166
1	AFL	<i>Aesculus flava</i>		Yellow Buckeye	2" caliper	2.2.2	14 3/8 in.	24 in.	8 - 12 ft.	PLAN	Strong central leader, specimen quality, full, b&b	East Potomac Park CLI, p. 142
0	CGL	<i>Carya glabra</i>		Pignut	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Suggested by Kate at NPS as replacement for <i>Platanus acerata</i> - 03/10/2022
0	DVI	<i>Diospyros virginiana</i>		Common Persimmon	2" caliper	2.2.2	14 3/8 in.	24 in.	8 - 12 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Suggested by Kate at NPS as replacement for <i>Zelkova serrata</i> - 03/10/2022
0	FRG	<i>Fagus grandifolia</i>		American Beech	2" caliper	2.2.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	East West Potomac Parks, sec. 8 p. 86
0	LST	<i>Liquidambar styraciflua</i>		Sweetgum	2" caliper	2.2.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Potomac Riverfront Section CLI, p. 166
0	LTU	<i>Liriodendron tulipifera</i>		Tuliptree	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Thomas Jefferson Memorial CLI, p. 166
0	NSY	<i>Nyssa sylvatica</i>		Black Gum	2" caliper	2.2.2	14 3/8 in.	24 in.	8 - 12 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Potomac Riverfront Section CLR, p. 166; Potomac Riverfront Section CLR, p. 86
0	POC	<i>Platanus occidentalis</i>		American Sycamore	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Potomac Riverfront Section CLR, p. 166
0	PGR	<i>Populus grandidentata</i>		Bigtooth Aspen	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Thomas Jefferson Memorial CLI, p. 25; East Potomac Park CLI, p. 77
0	QAL	<i>Quercus alba</i>		White Oak	2" caliper	2.2.2	14 3/8 in.	24 in.	8 - 12 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Potomac Riverfront Section CLR, p. 166; East Potomac Park CLI, p. 141
0	QPH	<i>Quercus phellos</i>		Willow Oak	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	East Potomac Park Golf Course CLI, p. 135; East West Potomac Parks, sec. 8 p. 86; Tidal Basin Viewshed Analysis CLR, p. 24, 25; East Potomac Park CLI, p. 95
0	QRI	<i>Quercus prinus</i>		Chestnut Oak	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Potomac Riverfront Section CLR, p. 166; East West Potomac Parks, sec. 8 p. 86
0	QRU	<i>Quercus rubra</i>		Red Oak	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	East Potomac Park CLI, p. 142
0	QVE	<i>Quercus vellutina</i>		Black Oak	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Potomac Riverfront Section CLR, p. 166; East West Potomac Parks, sec. 8 p. 86
0	TAM	<i>Tilia americana</i>		American Linden	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Thomas Jefferson Memorial CLI, p. 25
0	UAM	<i>Ulmus americana</i>		American Elm	2" caliper	2.1.2	14 3/8 in.	24 in.	12 - 14 ft.	PLAN	Strong central leader, specimen quality, full, b&b	East Potomac Golf Course CLI, p. 135; Thomas Jefferson Memorial CLI, p. 25; East West Potomac Parks, sec. 7 p. 13; Tidal Basin Viewshed Analysis CLR, p. 24, 25

Medium Trees												
QUANTITY	SYMBOL	BOTANICAL NAME	CULTIVAR	COMMON NAME	SIZE	TYPE	MIN ROOT BALL DEPTH	MIN ROOT BALL DIAMETER	AVG HEIGHT RANGE	SPACING	NOTES	HISTORIC JUSTIFICATION

Flowering Trees												
QUANTITY	SYMBOL	BOTANICAL NAME	CULTIVAR	COMMON NAME	SIZE	TYPE	MIN ROOT BALL DEPTH	MIN ROOT BALL DIAMETER	AVG HEIGHT RANGE	SPACING	NOTES	HISTORIC JUSTIFICATION
0	CCA	<i>Cercis canadensis</i>		Eastern Redbud	2" caliper	2.3.2	15 5/8 in.	24 in.	n/a	PLAN	Specimen quality, full, max. 4 trunks, b&b	Potomac Riverfront Section CLR, p. 166
0	CVI	<i>Chionanthus virginicus</i>		White Fringetree	2" caliper	2.3.2	15 5/8 in.	24 in.	n/a	PLAN	Specimen quality, full, max. 4 trunks, b&b	Suggested by Kate at NPS as replacement for <i>Laegerstroemia indica</i> - 03/10/2022
4	PYE	<i>Prunus x yodanis</i>	Yoshino	Yoshino Cherry	2" caliper	2.3.2	15 5/8 in.	24 in.	n/a	PLAN	Specimen quality, full, single trunk, b&b	East Potomac Park CLI, p. 95, 139, 142;
0	PVI	<i>Prunus virginiana</i>		Choke Cherry	2" caliper	2.3.2	15 5/8 in.	24 in.	n/a	PLAN	Specimen quality, full, single trunk, b&b	Suggested by Kate at NPS as replacement for <i>Laegerstroemia indica</i> - 03/10/2022
0	MCO	<i>Malus coronaria</i>		Sweet Crabapple	2" caliper	2.5.4	n/a	24 in.	6 - 7 ft.	PLAN	Specimen quality, full, single trunk, b&b	Suggested by Kate at NPS as replacement for <i>Laegerstroemia indica</i> - 03/10/2022

Evergreen Trees												
QUANTITY	SYMBOL	BOTANICAL NAME	CULTIVAR	COMMON NAME	SIZE	TYPE	MIN ROOT BALL DEPTH	MIN ROOT BALL DIAMETER	AVG HEIGHT RANGE	SPACING	NOTES	HISTORIC JUSTIFICATION
5	IOP	<i>Ilex opaca</i>		American Holly	6-8' ht.	5.8.2	15 1/2 in.	26 in.	7 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Lincoln Memorial CLI, p. 133/373; RCPP, Potomac Riverfront Section, p. 166 CLR, Tidal Basin Viewshed Analysis, p. 24, 25; NAMA, East Potomac Park Golf Course, p. 135
0	PST	<i>Pinus strobus</i>		Eastern White Pine	6-8' ht.	4.7.2	15 1/2 in.	26 in.	7 ft.	PLAN	Strong central leader, specimen quality, full, b&b	Thomas Jefferson Memorial CLI, p. 33; CLR, Tidal Basin Viewshed Analysis, p. 24, 25

FOR REFERENCE ONLY

NAMA PLANT SCHEDULE

PLANT PALETTE DERIVED FROM NPS PROVIDED RESOURCES:

NAMA CONSTITUTION GARDENS 2014 CLI
NAMA EAST POTOMAC PARK GOLF COURSE 2017
NAMA THOMAS JEFFERSON MEMORIAL 2015

LINCOLN MEMORIAL CLR COMPLETE CHAPTERS
NPS GOLF COURSES IN THE DISTRICT OF COLUMBIA-TREATMENT GUIDELINES
RCPP POTOMAC WATERFRONT SECTION CLR 2018
THOMAS JEFFERSON MEMORIAL LANDSCAPE OVERVIEW
TIDAL BASIN VIEWSHED ANALYSIS

HABS DC 692 EAST POTOMAC PARK
HABS DC 693 WEST POTOMAC PARK

HALS DC 59 TIDAL BASIN DRAWINGS FINAL DRAFT
HALS DC 59 TIDAL BASIN HISTORY FINAL DRAFT

HALS DC-8 CHERRY TREES

CHAPPELL 1973 WEST POTOMAC PARK HISTORY HISTORIC RESOURCE STUDY
EAST POTOMAC PARK HSR FINAL 508C 2019
LINCOLN MEMORIAL HISTORIC STRUCTURE ASSESSMENT REPORT 2017

16000805 NATIONAL MALL HISTORIC DISTRICT AMENDED 2016
EAST WEST POTOMAC PARKS NATIONAL REGISTER

**PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023**

DESIGNED BY	B. CLAY
DRAWN BY	B. CLAY
CHECKED BY	J. FENNELL
APPROVED BY	J. FENNELL
DATE	2/9/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



**LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC**

SUBDIVISION: RF&P ZONE: CENTRAL

PROPOSED PLANTING SCHEDULES

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	LA-401
REV.	SHEET NO. 200 OF 203
SCALE	N/A
	AS SHOWN

VDOT PDF-plotting
LBPE_ld_v95.tbl
Plotted By: Brian Clary
2/9/2023
16R02A_Details_2_South.dgn
SMODELNAME\$



POTOMAC RIVER RAIL BRIDGE OVER POTOMAC RIVER (1)
(LOOKING WEST)




POTOMAC RIVER RAIL BRIDGE OVER MOUNT VERNON TRAIL (2)
(LOOKING SOUTHWEST)



POTOMAC RIVER RAIL BRIDGE OVER GEORGE WASHINGTON MEMORIAL PARKWAY (3)
(LOOKING SOUTHEAST)

FOR REFERENCE ONLY



VIEW MAP


NOTES:

1. RENDERINGS ARE STILL UNDER DEVELOPMENT AND ARE NOT CONSISTENT WITH THE CURRENT ENGINEERING DRAWING SET.
2. BICYCLE-PEDESTRIAN BRIDGE NOT SHOWN FOR CLARITY.

VDOT PDF-plotter
 Aerial color_LBPE_id_v065.tbl
 Plotted By: eridolfi
 002_REN_SOUTH.dgn
 \$MODELNAME\$
 2/8/2023

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	D. TARANTINO	
DRAWN BY	D. TARANTINO	
CHECKED BY	A. RODZON	
APPROVED BY	J. KONRAD	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	D. TARANTINO
DRAWN BY	D. TARANTINO
CHECKED BY	A. RODZON
APPROVED BY	J. KONRAD
DATE	2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER UNDERGRADE BRIDGE
RENDERINGS

PROJECT NO.	VPRA R02A CSXT XXXX	
DRAWING NO.	RE-001	
REV.	SHEET NO.	201 OF 203
SCALE	AS SHOWN	



BIKE-PED BRIDGE OVER GWMP AND LANDING AT LONG BRIDGE PARK (1)
(LOOKING NORTHEAST)



BIKE-PED BRIDGE FROM GWMP (2)
(LOOKING SOUTHEAST)




VIEW MAP - 1



BIKE-PED BRIDGE RAMP AND STAIRS AT MOUNT VERNON TRAIL (3)
(LOOKING NORTHEAST)



BIKE-PED BRIDGE ELEVATION OVER POTOMAC RIVER (4)
(LOOKING NORTHEAST)



VIEW MAP - 2

FOR REFERENCE ONLY

VDOT PDF-plotting
 Aerial_color_LBPE_id_v065.tbl
 Plotted By: eridolfi
 002_REN_SOUTH_BP1.dgn
 \$MODELNAME\$

PRELIMINARY ENGINEERING DRAFT 30% SUBMISSION 2/13/2023		
DESIGNED BY	C. DUBOIS	
DRAWN BY	C. DUBOIS	
CHECKED BY	S. KELLER	
APPROVED BY	T. COOK	
DATE	2/8/2023	
Rev.	Date	Description

DESIGNED BY	C. DUBOIS
DRAWN BY	C. DUBOIS
CHECKED BY	S. KELLER
APPROVED BY	T. COOK
DATE	2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY




LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
 SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
RENDERINGS (1 OF 2)


PROJECT NO.	VPRA R02A CSXT XXXX	
DRAWING NO.	RE-002	
REV.	N/A	SHEET NO. 202 OF 203
SCALE	AS SHOWN	



BIKE-PED BRIDGE TYPICAL DECK VIEW (1)
(LOOKING NORTH)



BIKE-PED BRIDGE ELEVATION VIEW NEAR NAVIGATION CHANNEL (2)
(LOOKING SOUTHEAST)




VIEW MAP - 1



BIKE-PED BRIDGE VIEW FROM THE POTOMAC RIVER (3)
(LOOKING NORTH)



BIKE-PED BRIDGE AT OHIO DRIVE (WEST) IN EAST POTOMAC PARK (4)
(LOOKING SOUTH)



VIEW MAP - 2

PRELIMINARY ENGINEERING
DRAFT 30% SUBMISSION 2/13/2023

DESIGNED BY	C. DUBOIS
DRAWN BY	C. DUBOIS
CHECKED BY	S. KELLER
APPROVED BY	T. COOK
DATE	2/8/2023



THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY



LONG BRIDGE
SOUTH PACKAGE
ARLINGTON, VA TO WASHINGTON, DC
SUBDIVISION: RF&P ZONE: CENTRAL
POTOMAC RIVER BIKE-PED BRIDGE
RENDERINGS (2 OF 2)

PROJECT NO.	VPRA R02A CSXT XXXX
DRAWING NO.	RE-003
REV.	SHEET NO. 203 OF 203
SCALE	AS SHOWN

VDOT PDF-plotter
 Aerial_color_LBPE_id_v065.tbl
 Plotted By: eridolfi 2/8/2023
 002_REN_SOUTH_BP2.dgn
 \$MODELNAME\$

Rev.	Date	Description

Virginia Passenger Rail Authority
Long Bridge Project
RFQ No. 1-001-23-0002

South Package
Addendum 3
October 13, 2023

EXHIBIT C: Performance and Payment Bonds

FORM OF PERFORMANCE BOND

BOND NO. _____

PENAL SUM: \$[●]

KNOW ALL MEN BY THESE PRESENTS, THAT:

WHEREAS, the Virginia Passenger Rail Authority (“Owner”) has awarded to [●], a [●] duly organized and existing under the laws of the State of [●] (“Design-Builder”) a contract (“Contract”) for the [●] (“Project”) dated [●]; and

WHEREAS, one of the conditions of the Contract is that Design-Builder provide this duly executed instrument (“Bond”).

NOW THEREFORE, We, the undersigned Design-Builder and [●], a corporation duly organized and existing under and by virtue of the laws of the State of [●] and authorized to transact business as a surety within the Commonwealth of Virginia (“Surety”), are held and firmly bound unto Owner, as obligee, and its successors and assigns in the sum of [●], lawful money of the United States of America, for the payment of which, well and truly be made to Owner, Design-Builder and Surety bind themselves and each of their heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these presents. Any reference to the “Surety” in this Bond shall be read as a reference to the Co-Sureties and each of them on the basis of such joint and several liability.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH THAT:

1. The Contract is hereby incorporated by reference herein as if said Contract were fully set forth herein. Initially capitalized terms not otherwise defined herein shall have the meanings set forth in the Contract.

2. If Design-Builder shall at all times promptly, and faithfully perform the Contract and any alteration in or addition to the obligations of Design-Builder arising thereunder in strict accordance with the terms and conditions of the Contract, including the matter or infringement, if any, of patents or other proprietary rights, and all guarantees and warranties, including the guarantee and warranty periods, established by the Contract, and comply with all of the covenants therein contained, in the manner and within the times provided in the Contract, and shall fully indemnify and save harmless Owner from all costs and damages which it may suffer by reason or failure so to do, and shall fully reimburse and repay Owner all outlay and expenses which it may incur in making good any default, and reasonable counsel fees incurred in the prosecution of or defense of any action arising out of or in connection with any such default, then Surety’s obligations under this Bond shall be void; otherwise such obligations shall remain in full force and effect.

3. This Bond shall cover the cost to perform all the obligations of Design-Builder arising out of or required under the Contract, and the obligations covered by this Bond specifically include Design-Builder’s liability for liquidated damages as specified in the Contract.

4. Whenever Design-Builder shall be, and is declared by Owner to be in default under the Contract, the Surety shall within thirty (30) days of receipt of a letter from Owner in the form set forth in Schedule A:

- (a) remedy such default; or
- (b) undertake completion of the contract itself; or
- (c) tender to Owner a proposed contract for completion of the Contract by a contractor acceptable to Owner, secured by performance and payment bonds issued by a qualified surety, combined with payment to Owner of the amount of damages in excess of the remaining Contract balance incurred by Owner as a result of the default, including costs of completion; or
- (d) waive the Surety's right to remedy such default, undertake completion of the Contract, or tender to Owner a proposed contract for completion, and with reasonable promptness under the circumstances, make payment of the full penal sum of the bond to Owner; or
- (e) dispute liability under this Bond and proceed in accordance with paragraph 5 below.

5. In the event that Surety disputes its liability under this Bond, which includes any allegations of fraud, such dispute shall be determined in the first instance in accordance with the dispute resolution process ("DRP") attached hereto as Schedule B. If Surety fails to make an election within the thirty (30) days set forth in paragraph 4 of this Bond, then the claim shall be deemed to be in dispute for purposes of this paragraph. A Decision, as defined in Schedule B, shall be rendered within thirty (30) days of the Adjudication Commencement Date, or as otherwise extended pursuant to the DRP. The Decision shall be binding on the Surety, Design-Builder, and Owner as to their respective rights and obligations under this Bond but subject to each party's right to commence a de novo appeal of the Decision to a court of competent jurisdiction at any time. The parties shall immediately begin to comply with the Decision and the terms of this Bond until the Final Completion Date under the Contract notwithstanding of, and during, any appeal de novo of the Decision and unless or until such time as a court of competent jurisdiction issues a final order or ruling vacating or modifying the Decision, either in whole or in part, at the conclusion of any de novo appeal of the Decision (the "Obligation to Comply with the Decision"). Surety's costs to fulfill its Obligation to Comply with the Decision is limited to the penal sum of the Bond.

6. The parties acknowledge that the Obligation to Comply with the Decision is of the essence of the Bond, and the parties agree that Surety's failure to fulfill its Obligation to Comply with the Decision will cause irreparable harm to Owner and Design-Builder. Accordingly, Surety waives and releases any right it may have to initiate any action in court seeking a stay of its obligations arising pursuant to the Decision or seeking a stay of enforcement of the Decision.

7. Surety's only recourse to court processes in connection with the Decision is to file for a de novo appeal of the Decision while continuing to fulfill its Obligation to Comply with the Decision. In any such de novo appeal or in any action seeking enforcement of the Decision, the Surety (a) waives any right to file for an interim stay of its obligations arising pursuant to the Decision or to seek a stay of enforcement of the Decision, (b) waives any right to object to or contest an action brought to enforce specific performance of Surety's obligations arising pursuant

to the Decision and waives all defenses in such an action, and (c) consents to an order or ruling directing and requiring Surety to perform its obligations arising pursuant to the Decision, and that an action for such an order or ruling may be sought on an expedited (emergency) basis under the rules of the court. The parties' Obligation to Comply with the Decision does not alter any party's right to pursue a de novo appeal of the Decision in a court of competent jurisdiction.

8. On the day following the Final Completion Date ("Step-Down Date"), the Penal Sum of [●] shall automatically be reduced to [●], with the understanding that such reduced Penal Sum shall be the aggregate liability of the surety and shall only be applicable to any claims submitted, or suits, or actions brought, after the Step-Down Date. For the avoidance of doubt, the entire Penal Sum of [●] is subject to any claims submitted, or suits or actions brought, against the Bond prior to the Step-Down Date; *provided, however*, that notwithstanding anything to the contrary herein, Surety's aggregate liability hereunder shall in no event exceed the Penal Sum of [●].

9. Surety, for value received, hereby stipulates and agrees that no change, extension of time, alterations, additions, omissions or other modifications of the terms of the Contract, or in the Work to be performed with respect to the Project, or in the specifications or plans, or any change or modification of any terms of payment or extension of time for any payment pertaining or relating to the Contract, or any rescission or attempted rescission by Design-Builder of the Contract, or this Bond, shall in any way affect its obligations on this Bond, and Surety does hereby waive notice of such changes, extension of time, alterations, additions, omissions or other modifications.

10. Correspondence or claims relating to this Bond shall be sent to Surety at the following address: [●]

11. Schedules A and B are an integral part of this Bond and are specifically incorporated herein as if set out in full in the body of this Bond.

12. If any provision of this Bond is found to be unenforceable as a matter of law, all other provisions shall remain in full force and effect.

13. Any provision in this Bond which conflicts with applicable laws, regulations, and ordinances, shall be deemed modified to conform to applicable laws, regulations, and ordinances. This Bond shall be governed by and construed in accordance with the laws of the Commonwealth of Virginia, without regard for conflicts of laws principles, and any action seeking enforcement of the Bond will be litigated exclusively in the courts of the Commonwealth of Virginia.

14. ***[Note: Use in case of multiple sureties ("Co-Sureties") or, otherwise, delete; If Co-Sureties are used, modify the preceding language accordingly to reflect this]*** The Co-Sureties agree to empower and designate a single "Lead Surety" with authority to act on behalf of all of the Co-Sureties with respect to this Bond, so that Owner will have no obligation to deal with multiple sureties hereunder. All correspondence from Owner to the Co-Sureties and all claims under this Bond shall be sent to the Lead Surety and shall be deemed served upon all Co-sureties. The Lead Surety may be changed only by delivery of written notice (by personal delivery or by certified mail, return receipt requested) to Owner designating a new Lead Surety, signed by all of the Co- Sureties. The initial Lead Surety is [●].

[Signature Page Follows]

IN WITNESS WHEREOF, We have hereunto set our hands and seals on this ____ day
of _____ 20____.

DESIGN-BUILDER (full legal name):

Address:

By: _____ Title:

Contact Name:

Phone: ()

SURETY (full legal name):

Address:

By: _____ Title:

Contact Name:

Phone: ()

[Note: Date of this Bond must not be prior to date of Contract.]

[Note: If more than one surety, then add appropriate number of lines to signature block.]

[Note: A copy of a certificate that the Surety (or Co-Sureties) is (are) authorized to transact business in Virginia must be attached.]

[Note: The Bond shall be signed by authorized persons. Where such persons are signing in a representative capacity (e.g., an attorney-in-fact), but are not a members of the firm, partnership, or joint venture, or an officer of the legal entity involved, evidence of authority including the appropriate power of attorney documentation must be attached.]

**SCHEDULE A
FORM OF DEMAND**

Date

Re: Performance Bond No.: [] (the

“Bond”) Principal: [] (the

“Principal”)

Obligees: Virginia Passenger Rail Authority (the “Obligee”)

Contract: The Design-Build Contract, dated [] between the Principal as Design-Builder and the Virginia Passenger Rail Authority for the [●] Project (the “Contract”)

Dear Sir:

Pursuant to the Bond, the Obligee hereby certifies that:

1. the Principal is and continues to be in default of the Principal's obligations under the Contract;
2. the Obligee has issued a notice of default to the Principal in accordance with the provisions of the Contract; and
3. the Obligee has honored and will continue to honor and perform in all material respects its obligations under the Contract.

We hereby demand that the Surety honor its obligations under the Bond forthwith.

The Obligee acknowledges that if the Surety intends to dispute its liability pursuant to the Bond, then the parties shall proceed immediately with the DRP set forth in Schedule B.

Yours truly,

Virginia Passenger Rail Authority

By: _____ Name:

Title:

SCHEDULE B DISPUTE RESOLUTION PROCESS

Given the on default nature of the Bond, the Principal, the Surety and the Obligee acknowledge that they may not agree whether the Surety is liable to perform or make payment pursuant to the Bond. To ensure that such disputes are determined quickly so as to allow for the orderly and timely completion of the Contract, the Principal, the Surety and the Obligee agree to submit such disputes to the dispute resolution process set out below. Terms not defined herein shall have the meaning ascribed to them in the body of the Bond. The parties acknowledge that any decision rendered in the dispute resolution process (an "Award") will be binding, but subject to appeal de novo by any party at any time to a court of competent jurisdiction.

1. "Dispute" means a disagreement as to the Surety's liability pursuant to the Bond following an Obligee's Demand.
2. Disputes arising out of or in connection with the Bond shall be submitted for binding resolution to adjudication (the "Adjudication") administered by JAMS – The Resolution Experts! ("JAMS") in accordance with the procedure set out below. The JAMS' Dispute Resolution Rules for Surety Bond Disputes, effective as of the effective date of the Bond shall apply to the resolution of any Dispute unless modified by the provisions herein, in which case, the provisions of this Bond shall govern.
3. The Surety or the Obligee shall demand Adjudication by filing an Adjudication statement electronically with JAMS, and serving electronic copies by email upon the Principal and the Obligee, utilizing the electronic forms and filing directions provided by JAMS on its website at www.jamsadr.com. The Adjudication statement shall set forth in detail the factual and legal issues submitted for Adjudication and shall be sent no later than the later of 10 days after (a) the Surety makes its election pursuant to paragraph 4 of the Bond, or (b) the claim is deemed to be in dispute pursuant to paragraph 5 of the Bond.
4. Within three (3) Business Days after the Adjudication statement is filed and served, the parties shall appoint an adjudicator (the "Adjudicator") who shall be a panelist on the JAMS Global Engineering & Construction Panel ("JAMS GEC Panel") of dispute adjudicators. JAMS shall appoint an Adjudicator administratively from the JAMS GEC Panel if the parties fail to appoint an Adjudicator within the three day period. The Adjudicator shall be under a duty to act impartially and fairly and shall serve as an independent neutral.
5. The Adjudication shall commence on the date that JAMS receives the Adjudication statement and initial deposit of funds, and confirms the appointment of the Adjudicator (the "Adjudication Commencement Date"). Unless the Adjudicator decides otherwise, the Principal, the Surety and the Obligee shall pay the final fees and expenses of Adjudication in accordance with the provisions set forth in the Contract governing the payment of fees and expenses of dispute resolution. In an Adjudication in which the Adjudicator determines that the Principal and Surety are aligned with the same commonality of interest against the Obligee, the Principal and Surety jointly shall be charged with one share and the Obligee will be charged with one share. Should any party fail to deposit funds as required by JAMS, any other party may advance the deposit, and the amount of that advance deposit will be taken into consideration in the Adjudicator's decision.
6. Upon commencement of the Adjudication, the Adjudicator is empowered to take the initiative

in ascertaining the facts and the law, and to exercise sole discretion in managing the Adjudication process. Among other things, the Adjudicator may require the parties to make additional factual submissions such as sworn witness statements and business documents, may interview important witnesses after notice to the parties and affording opportunity to attend, may request and consider expert reports and may call for memoranda on legal issues. Notwithstanding the foregoing, the Adjudicator must decide the following questions:

- a. Is the Principal in default of the Principal's obligations under the Contract?
 - b. Is the Surety liable to perform in accordance with Paragraph 4 and/or 5 of the Bond (which liability, for the avoidance of doubt, does not arise if Oblige is in uncured material breach of its obligations under the Contract)?
7. The Adjudicator shall issue a written decision (the "Decision") which shall be binding upon and enforceable by the parties through the completion of the Principal's obligations under the Contract, subject to any party's right to commence an appeal de novo in a court of competent jurisdiction at any time in accordance with the terms of the Bond. Any payment required in the Decision shall be made immediately. The Decision shall be issued through JAMS as soon as practicable but in no event later than thirty (30) calendar days of the Adjudication Commencement Date or within any later time agreed upon by the parties. Unless the parties agree otherwise, the Decision shall state reasons therefore and shall be admissible in later administrative, arbitral or judicial proceedings solely concerning Surety's liability pursuant to the Bond between the parties.
 8. This 30 calendar day period also may be extended by the Adjudicator in its sole discretion up to 14 days in the event that JAMS has requested any party to make an additional fee and expense deposit and such funds have not been deposited as requested or advanced by another party.
 9. Any party may request clarification of the Decision within five (5) business days after issuance, and the Adjudicator shall endeavor to respond within an additional five (5) business days, and, subject to any party's right to commence an appeal de novo in a court of competent jurisdiction at any time in accordance with the terms of the Bond. The parties shall comply with the Decision, unless and until subsequently vacated or modified, through the completion of the Principal's obligations under the Contract.
 10. Upon any settlement by the parties of the Dispute prior to issuance of a Decision, the parties shall jointly terminate the Adjudication. Such removal or termination shall not affect the parties' continuing joint and several obligations for payment to JAMS of unpaid fees and expenses.

If the Decision is that the Surety is liable to perform in accordance with Paragraphs 4 and 5 of the Bond, then notwithstanding the commencement of any appeal de novo of the Decision, the Surety shall perform in accordance with the Decision and with the terms of the Bond until the Principal's Obligations under the Contract are completed, but not to exceed the penal sum of the Bond.

FORM OF PAYMENT BOND

BOND NO. _____

BOND AMOUNT: \$[●]

KNOW ALL MEN BY THESE PRESENTS, THAT:

WHEREAS, the Virginia Passenger Rail Authority (“Owner”) has awarded to [●], a [●] duly organized and existing under the laws of the State of [●] (“Design-Builder”) a contract (“Contract”) for the [●] Project (“Project”) dated [●]; and

WHEREAS, one of the conditions of the Contract is that Design-Builder provide this duly executed instrument (“Bond”).

NOW THEREFORE, We, the undersigned Design-Builder and [●], a corporation duly organized and existing under and by virtue of the laws of the State of [●] and authorized to transact business as a surety within the Commonwealth of Virginia (“Surety”), are held and firmly bound, jointly and severally, unto Owner, as obligee, and its successors and assigns, in the sum of [●], lawful money of the United States of America, for the payment of which, well and truly be made to Owner and Claimants, Design-Builder and Surety bind themselves and each of their heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH THAT:

1. The Contract is hereby incorporated by reference herein as if said Contract were fully set forth herein. Initially capitalized terms not otherwise defined herein shall have the meanings set forth in the Contract.

2. If Design-Builder shall: (a) make payments of all sums due to all persons and entities having a direct contract with Design-Builder, or a direct contract with a subcontractor having a direct contract with Design-Builder, for supplying labor, material, and/or supplies used directly or indirectly by Design-Builder in the prosecution of the Work provided in the Contract (such persons and entities hereinafter referred to collectively as “Claimants”); and (b) shall fully indemnify and save harmless Owner from all costs and damages which Owner may suffer by reason of Design-Builder’s failure to fulfill its obligations to Claimants under clause (a) above, including but not limited to, fully reimbursing and repaying Owner reasonable counsel fees incurred as a result of any action arising out of or in connection with any such failure, then Surety’s obligations under this Bond shall be void; otherwise such obligations shall remain in full force and effect.

3. All Claimants shall have a direct right of action only against Surety and Contractor under this Bond; *provided, however*, that no claim, suit or action shall be brought by any Claimant after the expiration of one (1) year following the date on which Claimant last performed labor or last furnished or supplied materials to the Project. Any suit or action must be brought in a state or federal court of competent jurisdiction located in the Commonwealth of Virginia.

4. Any Claimant who does not have a direct contractual relationship with Contractor

shall, as a condition precedent to bringing such claim, suit or action, provide written notice thereof to Contractor, Surety, and Owner, no later than ninety (90) days from the date Claimant last supplied labor or materials, stating with substantial accuracy the amount claimed, the name of the person for whom the work was performed or to whom the material was furnished, and the dates on which such labor or materials were supplied.

5. Surety shall, after receipt of reasonable notice to Surety of any claim, demand, suit or action brought against Owner by a Claimant, defend, with counsel approved by Owner, indemnify and hold harmless Owner from any and all claims, demands, suits or actions brought by any Claimant. Owner shall have a direct right of action against Surety and Contractor for any breach by Surety of its obligation to defend, indemnify and hold harmless Owner.

6. Surety, for value received, hereby stipulates and agrees that no change, extension of time, alterations, additions, omissions or other modifications of the terms of the Contract, or in the Work to be performed with respect to the Project, or in the specifications or plans, or any change or modification of any terms of payment or extension of time for any payment pertaining or relating to the Contract, or any rescission or attempted rescission by Contractor of the Contract, or this Bond, or any conditions precedent or subsequent in this Bond attempting to limit the right of recovery of Claimants otherwise entitled to recover under this Bond, shall in any way affect its obligations on this Bond, and Surety does hereby waive notice of such changes, extension of time, alterations, additions, omissions or other modifications.

7. Surety acknowledges that the amounts owed to Contractor under the Contract shall first be available for the performance of the Contract, including Owner's superior right to use the funds due for the completion of the Work, and then may be available to satisfy claims arising under this Bond. Owner shall not be liable for the payment of any costs or expenses or claims of any Claimant under this Bond and shall have no obligation to make payments to, or give notice on behalf of, any Claimant.

8. Any provision in this Bond which conflicts with applicable laws, regulations and ordinances shall be deemed modified to conform to applicable laws, regulations and ordinances.

9. Contractor or Owner shall furnish a copy of this Bond or permit a copy to be made upon request by any person or entity who may be a Claimant as defined above.

10. ***[Note: Use in case of multiple sureties ("Co-Sureties") or, otherwise, delete; If Co-Sureties are used, modify the preceding language accordingly to reflect this]*** The Co-Sureties agree to empower and designate a single, "Lead Surety" with authority to act on behalf of all of the Co-Sureties with respect to this Bond, so that Owner and Claimants will have no obligation to deal with multiple sureties hereunder. All correspondence from Owner and Claimants to the Co- Sureties and all claims under this Bond shall be sent to such designated Lead Surety and service of such correspondence or notice upon the Lead Surety shall constitute service upon all co-sureties. The Lead Surety may be changed only by delivery of written notice (by personal delivery or by certified mail, return receipt requested) to Owner designating a single new Lead Surety, signed by all of the Co-Sureties. The initial Lead Surety shall be [●].

11. This Bond shall be governed by and construed in accordance with the laws of the Commonwealth of Virginia, without regard for conflicts of laws principles, and any action seeking enforcement of the Bond will be litigated exclusively in the courts of the Commonwealth of Virginia.

[Signature Page Follows]

IN WITNESS WHEREOF, We have hereunto set our hands and seals on this ____ day
of _____ 20____.

DESIGN-BUILDER (full legal name):

Address:

By: _____ Title:

Contact Name:

Phone: ()

SURETY (full legal name):

Address:

By: _____ Title:

Contact Name:

Phone: ()

[Note: Date of this Bond must not be prior to date of Contract.]

[Note: If more than one surety, then add appropriate number of lines to signature block.]

[Note: A copy of a certificate that the Surety (or Co-Sureties) is (are) authorized to transact business in Virginia must be attached.]

[Note: The Bond shall be signed by authorized persons. Where such persons are signing in a representative capacity (e.g., an attorney-in-fact), but are not a members of the firm, partnership, or joint venture, or an officer of the legal entity involved, evidence of authority including the appropriate power of attorney documentation must be attached.]

EXHIBIT D: Forms

FORM A

**ACKNOWLEDGMENT OF RECEIPT OF RFQ,
ADDENDA, AND RESPONSES TO QUESTIONS**

(Name of Respondent)

We hereby acknowledge receipt of RFQ No. 1-001-23-0002 for the South Package of the Long Bridge Project dated June 30, 2023, subsequent amendments, and responses to questions issued by VPRA.

Addendum No.

Date Issued

Response to Questions No.

Date Issued

(Signed)

(Date)

(Printed or Typed Name)

(Title)

FORM B

RESPONDENT'S ORGANIZATION INFORMATION

RESPONDENT (INDIVIDUAL FIRM/JOINT VENTURE / PARTNERSHIP/OTHER)			
Name of Entity and State of Organization (if applicable):			
Address:			
NAME(S) OF ORGANIZATION MEMBER(S)			
Company Name	Address/Phone & E-mail	State of Organization:	% Share of Equity Interest
Principal Participant(s)			
Lead Designer			
IDQM Firm(s)			

FORM C

LEGAL AND DISPUTES HISTORY

Name of Respondent: _____

Firm Name: _____

Provide the following information. Use additional pages as needed.

Legal Issues to be resolved:

Identify any legal issues that must be resolved by Respondent, any Principal Participant, the Lead Designer (if not a Principal Participant), or IDQM firm(s) to permit Respondent to carry out its obligations if awarded the DBA. **If there are no such legal issues, affirmatively state that there are none.**

Virginia Passenger Rail Authority

Dispute Resolution Proceedings:

Provide a list of all litigation, arbitration, mediation, dispute review board or other alternative dispute resolution proceedings, each involving amounts in excess of \$250,000 and related to performance in which any Principal Participant, Lead Designer (if not a Principal Participant) or IDQM has been involved during the past 5 years. For Principal Participants, the projects listed shall only be those initiated by or against a project owner. For the Lead Designer and IDQM, identify only those projects by or against (i) project owners or (ii) contractors, where the Lead Designer or IDQM was engaged to perform design/engineering services for a project (e.g., design-build projects). State whether each proceeding was resolved against the firm or its insurers/sureties or resulted in reduction in compensation to the firm. Additionally, provide this information for any unresolved, outstanding proceedings.

List	Owner Initiated Proceedings (Y/N)	Resolution/Outcome	Indicate if Unresolved or Outstanding	Current Owner Contact Name, Phone & E-mail.

Liquidated Damages:

Describe any assessment of liquidated damages against any Principal Participant over the past 5 years. Describe the causes/reasons for the assessment and the amounts assessed. Describe any outstanding damage claims by or damages due and owing to any owner/agency.

Project Name	Cause of Delay(s)	Amount Assessed	Describe Outstanding Damage Claims by Any Owner	Current Owner Contact Name, Phone & E-mail.

Virginia Passenger Rail Authority

Termination for Cause:

Describe the conditions surrounding any contract (or portion thereof) entered into by any Principal Participant, Lead Designer (if not a Principal Participant), or IDQM over the past 10 years that has been terminated for cause, or which required completion by another party. Describe the reasons for termination and the amounts involved, and claims lost or won regarding the termination.

Project	Describe Reason for Termination	\$ Amount Involved/ Claims Lost or Won	Current Owner Contact Name, Phone & E-mail.

Disciplinary Action:

Explain any disciplinary action taken against any Principal Participant, Lead Designer, or IDQM within the past 5 years, including suspension from the right to propose/bid or removal from any Respondent/bid list.

Project	Describe Action Taken	Current Owner Contact Name, Phone & E-mail.

FORM D

PRINCIPAL PARTICIPANT AND LEAD DESIGNER CERTIFICATION

Complete for each Principal Participant and the Lead Designer.

1. Has the firm or any other officer or director thereof been indicted or convicted of bid, procurement, fraud or other contract related crimes or violations or any felony or serious misdemeanor within the past five years? If yes, describe.

2. Has the firm ever sought protection under any provision of any bankruptcy act? If yes, describe.

3. Has the firm ever been debarred or suspended from performing work for the federal government or any state or local government? If yes, describe.

(Must be signed by an authorized representative of each
Principal Participant and the Lead Designer)

Firm: _____

By: _____

Title: _____

Name of Respondent: _____

Form E

CONFLICT OF INTEREST DISCLOSURE

Respondent Name: _____

Disclose any actual or potential conflict of interest under VPRA's Organizational Conflict of Interest Policy. If no actual or potential conflict of interest exists, state as such.

Authorized Signature*: _____

Date: _____

Subscribed and sworn to me this _____ day of _____, 20__

Notary Public _____

My commission expires: _____

* If Respondent is not organized as an organization or is a Joint Venture, partnership, or any form of consortium, then an authorized representative of each Principal Participant must sign this Affidavit.

Virginia Passenger Rail Authority

FORM F

SAFETY QUESTIONNAIRE

Respondent's Name: _____

Firm Name: _____

1. Provide the following information for the preceding three years:

Item	2020	2021	2022
Employee hours worked (Do not include non-work time, even though paid)			
Number of lost workday cases			
Number of restricted workday cases			
Number of cases with medical attention only			
Number of fatalities			
Average Total Recordable Injury/Illness Rate			
Average Lost Work Rate			

2. Are internal accident reports and report summaries sent to management? To what levels and how often?

Position	No	Yes	Monthly	Quarterly	Annually

3. Do you hold site meetings for supervisors? Yes _____ No _____

How Often?

Weekly _____ Bi-Weekly _____ Monthly _____ Less often, as needed _____

4. Do you conduct Project Safety Inspections? Yes _____ No _____

By Whom? _____

How Often?

Weekly _____ Bi-Weekly _____ Monthly _____

Virginia Passenger Rail Authority

5. Does the firm have a written Safety Program? Yes _____ No _____

6. Does the firm have an Orientation Program for new hires?

Yes _____ No _____ If yes, what safety items are included?

7. Does the firm have a program for newly hired or promoted foremen?

Yes _____ No _____ If yes, does it include instruction of the following?

Topic	Yes	No
Safety Work Practices		
Safety Supervision		
On-site Meetings		
Emergency Procedures		
Accident Investigation		
Fire Protection and Prevention		
New Worker Orientation		

8. Does the firm hold safety meetings which extend to the laborer level?

Yes _____ No _____

How often? Daily _____ Weekly _____ Bi-Weekly _____ Less often, as needed _____

9. Describe the firm's approach to safety training for employees, including how new hires are trained, when training is conducting for a project, and how often employees are required to attend safety training:

Virginia Passenger Rail Authority

10. Provide the safety record on the last Project to which the indicated Key Personnel were assigned:

Key Person	Total hours worked by all employees on Project	Number of lost workday cases on Project	Number of restricted workday cases on Project	No. of cases with medical attention only on Project	No. of fatalities on Project
Project Manager					
Construction Manager					
Safety Manager					

11. OSHA Violations

Provide information on any Occupational Safety and Health Administration (OSHA) citations and assessed penalties against the Principal Participants for any violations of its safety or health regulations in the past five (5) years.

Citation/Incident Number	Description/Disposition

Submit a copy of OSHA Form 300a for each of the last three years.

FORM G

RECORD OF SMALL BUSINESS PERFORMANCE

Name of Respondent: _____

Firm Name: _____

Provide the information requested below for projects completed within the years 2019, 2020, 2021, and 2022 where the firm was the prime contractor. For each Principal Participant, “prime contractor” includes all projects in which the entity performed greater than or equal to 30% of construction or held an equity interest greater than or equal to 30% of the entity overseeing or responsible for construction of the project. For any project where the small business goal, if applicable, was not achieved, attach a maximum ½ page explanation.

Form G is intended to be multi-jurisdictional in nature and thus the term “small business” is not limited to firms certified as small by the Virginia Department of Small Business and Supplier Diversity. Notwithstanding the foregoing, small business shall include only those businesses which qualified for small business participation credit by the awarding authority on the projects identified by Respondent.

Project Name	Small Business Participation Goal (%), if applicable	Small Business Participation Achieved (%)	Current Owner Contact (Name, Phone and E-mail)

Add additional sheets if necessary.

FORM H

PROJECT EXPERIENCE DESCRIPTION

Name of Respondent: _____

Firm Name (Entity that participated on the project):
Project name, location, description, and nature of work for which company was responsible:
Identify named Key Personnel who worked on the project:
Describe the project, key risks, and challenges:
Name of Client (Owner/Agency, Contractor, etc.):
Address: _____
Contact Name: _____
Telephone: _____
Owner's Project or Contract No.: _____
E-mail: _____
Initial Contract Value (US\$): _____
Final Value (US\$): _____
Delivery Method (e.g., DBB, DB, CM/GC, PDB): _____
Percent of Total Work Performed by Company: _____
Commencement Date: _____
Planned Completion Date: _____
Actual Completion Date: _____
Amount of Claims: _____ Any Dispute Proceedings? Yes* ___
No ___
*If yes, describe on a separate sheet.

Virginia Passenger Rail Authority

FORM I

KEY PERSONNEL

Name of Respondent: _____

Key Personnel Position	Name of Individual	Years of Experience	Education and Registrations	Employer Name	Reference Name, Title, Phone Number, and E-mail Address*
Project Manager		____ years managing similar projects ____ years of alternative delivery experience			1. 2. 3.
Design Manager		____ years of managing or performing design for similar projects ____ years of managing or performing design for alternative delivery projects			1. 2. 3.
Construction Manager		____ years managing construction of similar projects ____ years providing constructability reviews of designs ____ years of alternative delivery experience			1. 2. 3.
Quality Manager		____ years of quality management experience for			1.

Virginia Passenger Rail Authority

		similar projects			2. 3.
Independent Design Quality Manager Director		___ years of experience in the analysis and design of highways and bridge structures.			1. 2. 3.
Structures Design Manager		___ years of demonstrated experience in bridge engineering, design and analysis, including projects of similar size, type of work, and complexity as this Project. ___ years of alternative delivery experience			1. 2. 3.
Geotechnical Design Manager		___ years of experience including planning and overseeing subsurface exploration programs for bridge structures and roadways, including projects of similar size, type of work, and complexity as this Project. ___ years of alternative delivery experience			1. 2. 3.
Environmental Compliance Manager		___ years overseeing environmental compliance for similar projects			1. 2. 3.

Virginia Passenger Rail Authority

Third-Party Coordinator		___ years of third-party management for similar projects ___ years of alternative delivery experience			1. 2. 3.
Public Information Coordinator		___ years of public information management for similar projects ___ years of alternative delivery experience			
Safety Manager		___ years managing safety for similar types of construction work			1. 2. 3.
Additional Value Personnel # 1		___ years of relevant experience			1. 2. 3.
Additional Value Personnel # 2		___ years of relevant experience			1. 2. 3.

*Provide at least two (2), but no more than three (3), references for each position.

KEY PERSONNEL COMMITMENT:

Virginia Passenger Rail Authority

Respondent affirms that the Key Personnel identified above are available for the Project and will commit the time necessary to fulfill the duties and responsibilities of the Key Personnel position. In the event that any identified Key Personnel cannot meet such commitment, VPRA will be damaged. Due to the imprecise nature of the damages, Respondent, if chosen as the Design-Builder for the Project, may be subject to liquidated damages as provided in the Design-Build Agreement due to the failure to commit identified Key Personnel to the Project. Respondent may not substitute or remove identified Key Personnel throughout the duration of this procurement, except as otherwise specified in Section 5.5.1 of the RFQ. The following must be signed by an authorized representative of Respondent. If Respondent has not been formed as of the date of submission of the SOQ or is a consortium, partnership or any type of Joint Venture, an authorized representative of each Principal Participant must sign below. Use additional forms as necessary.

By: _____

Name: _____

Title: _____

Entity Name: _____

FORM J

SUBCONTRACTOR INFORMATION

Name of Respondent: _____

List of all known Subcontractors other than the Lead Designer and IDQM.

SUBCONTRACTOR NAME	ADDRESS AND PHONE NUMBER	WORK PLANNED FOR THE PROJECT

FORM K

AFFIDAVIT OF NON-COLLUSION

I swear (or affirm) under the penalty of perjury:

1. That I am the Respondent (if the Respondent is an individual), a partner in the partnership (if the Respondent is a partnership), an equity member of the Respondent (if the Respondent is a joint venture), or an officer or employee of the Respondent corporation having authority to sign on its behalf (if the Respondent is a corporation);
2. That the attached SOQ submitted in response to the Long Bridge South Package Project Design Build Request for Qualifications has been arrived at by the Respondent independently and has been submitted without collusion with and without any agreement, understanding or planned common course of action with, any other provider of materials, supplies, equipment or services described in the RFQ, designed to limit fair and open competition;
3. That the contents of the SOQ have not been communicated by the Respondent or its employees or agents to any person not an employee or agent of the Respondent and will not be communicated to any such persons prior to the SOQ due date; and
4. That I am fully informed regarding the accuracy of the statements made in this affidavit.

Authorized Signature[†]: _____

Date: _____

Respondent's Firm Name:

Respondent's Federal Employer Identification Number:

(Number used on Employer's Quarterly Federal Tax Return, U.S. Treasury Department Form 941) (if Respondent does not have an EIN, then the EIN for each Principal Participant)

=====

[†] If Respondent is not organized as an organization or is a Joint Venture, partnership, or any form of consortium, then an authorized representative of each Principal Participant must sign this Affidavit.

Virginia Passenger Rail Authority

Subscribed and sworn to me this _____ day of _____, 20__

Notary Public _____

My commission expires: _____

FORM L

LOBBYING CERTIFICATE

The undersigned certifies, to the best of his or her knowledge and belief, that:

- (1) **No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned**, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of **ANY** Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan or cooperative agreement.

- (2) **If any funds other than Federal appropriated funds have been paid or will be paid** to any person for making lobbying contacts to an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with **THIS** Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying", in accordance with its instructions [as amended by "Government-wide Guidance for New Restrictions on Lobbying," 61 Federal Regulations 1413 (1/19/96). Note: Language in paragraph (2) herein has been modified in accordance with Section 10 of the Lobbying Disclosure Act of 1995 (P.L. 104-65, to be codified at 2 U.S.C. 1601, et seq.)].

- (3) The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code (as amended by the Lobbying Disclosure Act of 1995). Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

[Note: Pursuant to 31 U.S.C. §1352(c)(1)-(2)(A), any person who makes a prohibited expenditure or fails to file or amend a required certification or disclosure form shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each expenditure or failure.]

The Respondent/Contractor, _____, certifies or affirms the truthfulness and accuracy of each statement of its certification and disclosure, if any. In addition, the Respondent/Contractor understands and agrees that the provisions of 31 U.S.C. §3801, et seq., apply to this certification and disclosure, if any.

Date: _____

Company Name: _____

Signature: _____

Name: _____
(Print)

Title: _____

Virginia Passenger Rail Authority

NOTE: CONTRACTORS ARE REQUIRED PURSUANT TO FEDERAL LAW, TO INCLUDE THE ABOVE LANGUAGE IN SUBCONTRACTS OVER \$100,000 AND TO OBTAIN THIS LOBBYNG CERTIFICATE FROM EACH SUBCONTRACTOR BEING PAID \$100,000 OR MORE UNDER THIS CONTRACT.

Virginia Passenger Rail Authority

FORM M

RESPONDENT'S CLARIFICATION REQUEST

Respondent's Name: _____

RFQ Section No. or Form	Question

Virginia Passenger Rail Authority

FORM N

PROPRIETARY/CONFIDENTIAL INFORMATION IDENTIFICATION

NAME OF RESPONDENT: _____

Pursuant to Va. Code § 33.2-299.7, Respondents may request VPRA to keep confidential trade secrets or confidential proprietary information, not publicly available, provided by a private person or entity pursuant to a promise of confidentiality where if such information were made public, the financial interest of the private person or entity could be adversely affected.

For such information to be excluded from disclosure requirements under the Virginia Freedom of Information Act, Respondent shall make a written request to VPRA:

- (1) invoking such exclusion upon submission of the data or other materials for which protection from disclosure is sought;
- (2) identifying the data or other materials for which protection is sought; and
- (3) stating the reasons why protection is necessary.

The written notice must specifically identify the data or materials to be protected including the section of the SOQ in which it is contained and the page numbers, and state the reasons why protection is necessary. The proprietary or trade secret material submitted must be identified by some distinct method such as highlighting or underlining and must indicate only the specific words, figures, or paragraphs that constitute trade secret or proprietary information. In addition, a summary of proprietary information submitted shall be submitted on this form. The classification of an entire SOQ document as proprietary or trade secrets is not acceptable. VPRA will make the final determination of the appropriate scope and nature of the protection afforded to the requested records.

SOQ SECTION/TITLE	PAGE NUMBER(S)	REASON(S) FOR WITHHOLDING FROM DISCLOSURE

APPENDIX 1

Definitions

Capitalized terms used in this RFQ have the following meanings:

Affiliate	With respect to an entity referenced in this RFQ: a) Any Person that directly or indirectly controls, or is controlled by, or is under common control with, such entity; and b) Any other Person that owns 20% or more of the entity's equity interest.
Authorities Having Jurisdiction (AHJs)	Third party agencies that have jurisdiction over any portion of the Project.
Conceptual Design	The preliminary design of the Project prepared by VPRA that will be provided to the Design-Builder.
Contract Documents	The documents that will comprise the entirety of Design-Builder's and VPRA's obligations with respect to the Project, including the DBA and Technical Provisions.
Contract Price	Design-Builder's lump-sum price to complete the Work.
Commonwealth	The Commonwealth of Virginia.
Design-Build Agreement (DBA)	The written agreement that has been fully executed between VPRA and the Design-Builder containing the terms and conditions governing the Work and all attachments thereto.
Design-Builder	The Person selected pursuant to the RFP, which enters into the Design-Build Agreement with VPRA to design and construct the Project.
Design-Build	A project delivery methodology in which the project owner contracts with a single firm that has responsibility for the design and construction of a project.
Designated Contact	The individual designated by a Respondent as the point of contact for communications with VPRA during the procurement.
DOT Component	The division, office, or mode within the USDOT awarding Federal financial assistance. This includes FRA.
Evaluation Team	The individuals who will perform the evaluation and scoring of SOQs and Proposals.
Guarantor	A Person that guarantees the financial and performance obligations of Design-Builder.
Independent Design Quality Manager (IDQM)	An engineering firm with no contractual relationship with the Lead Designer or any subconsultant to the Lead Designer, retained by the Design-Builder to review design elements, as specified in greater detail in this RFQ.
Independent Quality Assurance (IQA)	All actions performed by VPRA to verify that the design complies with the Contract Documents, including review and comment on the Design, working with the Design-Builder and IDQM to resolve design comments, and other checks VPRA performs on the Design.

Issued for Construction (IFC)	VPRA's acceptance of a design submission by the Design-Builder that allows the Design-Builder to construct only the design submission for which IFC disposition is provided. "Acceptance" for purposes of an IFC disposition is subject to the definition to be provided in the DBA and is without prejudice to VPRA's rights with respect to work that does not comply with the Contract Documents. Acceptance may also entail acceptance by third-parties with the right to review design submissions.
Joint Venture	A combination of two or more Persons for the purposes of undertaking the design and construction of the Project. A Joint Venture is not, itself, a distinct business entity, but may be comprised of a combination of business entities and/or individuals. If a Joint Venture is the successful Proposer, then joint venturers must each be a signatory to the DBA and must agree to be jointly and severally liable for the performance thereof.
Key Personnel	The individuals specified in <u>Section 5.5.1</u> of this RFQ.
Lead Designer	The firm that leads the team performing the design of the Project. A Lead Designer may be either a Principal Participant or Subcontractor.
North Package	The northern portion of the Long Bridge project that will be separately procured and delivered.
Organizational Conflict of Interest Policy	VPRA's policy governing conflicts of interest, as described further in <u>Section 1.5</u> of the RFQ.
Person	Any individual, firm, corporation, company, joint venturer, voluntary association, partnership, trust, or unincorporated organization, or combination thereof.
Point of Contact	VPRA's single point of contact for the procurement of this Project, identified in <u>Section 1.3</u> of this RFQ.
Principal Participant	Any of the following entities: the Respondent; individual firms (e.g., corporation, limited liability company, limited liability partnership), general partners, or Joint Venture members of the Respondent; and/or all Persons and legal entities holding (directly or indirectly) a 15% or greater interest in the Respondent.
Procurement Rules	The rules of procurement adopted by VPRA that govern VPRA's procurements, available at: Procurement-Rules.pdf (vapassengerrailauthority.org)
Procurement Schedule	The schedule for this procurement detailed in <u>Section 2.1</u> .
Project	The South Package of the Long Bridge project.
Proposal	The response to the RFP submitted by a Proposer.
Proposer	A design-build entity that submits a Proposal in response to the RFP. Where context dictates, Proposer shall also mean a potential Proposer.

Quality Acceptance	For the Design, all services provided by the IDQM to verify conformance of the design with the Contract Documents and the resolution of comments on the Design. For Construction Work, all planned and systematic actions performed by VPRA to ensure that all Construction Work complies with the requirements of the Contract Documents and that all materials incorporated in the Work, all equipment used, and all elements of the Work will perform satisfactorily for the purpose(s) intended. Actions include specification reviews, document control reviews, and working plan reviews; construction inspection; materials sampling and testing at the production site and the Project site; oversight of manufacturing/processing facilities and equipment; oversight of on-site equipment; calibration of test equipment; acceptance or rejection of material; and documentation of all activities.
Quality Control (QC)	The total of all activities that are performed by the production staff of the Design-Builder, Lead Designer, Subcontractors, producers, or manufacturers to ensure the Work meets the requirements of the Contract Documents. QC may include design reviews and checks; inspection of material handling and construction; calibration and maintenance of sampling and testing equipment; working plan review; document control; production process control; any inspection, sampling, and testing done for these purposes; and documentation of QC activities.
Quality Plan	Design-Builder's plan detailing its approach to design and construction quality management for the Work.
Request for Proposals (RFP)	The request for the submission of Proposals by Shortlisted firms interested in serving as Design-Builder for the Project.
Request for Qualifications (RFQ)	This request for the submission of Statements of Qualification from entities interested in serving as Design-Builder for the Project.
Respondent	A design-build entity that submits a SOQ in response to this RFQ. Where dictated by context, Respondent shall also mean potential Respondent. A Respondent may only be a full team or entity capable of performing all services necessary to design and construct the Project.
Shortlist	The shortlist of Respondents named after evaluation of the SOQs submitted in response to this RFQ.
Small Business	A firm certified as a small business by the Department of Small Business and Supplier Diversity (DSBSD). This shall also include DSBSD-certified women-and minority-owned businesses and businesses with DSBSD service disabled veteran-owned status when they also hold a DSBSD certification as a small business.
South Package	The southern portion of the Long Bridge project, as described in greater detail in the RFQ. The South Package is the work that is the subject of this procurement.

Statement of Qualifications (SOQ)	The submission by a Respondent in response to this RFQ.
Stipend	A payment by VPRA to a Proposer as compensation for its work product (Proposal and inclusive of any ATCs), under certain conditions, as part of this procurement.
Stipend Agreement	A legal agreement that the Stipend-Eligible Proposer must enter into and execute with VPRA in order to receive the Stipend payment.
Stipend-Eligible Proposer	A Proposer who is responsive in meeting all RFP compliance requirements by submitting a compliant and complete technical and price Proposal for consideration by VPRA, who meets the requirements and limitations set forth in the Stipend Agreement in the RFP and who has executed the Stipend Agreement. A Stipend Eligible Proposer does not include (i) the Proposer selected for award and which executes a Design-Build Agreement with VPRA or (ii) the Proposer selected for award that cannot satisfactorily fulfill their obligations and meet the conditions to execute the Design-Build Agreement.
Subcontractor	A firm under contract with the Design-Builder or another Subcontractor to perform a specified portion of the Work. Subcontractor includes firms under contract at any tier to perform a specified portion of the Work.
Tangible Net Worth	The difference between the (i) the sum of paid-in capital stock plus preferred stock plus retained earnings, less (ii) the sum of treasury stock plus minority interest plus intangible assets, including goodwill, patents, and licenses, all determined in accordance with Generally Accepted Accounting Principles and as interpreted by the Securities and Exchange Commission in connection with financial statements filed pursuant to the Securities Exchange Act of 1934.
Technical Provisions	The portion of the Contract Documents that contains the technical requirements for the Project, including the performance-based and prescriptive specifications.
VPRA Website	VPRA's website on which VPRA posts information about its ongoing procurements, accessible at: https://vapassengerrailauthority.org/procurement/currentrfps/ .
Work	The efforts and services to be provided by the Design-Builder to complete its obligations under the Contract Documents.

APPENDIX 2

Representative List of Material Changes

List of Representative Material Changes:

- (a) An event of default or bankruptcy involving the affected entity, or an entity directly or indirectly controlling of the affected entity;
- (b) A change in Tangible Net Worth of 10% or more of shareholder equity;
- (c) A sale, merger or acquisition exceeding 10% of the value of shareholder equity prior to the sale, merger or acquisition that in any way involves the affected entity or an entity directly or indirectly controlling the affected entity;
- (d) A downgrade in credit rating for the affected entity or an entity directly or indirectly controlling the affected entity;
- (e) Non-payment of any debt service when due;
- (f) Inability to meet material conditions of loan or debt covenants by the affected entity or an entity directly or indirectly controlling the affected entity, which has required or will require a waiver or modification of agreed financial ratios, coverage factors or other loan stipulations, or additional credit support from shareholders or other third parties;
- (g) In the current and three most recently completed fiscal years, the affected entity or an entity directly or indirectly controlling the affected entity either: (i) incurs a net operating loss; (ii) sustains charges exceeding 5% of the then shareholder equity due to claims, changes in accounting, write-offs or business restructuring; or (iii) implements a restructuring/reduction in labor force exceeding 10% of the workforce or involves the disposition of assets exceeding 10% of the then shareholder equity; or
- (h) Other events known to the affected entity that represent a material change in financial condition over the past three fiscal years or may be pending for the next fiscal year.